



CORN

CROPLAN

Response to Nitrogen (RTN) **1**

Response to Fungicide (RTF) **1**

Response to Insecticide (RTI) **1**

Response to Maturity **1**

Response to Population (RTP) **1**

Response to Relative Maturity **1**

GDU to Mid-pollination**

GDU to Maturity**

Flower Date **5**

Plant Height **2**

Ear Height **2**

Cob Color **3**

Ear Flex **4**

Kernel Rows

Seeding Vigor

Stalk Quality

Root Strength **6**

Stay Green

Dry Down **6**

Brought Tolerance

Test Weight

Gray Leaf Spot

NCB

Common Rust

Anthracnose

Goss's Wilt

Physiderma Node Breakage

Diplodia Ear Rot

BRAND

RM: 81-96

CP2180VT2P/R1B*	81	M	M	M	2025	1070	M-E	M	M	RED	SD	18-20	2	2	2	3	2	3	3	3	NA	2	NA	3	3	NA	NA
CP2288VT2P/R1B*	82	H	H	M	2065	1090	M	M	M	RED	SF	16-18	2	2	1	2	2	2	2	1	NA	2	NA	2	3	NA	NA
CP2315VT2P/R1B*	83	M	H	M	2075	1080	E	M-T	M	RED	SF	18-20	2	3	2	3	2	2	3	3	3	3	NA	2	3	4	NA
CP2585VT2P/R1B*	85	M	H	M	2125	1120	M	M	M	RED	SF	16-18	2	2	3	3	2	3	3	3	3	3	NA	3	3	NA	NA
CP2520RR	86	M	M	M	2125	1120	M	M-T	M	RED	SF	16-20	3	3	1	3	2	1	3	3	3	NA	3	4	NA	NA	NA
CP2692D	86	M	M	M	2160	1140	M	M-T	M	RED	SF	16-18	2	1	1	1	3	NA	3	NA	1	NA	1	1	NA	NA	NA
CP2790VT2P/R1B*	87	L	H	H	2175	1130	E	M	M	RED	SF	16-18	1	3	2	3	2	1	2	3	2	2	NA	4	3	NA	2
CP2851VT2P/R1B*	88	M	M	M	2200	1160	M	M	M	RED	SD	16-18	3	2	2	3	2	3	2	3	3	3	3	NA	3	3	NA
CP2845SS/R1B*	89	H	H	H	2210	1150	E	M-T	M	RED	SF	16-18	1	2	1	3	1	1	3	NA	3	NA	3	4	4	NA	NA
CP2965VT2P/R1B*	89	M	H	H	2235	1180	M-L	M	M	RED	SF	14-16	1	1	2	3	2	2	2	3	3	1	NA	3	2	NA	NA
CP3166VT2P/R1B*	91	H	M	M	2285	1180	E	M	M	RED	SF	16-18	2	3	3	3	2	2	3	3	3	3	NA	3	2	NA	NA
CP3314VT2P/R1B*	93	M	L	M	2330	1210	M	M	M	RED	FL	16-18	2	2	2	2	2	2	2	3	3	NA	3	4	NA	NA	NA
CP3337VT2P/R1B*	93	M	M	M	2310	1190	E	M	M	RED	FL	16-18	2	3	1	3	2	1	2	4	2	4	2	5	3	NA	NA
CP3399SS/R1B*	94	M	H	M	2350	1220	M	M	M	RED	SF	16-18	2	2	2	2	2	2	2	3	3	NA	3	4	3	NA	NA
CP3490VT2P/R1B*	94	M	M	H	2360	1230	M-L	M-T	M-H	RED	SF	18-20	1	3	3	3	3	2	3	3	3	NA	NA	3	3	3	NA
CP3575VT2P/R1B*	95	H	H	M	2360	1240	M-L	M	M	RED	SF	16-18	2	2	2	2	2	3	1	3	2	NA	NA	4	1	NA	NA
CP3699RR	96	M	M	M	2400	1240	M	M-T	M-H	RED	SF	16-18	1	1	1	3	3	2	2	3	3	NA	3	3	3	NA	NA

KEY

Product descriptions and ratings are generated from Answer Plot® trials and/or from the genetics supplier and may change as additional data is gathered.

Scale

- 1 = Excellent
- 2 = Strong
- 3 = Acceptable
- 4 = Manage
- 5 = Not Recommended

1 RTP/RTN/RTF Ratings

L = Low Response
M = Moderate Response
H = High Response
TBD = To be tested in 2023

2 Plant Height

T = Tall
M = Medium
S = Short

3 Ear Height

H = High
M = Medium
L = Low

4 Ear Flex

FL = Flex
SF = Semi-flex
FX = Fixed

5 Flower Date

L = Late
M = Medium
E = Early

6 Staygreen

Late-season health coming from strong leaf-disease resistance, enhancing hybrid standability.

These ratings reflect trends observed in research trials that change with variations in rainfall, temperature, crop production patterns and other factors. Ratings on new hybrids are based on limited data and may change as more data is collected.

**GDUs published for each product are an estimate and the actual GDUs in a given year/location can vary based upon environmental factors.

*Follow IRM guidelines and refuge configurations to preserve the benefits and insect protection of these technology crops.



CORN

CROPLAN

Response to Nitrogen (RTN)	Response to Fungicide (RFT)	Response to GDU to Mid-Pollination**	Response to GDU to Maturity**	Flower Date	Plant Height	Ear Height	Cob Color	Ear Flex	Kernel Rows	Seeding Vigor	Stalk Quality	Root Strength	Stay Green	Dry Down	Drought Tolerance	Test Weight	Gray Leaf Spot	NCLB	SCLB	Common Rust	Anthracnose	Goss's Wilt	Physoderma Node Breakage	Diplodia Ear Rot
----------------------------	-----------------------------	--------------------------------------	-------------------------------	-------------	--------------	------------	-----------	----------	-------------	---------------	---------------	---------------	------------	----------	-------------------	-------------	----------------	------	------	-------------	-------------	-------------	--------------------------	------------------

BRAND

RM: 97-108

NEW	CP3171SSSPRO/RIB*	97	M	M	2425	1242	M-E	M-T	M-H	RED	SF	18-20	2	2	2	2	2	3	4	2	2	2	2	2	4
NEW	CP3124VT2P/RIB*	97	M	H	2435	1250	M	M-T	M	RED	SF	16-18	2	2	2	2	3	2	2	2	3	NA	NA	2	2
	CP3135SS/RIB*	97	M	H	2425	1250	M	M	M	RED	SD	16-18	1	2	2	2	3	1	3	3	NA	NA	3	3	NA
NEW	CP3852TREF/RIB*	98	M	M	2450	1275	L	M-T	M-H	RED	FL	16-18	2	2	2	2	2	3	3	3	NA	NA	2	NA	NA
NEW	CP3899VT2P/RIB*	98	H	H	2450	1280	L	M-T	M-H	PINK	SF	16-20	1	2	2	2	3	2	2	4	4	NA	3	3	3
	CP3980VT2P/RIB*	99	M	M	2475	1270	M	M-T	M-H	RED	SF	14-16	2	3	1	3	2	3	3	2	NA	NA	3	3	4
	CP4079VT2P/RIB*	100	M	M	2480	1280	M	M-T	M	RED	SF	14-16	2	3	1	3	2	2	3	3	3	2	NA	2	3
	CP4099SS/RIB*	100	H	H	2500	1290	L	M-T	M	PINK	SF	16-20	1	2	1	3	3	2	3	4	4	NA	3	3	3
	CP4188SS/RIB*	101	M	M	2490	1280	M	M	M	RED	SF	16-18	1	1	1	1	3	2	1	3	2	NA	NA	2	3
	CP4265VT2P/RIB*	102	M	L	2550	1300	M-L	M	M	RED	SD	16-18	1	2	1	3	1	3	3	3	3	2	NA	2	3
	CP4822VT2P/RIB*	103	M	L	2575	1310	L	M	M-H	RED	SF	16-18	2	3	1	3	2	2	3	3	3	2	NA	3	3
NEW	CP4444VT2P/RIB*	104	H	L	2580	1300	M	T	M-H	RED	SF	14-16	1	2	2	3	2	3	3	3	3	3	2	NA	3
NEW	CP4516TREF/RIB*	105	M	M	2650	1309	M-E	M	M	RED	SF	16-18	2	3	2	2	3	2	3	3	3	2	2	2	3
NEW	CP4652SSPRO/RIB*	106	L	H	2625	1311	M	M-T	H	RED	SF	14-16	2	2	2	2	3	2	3	4	3	2	2	2	2
	CP4676SS/RIB*	106	M	H	2650	1310	M	M	M	PINK	SF	16-18	1	3	3	2	1	3	1	3	2	2	NA	3	1
	CP4751VT2P/RIB*	107	M	M	2675	1320	M	M	M-H	RED	SD	18-20	3	3	2	3	2	2	2	3	2	NA	NA	3	3
	CP4808SS/RIB*	108	H	M	2700	1330	M	M-S	M	RED	SD	14-16	2	2	2	3	3	3	3	2	3	3	2	NA	3

KEY Product descriptions and ratings are generated from Answr Plot® trials and/or from the genetics supplier and may change as additional data is gathered.

Scale
 1 = Excellent
 2 = Strong
 3 = Acceptable
 4 = Manage
 5 = Not Recommended

1 RTP/RTM/RTF Ratings
 L = Low Response
 M = Moderate Response
 H = High Response
 TBD = To be tested in 2023

2 Plant Height
 T = Tall
 M = Medium
 S = Short

4 Ear Flex
 FL = Flex
 SF = Semi-flex
 FX = Fixed

6 Staygreen
 Late-season health coming from strong leaf-disease resistance, enhancing hybrid standability.

These ratings reflect trends observed in research trials that change with variations in rainfall, temperature, crop production patterns and other factors. Ratings on new hybrids are based on limited data and may change as more data is collected.

**GDUs published for each product are an estimate and the actual GDUs in a given year/location can vary based upon environmental factors.

3 Ear Height
 H = High
 M = Medium
 L = Low

5 Flower Date
 L = Late
 M = Medium
 E = Early

*Follow IRM guidelines and refuge configurations to preserve the benefits and insect protection of these technology crops.



CORN

CROPLAN

Response to Nitrogen (RTN)	Response to Fungicide (RTF)	Response to Relative Maturity (RTM)	GoU to Mid-pollination**	GoU to Maturity**	Flower Date	Plant Height	Ear Height	Cob Color	Ear Flex	Kernal Rows	Seeding Vigor	Stalk Quality	Root Strength	Stay Green	Dry Down	Brought Tolerance	Test Weight	Gray Leaf Spot	MCLB	SCLB	Common Rust	Goss's Wilt	Anthracnose Node Stalk Rot	Diplodia Ear Rot
----------------------------	-----------------------------	-------------------------------------	--------------------------	-------------------	-------------	--------------	------------	-----------	----------	-------------	---------------	---------------	---------------	------------	----------	-------------------	-------------	----------------	------	------	-------------	-------------	----------------------------	------------------

BRAND RM: 109-118

CP4930DD6VT2P/RIB*	109	M	M	2725	1330	M	M-T	M-H	RED	SF	14-16	3	3	3	2	3	3	3	3	2	2	NA	2	3	3	NA
CP4997VT2P/RIB*	109	H	H	2725	1330	M	T	M-H	RED	SF	16-18	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
CP5073SS/RIB*	110	M	H	2730	1340	M	M	M-H	RED	SF	16-18	1	3	2	2	2	2	3	3	2	1	NA	3	3	NA	NA
CP5115SS/RIB*	111	H	H	2775	1350	M-L	M-T	M-H	RED	SF	18-20	1	2	1	3	3	2	1	3	2	3	NA	4	3	5	3
NEW CP5208VT2P/RIB*	112	M	M	2800	1348	NA	M	M	RED	SF	16-18	2	2	2	2	3	2	2	2	2	2	NA	2	2	NA	NA
CP5210SS/RIB*	112	M	H	2790	1340	M	M-T	M-H	RED	SF	16-18	1	3	3	3	3	3	3	3	2	2	NA	2	3	3	NA
CP5244VT2P/RIB*	112	M	M	2800	1360	M-L	M-T	M-H	RED	SF	16-18	2	3	2	2	3	2	2	3	2	2	NA	3	3	3	NA
CP5340VT2P	113	M	M	2825	1350	M	M-S	M	RED	FL	16-20	2	1	1	3	2	3	3	3	2	2	3	4	3	NA	4
CP5335SS/RIB*	113	M	H	2820	1350	M	M	M	PINK	SF	16-18	2	1	2	2	2	2	1	3	2	2	NA	2	2	NA	2
CP5370SS/RIB*	113	H	H	2830	1370	M	T	M-H	PINK	SF	18-20	1	1	1	1	2	2	1	3	2	2	3	4	2	NA	NA
CP5694SS/RIB*	113	M	M	2810	1350	M	M	M	RED	SF	16-18	2	1	1	2	2	2	2	3	2	2	2	3	3	NA	3
CP5497VT2P/RIB*	114	H	L	2850	1350	M-E	M-T	M-H	RED	SF	14-16	2	3	2	2	2	1	2	3	2	2	NA	3	4	4	NA
CP5550VT2P/RIB*	115	M	M	2850	1360	M	M	M	PINK	SF	14-16	3	2	2	3	2	2	3	3	3	2	NA	3	1	NA	3
CP5570VT2P/RIB*	115	H	M	2875	1360	M	M	M	RED	SF	16-18	3	2	2	2	3	2	3	3	3	2	NA	3	3	NA	3
CP5588DD6VT2P/RIB*	115	M	M	2875	1360	M	M-T	M-H	RED	SD	16-18	2	2	2	2	2	2	3	3	3	2	NA	3	3	5	3
CP5678SS/RIB*	116	M	H	2900	1360	M	M	M	RED	SF	14-16	2	2	3	3	3	2	1	3	2	2	NA	3	3	3	3
NEW CP5717VT2P/RIB*	117	M	M	2925	1366	M	M-T	M-H	RED	FL	18-20	3	1	2	2	4	3	1	2	2	3	NA	3	NA	NA	NA
CP5760TRE/RIB*	117	L	H	2925	1370	NA	T	M-H	PINK	SF	16-18	2	3	3	3	2	3	2	3	2	2	NA	3	2	NA	NA
NEW CP5893TRE/RIB*	118	M	M	3000	1385	L	M	M-L	RED	SF	18-20	1	2	2	1	3	2	1	2	2	1	2	2	2	2	4

KEY Product descriptions and ratings are generated from Answr Plot® trials and/or from the genetics supplier and may change as additional data is gathered.

Scale
1 = Excellent
2 = Strong
3 = Acceptable
4 = Manage
5 = Not Recommended

1 RTP/RTM/RTF Ratings
L = Low Response
M = Moderate Response
H = High Response
TBD = To be tested in 2023

2 Plant Height
T = Tall
M = Medium
S = Short

4 Ear Flex
FI = Flex
SF = Semi-flex
FX = Fixed

6 Staygreen
Late-season health coming from strong leaf-disease resistance, enhancing hybrid standability.

3 Ear Height
H = High
M = Medium
L = Low

5 Flower Date
L = Late
M = Medium
E = Early

*These ratings reflect trends observed in research trials that change with variations in rainfall, temperature, crop production patterns and other factors. Ratings on new hybrids are based on limited data and may change as more data is collected.

**GDUs published for each product are an estimate and the actual GDUs in a given year/location can vary based upon environmental factors.

*Follow IRM guidelines and refuge configurations to preserve the benefits and insect protection of these technology crops.