

Soybean

BRAND	WinPak Components	Relative Maturity	Indeterminate	Determinate	SCN Resistance 1	PRR Gene 2	SDS Tolerance	Chloride Tolerance	SWM Tolerance	BSR Tolerance	Iron Chlorosis	Southern Stem Canker 3	Frageye Leaf Spot	Root-Knot Nematode	Emergence	Standability	Stress Tolerance	Canopy Type 4	Plant Height 5	Flower Color 6	Pubescence Type 7	Pod Color 8	Hilum Color 9	
XtendFlex® - RM: 0.0-1.4																								
NEW	CP00545XF		0.05	IND	PI88.788	Rps1c,3a	2	NA	Includer	2	NA	2	1	NA	NA	NA	3	NA	Int	MT	P	LTW	TN	BR
	CP00744XF*		0.07	IND	NG	Rps1c	1	NA	Includer	2	2	4	NA	2	NA	2	2	NA	Int	M	P	LTW	BR	GR
	CP00840XF	CP00744XF*/CP00944XF	0.08	IND	PI88.788/NG	Rps1c	2	NA	Includer	3	2	3	NA	2/NA	NA	2	2	NA	Int	MT	P	LTW	BR	BL/GL
	CP00944XF		0.09	IND	PI88.788	Rps1c	2	NA	Includer	4	2	2	NA	NA	NA	1	2	NA	Int	MT	P	LTW	BR	BL
	CP0244XF		0.2	IND	PI88.788	Rps1c	3	NA	Includer	2	2	1	NA	NA	NA	1	2	NA	Int/Bush	MT	P	LTW	BR	BL
	CP0440XF	CP0444XF*/CP0555XF*	0.4	IND	PI88.788	Rps1c,3a/1c	2	3/NA	Includer	3	1/NA	2	1/NA	NA	NA	1/NA	2	NA	Int/Bush	MT	P	GR/LTW	BR	GR/IB
	CP0444XF*		0.4	IND	PI88.788	Rps1c	2	NA	Includer	3	1	1	NA	NA	NA	1	1	NA	Int/Bush	MT	P	GR	BR	IB
	CP0542XF		0.5	IND	PI88.788	Rps1c	3	3	Includer	3	4	4	1	NA	NA	2	3	NA	Int/Bush	MT	P	LTW	TN	IY
NEW	CP0555XF*		0.5	IND	PI88.788	Rps1c,3a	1	3	Includer	3	NA	3	1	NA	NA	NA	2	NA	Int	M	P	LTW	BR	GR
	CP0740XF	CP0744XF*/CP0751XF*	0.7	IND	PI88.788	Rps1k/1c,3a	2	2/NA	Includer	3	1	2	1/NA	NA	5/NA	1	3	1/NA	Int	MT	P	GR/TW	BR	BL/IB
	CP0744XF*		0.7	IND	PI88.788	Rps1k	2	2	Includer	2	1	2	1	NA	5	1	2	1	Int	M	P	GR	BR	IB
	CP0751XF*		0.7	IND	PI88.788	Rps1c,3a	2	NA	Includer	3	1	2	NA	NA	NA	1	3	NA	Int	MT	P	TW	BR	BL
	CP0940XF	CP0955XF*/CP1042XF*	0.9	IND	PI88.788	HRps3a/1c	2	2/NA	Includer	2	3	2	1/NA	NA	NA	1/NA	2	2/NA	Int	MT	P	LTW	TN	BL/BR
NEW	CP0955XF*		0.9	IND	PI88.788	Rps1c	2	2	Includer	2	2	3	1	NA	NA	NA	1	NA	Int/Nar	M	P	LTW	TN	BL
	CP1042XF*		1	IND	PI88.788	HRps3a	2	NA	Includer	2	3	2	NA	NA	NA	1	2	2	Int/Bush	MT	P	LTW	TN	BR
	CP1240XF	CP1242XF*/CP1244XF*	1.2	IND	PI88.788	Rps1c,H3a	2	3	Includer	2	1	2	1/NA	NA	5/NA	1	1	2	Int	MT	P	GR/LTW	BR/TN	BL/BF
	CP1242XF*		1.2	IND	PI88.788	HRps3a	2	3	Includer	2	1	2	NA	NA	NA	1	1	2	Int	MT	P	LTW	BR	BL
	CP1244XF*		1.2	IND	PI88.788	Rps1c	2	2	Includer	1	1	2	1	NA	5	1	1	2	Int	M	P	GR	TN	BF
	CP1443XF*		1.4	IND	PI88.788	Rps1c,3a	2	2	Includer	1	2	3	1	NA	NA	2	2	NA	Int	MT	P	LTW	BR	BR

KEY

Scale

- 1 = Excellent
- 2 = Strong
- 3 = Acceptable
- 4 = Manage
- 5 = Not Recommended
- NG = No gene present

1 SCN Resistant Source

Peking = These varieties contain SCN resistance genes from the Peking soybean breeding lines
PI88.788 = These varieties contain SCN resistance genes from the PI88.788 soybean breeding lines

2 PRR Gene

Rps = Resistance to Phytophthora sojae
HRps = Heterozygous segregating Rps occurrence

3 Southern Stem Canker and Root-Knot Nematode

- 1 = Resistant
- 2 = Moderately Resistant
- 3 = Moderately Resistant–Moderately Susceptible
- 4 = Moderately Susceptible
- 5 = Susceptible



This symbol indicates that there has been a new component added to the WinPak® variety.

4 Canopy Type

Nar = Narrow
Int = Intermediate
Bush = Bushy

5 Plant Height

T = Tall
M = Medium
S = Short

6 Flower Color

P = Purple
W = White

7 Pubescence Type

GR = Gray
TW = Tawny
LTW = Light Tawny

8 Pod Color

TN = Tan
BR = Brown

9 Hilum Color

YE = Yellow/Clear
GR = Gray
BL = Black
IB = Imperfect Black
BR = Brown
BF = Buff
SL = Slate
TN = Tan
IY = Imperfect Yellow

Product descriptions and ratings are generated from Answer Plot® trials and/or from the genetics supplier and may change as additional data is gathered.

These ratings reflect trends observed in research trials that change with variations in rainfall, temperature, crop production patterns and other factors. Ratings on new soybean varieties are based on limited data and may change as more data is collected.

*WinPak® seed components only. Not for sale individually.

CROPLAN

Soybean

BRAND	WinPak Components	Relative Maturity	Determinate Indeterminate	SCN Resistance ¹	PRR Gene ²	SDS Tolerance	Chloride Tolerance	SWM Tolerance	BSR Tolerance	Iron Chlorosis	Southern Stem Canker ³	Frogeye Leaf Spot	Root-Knot Nematode	Emergence	Standability	Stress Tolerance	Canopy Type ⁴	Plant Height ⁵	Flower Color ⁶	Pubescence Type ⁷	Pod Color ⁸	Hilum Color ⁹	
XtendFlex® - RM: 1.5-3.4																							
▲ CP1540XF	CP1443XF/CP1545XF*	1.5	IND	PI88.788	Rps1c,3a/lc,3a	2	3	Includer	2	2	3	1	NA	5/NA	2	2	1/NA	Int	MT	P	GR/LTW	BR/TN	BR/IB
NEW CP1545XF*		1.5	IND	PI88.788	Rps1c,3a	1	3	Includer	2	1	2	1	NA	5	1	2	1	Int/Nar	MT	P	GR	TN	IB
CP1742XF		1.7	IND	PI88.788	Rps1c	2	2	Includer	2	1	1	1	NA	NA	2	1	NA	Int/Nar	T	P	LTW	BR	BR
CP1840XF	CP1742XF/CP1844XF*	1.8	IND	PI88.788	Rps1c/NG	2	2	Includer	2	1	2	1	NA	5/NA	2	1	2/NA	Int	T	P	LTW	BR/TN	BR/BL
CP1844XF*		1.8	IND	PI88.788	NG	2	2	Includer	2	1	3	1	NA	5	1	1	2	Int	MT	P	LTW	TN	BL
CP2054XF		2	IND	PI88.788	NG	2	2	Includer	2	1	3	1	NA	5	1	2	2	Int	M	P	LTW	TN	BL
CP2244XF*		2.2	IND	PI88.788	Rps1c	3	1	Includer	2	4	2	1	4	NA	2	2	NA	Int/Bush	MT	W	LTW	BR	BL
CP2340XF	CP2244XF*/CP2344XF*	2.3	IND	PI88.788	Rps1c	3	2	Includer	3	4	2	1	4/NA	5/NA	2	2	2/NA	Int/Bush	MT	P/W	GR/LTW	BR	BL/IB
CP2344XF*		2.3	IND	PI88.788	Rps1c	2	3	Includer	3	3	2	1	NA	5	2	2	2	Int	MT	P	GR	BR	IB
▲ CP2540XF	CP2543XF*/CP2545XF*	2.5	IND	PI88.788	Rps1c	2	3	Includer	3	1	2	1	NA	5	2	3	2	Int/Bush	MT	P	GR/LTW	BR/TN	BL/IB
CP2543XF*		2.5	IND	PI88.788	Rps1c	2	3	Includer	2	1	2	1	NA	5	2	2	2	Int	MT	P	GR	BR	IB
NEW CP2545XF*		2.5	IND	PI88.788	Rps1c	2	2	Includer	3	1	2	1	NA	5	2	3	1	Int/Bush	MT	P	LTW	BR	BL
CP2743XF		2.7	IND	PI88.788	NG	2	2	Includer	5	NA	3	1	NA	NA	1	3	NA	Int	T	P	LTW	BR	BL
▲ CP2840XF	CP2743XF*/CP2845XF*	2.8	IND	PI88.788	NG	2	2	Includer	5	3/NA	3	1	1/NA	NA	1	2	NA	Int/Bush	MT	P	LTW	BR	BL
NEW CP2845XF*		2.8	IND	PI88.788	NG	3	1	Includer	4	3	2	1	1	NA	NA	1	NA	Int/Bush	M	P	LTW	BR	BL
NEW CP3245XF*		3.2	IND	PI88.788	Rps1k	1	2	Includer	3	1	4	1	NA	5	1	2	2	Int/Nar	MT	P	GR	BR	IB
NEW CP3250XF	CP3245XF*/CP3345XF*	3.2	IND	PI88.788	Rps1c-1k,3a/1k	2	2	Includer	3	1	4	1	NA	NA	2	2	NA	Int/Bush	MT	P	GR/LTW	BR	IB/BL
NEW CP3345XF*		3.3	IND	PI88.788	Rps1c-1k,3a	NA	1	Includer	3	1	4	1	1	NA	NA	3	NA	Int/Bush	MT	P	LTW	BN	BL
CP3444XF*		3.4	IND	PI88.788	Rps1c	3	2	Includer	3	2	3	1	1	NA	2	2	NA	Int/Bush	M	P	LTW	BR	BL

KEY

Scale

- 1 = Excellent
- 2 = Strong
- 3 = Acceptable
- 4 = Manage
- 5 = Not Recommended
- NG = No gene present

1 SCN Resistant Source

Peking = These varieties contain SCN resistance genes from the Peking soybean breeding lines
PI88.788 = These varieties contain SCN resistance genes from the PI88.788 soybean breeding lines

2 PRR Gene

Rps = Resistance to Phytophthora sojae
HRps = Heterozygous segregating Rps occurrence

3 Southern Stem Canker and Root-Knot Nematode

- 1 = Resistant
- 2 = Moderately Resistant
- 3 = Moderately Resistant–Moderately Susceptible
- 4 = Moderately Susceptible
- 5 = Susceptible



This symbol indicates that there has been a new component added to the WinPak® variety.

4 Canopy Type

Nar = Narrow
Int = Intermediate
Bush = Bushy

5 Plant Height

T = Tall
M = Medium
S = Short

6 Flower Color

P = Purple
W = White

7 Pubescence Type

GR = Gray
TW = Tawny
LTW = Light Tawny

8 Pod Color

TN = Tan
BR = Brown

9 Hilum Color

YE = Yellow/Clear
GR = Gray
BL = Black
IB = Imperfect Black
BR = Brown
BF = Buff
SL = Slate
TN = Tan
IY = Imperfect Yellow

Product descriptions and ratings are generated from Answer Plot® trials and/or from the genetics supplier and may change as additional data is gathered.

These ratings reflect trends observed in research trials that change with variations in rainfall, temperature, crop production patterns and other factors. Ratings on new soybean varieties are based on limited data and may change as more data is collected.

*WinPak® seed components only. Not for sale individually.

CROPLAN

Soybean

BRAND	WinPak Components	Relative Maturity	Indeterminate	Determinate	SCN Resistance ¹	PRR Gene ²	SDS Tolerance	Chloride Tolerance	SWM Tolerance	BSR Tolerance	Iron Chlorosis	Southern Stem Canker	Frageye Leaf Spot	Root-Knot Nematode	Emergence	Standability	Stress Tolerance	Canopy Type ⁴	Plant Height ⁵	Flower Color ⁶	Pubescence Type ⁷	Pod Color ⁸	Hilum Color ⁹	
XtendFlex® - RM: 3.5-4.8																								
CP3544XFS*		3.5	IND		PI88.788	Rps3a	3	3	Excluder	3	1	3	1	5	5	1	2	NA	Int/Bush	M	P	LTW	BR	BL
CP3550XF	CP3444XF*/CP3544XFS*	3.5	IND		PI88.788	Rps1c/3a	3	3	Inc/Exc	3	2	3	1	3	5/NA	2	2	NA	Int/Bush	M	P	LTW	BR	BL
CP3753XF		3.7	IND		PI88.788	NG	3	2	Includer	NA	1	3	1	1	NA	1	2	NA	Int	MT	P	LTW	BR	BL
NEW CP3845XFS		3.8	IND		PI88.788	Rps1c	3	2	Excluder	2	1	4	1	2	NA	NA	2	NA	Int/Bush	MT	P	LTW	BN	BL
NEW CP4145XFS		4.2	IND		PI88.788	Rps1c	3	2	Excluder	NA	1	4	1	4	5	NA	2	NA	Bush	M	W	LTW	BN	BL
NEW CP4545XFS		4.5	IND		PI88.788	Rps1k	1	4	Includer	NA	NA	2	1	1	5	NA	1	NA	Int	M	W	LTW	BR	BL
CP4541XFS		4.6	IND		PI88.788	Rps1c	3	2	Excluder	NA	NA	NA	1	NA	5	1	3	NA	Int/Bush	T	P	LTW	BR	BL
NEW CP4845XFS		4.8	IND		PI88.788	Rps1c	2	4	Excluder	NA	NA	4	1	3	3	NA	3	NA	Int/Bush	MT	P	LTW	TN	BL
Roundup Ready 2 Xtend® - RM: 0.03																								
CP00312X		0.03	IND		NG	Rps1c	1	NA	Includer	2	NA	2	1	NA	NA	2	1	NA	Int	M	P	LTW	BR	IY
Enlist E3® - RM: 0.0-0.8																								
CP00824E		0.08	IND		PI88.788	Rps3a	1	NA	Includer	3	5	2	1	NA	5	1	2	1	Bush	MT	P	GR	TN	BF
CP0124E		0.1	IND		PI88.788	Rps3a	1	NA	Includer	2	1	2	1	NA	5	1	1	1	Int	MT	P	GR	TN	IB
NEW CP0325E		0.3	IND		PI88.788	Rps1k,3a	1	NA	Includer	3	1	2	1	NA	5	1	2	2	Int/Nar	MT	P	GR	TN	BF
NEW CP0525E*		0.5	IND		Peking	Rps1c	3	3	Includer	3	2	1	1	3	NA	2	2	NA	Int/Bush	M	P	LTW	BR	BL
▲ CP0530E	CP0525E*/CP0534E*	0.5	IND		Peking/PI88.788	Rps1c/1k,H3a	2	3	Includer	3	2	1	1	NA	5/NA	2	2	1/NA	Int/Bush	M	P	GR/LTW	BR/TN	BL/IB
CP0534E*		0.5	IND		PI88.788	Rps1k,H3a	1	2	Includer	2	1	1	1	NA	5	1	2	1	Int	M	P	GR	TN	IB
CP0820E	CP0822E*/CP0824E*	0.8	IND		Peking/PI88.788	Rps3a/NG	2	2/NA	Inc/Exc	3	1/NA	2	1/NA	NA	5	1	2	2	Int/Bush	MT	P	GR	TN	BF
CP0822E*		0.8	IND		PI88.788	NG	2	NA	Excluder	2	NA	2	NA	NA	5	1	1	2	Int	M	P	GR	TN	BF

KEY

Scale

- 1 = Excellent
- 2 = Strong
- 3 = Acceptable
- 4 = Manage
- 5 = Not Recommended
- NG = No gene present

1 SCN Resistant Source

Peking = These varieties contain SCN resistance genes from the Peking soybean breeding lines
PI88.788 = These varieties contain SCN resistance genes from the PI88.788 soybean breeding lines

2 PRR Gene

Rps = Resistance to Phytophthora sojae
HRps = Heterozygous segregating Rps occurrence

3 Southern Stem Canker and Root-Knot Nematode

- 1 = Resistant
- 2 = Moderately Resistant
- 3 = Moderately Resistant–Moderately Susceptible
- 4 = Moderately Susceptible
- 5 = Susceptible



This symbol indicates that there has been a new component added to the WinPak® variety.

4 Canopy Type

Nar = Narrow
Int = Intermediate
Bush = Bushy

5 Plant Height

T = Tall
M = Medium
S = Short

6 Flower Color

P = Purple
W = White

7 Pubescence Type

GR = Gray
TW = Tawny
LTW = Light Tawny

8 Pod Color

TN = Tan
BR = Brown

9 Hilum Color

YE = Yellow/Clear
GR = Gray
BL = Black
IB = Imperfect Black
BR = Brown
BF = Buff
SL = Slate
TN = Tan
IY = Imperfect Yellow

Product descriptions and ratings are generated from Answer Plot® trials and/or from the genetics supplier and may change as additional data is gathered.

These ratings reflect trends observed in research trials that change with variations in rainfall, temperature, crop production patterns and other factors. Ratings on new soybean varieties are based on limited data and may change as more data is collected.

*WinPak® seed components only. Not for sale individually.

CROPLAN

Soybean

BRAND	WinPak Components	Relative Maturity	Determinate Indeterminate	SCN Resistance ¹	PRR Gene ²	SDS Tolerance	Chloride Tolerance	SWM Tolerance	BSR Tolerance	Iron Chlorosis	Southern Stem Canker	Frogeye Leaf Spot	Root-Knot Nematode	Emergence	Standability	Stress Tolerance	Canopy Type ⁴	Plant Height ⁵	Flower Color ⁶	Pubescence Type ⁷	Pod Color ⁸	Hilum Color ⁹	
Enlist E3® - RM: 0.8-2.0																							
CP0824E*		0.8	IND	Peking	Rps3a	1	2	Includer	3	1	2	1	NA	5	1	2	1	Int/Bush	MT	P	GR	TN	BF
NEW CP0925E		0.9	IND	PI88.788	Rps1k,3a	4	3	Includer	3	3	1	NA	2	NA	3	2	NA	Int/Bush	M	P	LTW	BR	BR
CP1123E*		1.1	IND	Peking	Rps3a	1	2	Includer	3	1	2	1	NA	5	1	2	1	Int	MT	P	GR	TN	BF
▲ CP1130E	CP1123E*/CP1225E*	1.1	IND	Peking	Rps3a/1k	2	3	Includer	3	2	2	1/NA	2/NA	5/NA	2	3	1	Int/Bush	MT	P	GR/LTW	BR/TN	BF/BL
NEW CP1125E		1.2	IND	PI88.788	Rps1c,H3a	2	3	Includer	2	1	2	1	NA	5	1	2	1	Int/Nar	MT	P	GR	TN	IB
NEW CP1225E*		1.3	IND	Peking	Rps1k	3	3	Includer	3	2	2	NA	2	NA	3	3	NA	Int/Bush	M	P	LTW	BR	BL
NEW CP1425E		1.4	IND	PI88.788	Rps1c,3a	1	3	Includer	2	NA	1	1	NA	5	1	2	1	Int/Nar	MT	P	GR	TN	IB
▲ CP1430E	CP1425E*/CP1522E*	1.4	IND	PI88.788	Rps1c,3a/3a	1	3	Includer	3	1/NA	2	1/NA	NA	5	1	2	2	Int	MT	P	GR	TN	BF/IB
CP1522E*		1.5	IND	PI88.788	Rps3a	1	2	Includer	3	1	3	NA	NA	5	1	2	2	Int	M	P	GR	TN	BF
NEW CP1525E		1.5	IND	Peking	Rps1k	2	1	Includer	2	2	4	1	3	NA	NA	1	NA	Int	MS	P	GR	BR	IB
NEW CP1535E*		1.5	IND	Peking	Rps1c,3a	1	2	Includer	2	1	2	1	1	5	1	2	2	Int/Nar	MT	P	GR	TN	IB
▲ CP1620E	CP1525E*/CP1624E*	1.6	IND	Peking	Rps1k,6/1c,3a	2	2	Includer	2	2	2	1/NA	1	5/NA	2	2	2/NA	Int	MT	P	GR/LTW	TN	BR/IB
CP1623E		1.6	IND	Peking	Rps1k	2	2	Includer	3	1	2	1	NA	1	1	2	1	Int	MT	P	GR	TN	BF
CP1624E*		1.6	IND	Peking	Rps1k,6	3	2	Includer	2	2	2	NA	1	NA	2	2	NA	Int/Bush	M	P	LTW	TN	BR
CP1721E		1.7	IND	PI88.788	Rps1k	2	3	Includer	2	NA	2	NA	NA	NA	1	1	2	Int	M	P	GR	BR	IB
NEW CP1825E		1.8	IND	Peking	Rps1k	1	2	Includer	2	NA	2	1	NA	5	1	1	1	Int/Nar	MT	P	GR	TN	BF
NEW CP1830E	CP1721E/CP1825E	1.8	IND	Peking/PI88.788	Rps1k	2	3	Includer	2	NA	2	1/NA	NA	5/NA	1	1	2	Int	MT	P	GR	BR/TN	BF/IB
NEW CP2020E	CP2024E/CP2025E*	2	IND	Peking	Rps3a/1k	2	3	Includer	3	2	3	1	4/NA	5/NA	2	2	2/NA	Int	M	P	GR	BR/TN	IB
CP2024E		2	IND	Peking	Rps1k	2	4	Includer	3	2	3	1	4	NA	2	1	NA	Int	MS	P	GR	BR	IB

KEY

Scale

- 1 = Excellent
- 2 = Strong
- 3 = Acceptable
- 4 = Manage
- 5 = Not Recommended
- NG = No gene present

¹ SCN Resistant Source

Peking = These varieties contain SCN resistance genes from the Peking soybean breeding lines
PI88.788 = These varieties contain SCN resistance genes from the PI88.788 soybean breeding lines

² PRR Gene

Rps = Resistance to Phytophthora sojae
HRps = Heterozygous segregating Rps occurrence

³ Southern Stem Canker and Root-Knot Nematode

- 1 = Resistant
- 2 = Moderately Resistant
- 3 = Moderately Resistant–Moderately Susceptible
- 4 = Moderately Susceptible
- 5 = Susceptible



This symbol indicates that there has been a new component added to the WinPak® variety.

⁴ Canopy Type

Nar = Narrow
Int = Intermediate
Bush = Bushy

⁵ Plant Height

T = Tall
M = Medium
S = Short

⁶ Flower Color

P = Purple
W = White

⁷ Pubescence Type

GR = Gray
TW = Tawny
LTW = Light Tawny

⁸ Pod Color

TN = Tan
BR = Brown

⁹ Hilum Color

YE = Yellow/Clear
GR = Gray
BL = Black
IB = Imperfect Black
BR = Brown
BF = Buff
SL = Slate
TN = Tan
IY = Imperfect Yellow

Product descriptions and ratings are generated from Answer Plot® trials and/or from the genetics supplier and may change as additional data is gathered.

These ratings reflect trends observed in research trials that change with variations in rainfall, temperature, crop production patterns and other factors. Ratings on new soybean varieties are based on limited data and may change as more data is collected.

*WinPak® seed components only. Not for sale individually.

CROPLAN

Soybean

BRAND	WinPak Components	Relative Maturity	Indeterminate	Determinate	SCN Resistance 1	PRR Gene 2	SDS Tolerance	Chloride Tolerance	SWM Tolerance	BSR Tolerance	Iron Chlorosis	Southern Stem Canker 3	Frogeye Leaf Spot	Root-Knot Nematode	Emergence	Standability	Stress Tolerance	Canopy Type 4	Plant Height 5	Flower Color 6	Pubescence Type 7	Pod Color 8	Hilum Color 9	
Enlist E3® - RM: 2.0-3.6																								
NEW	CP2025E*		2	IND	Peking	Rps3a	1	2	Includer	2	1	2	1	NA	5	2	2	2	Int/Nar	MT	P	GR	TN	IB
NEW	CP2225E		2.2	IND	Peking	NG	2	2	Includer	2	1	2	1	NA	5	2	2	2	Int/Nar	MT	P	GR	TN	IB
NEW	CP2230E	CP2225E/CP2325E*	2.2	IND	Peking/PI88.788	Rps1c,3a/NG	3	3	Includer	3	2	3	1/NA	3/NA	5/NA	3	3	2/NA	Int	MT	P	GR/LTW	TN	BL/IB
NEW	CP2325E*		2.3	IND	PI88.788	Rps1c,3a	3	3	Includer	3	3	4	NA	3	NA	3	3	NA	Int/Bush	MT	P	LTW	TN	BL
	CP2322E		2.3	IND	PI88.788	Rps1c	2	1	Includer	2	2	3	1	NA	NA	2	2	NA	Int	M	P	GR	BR	IB
▲	CP2520E	CP2524E*/CP2625ES*	2.5	IND	Peking/PI88.788	Rps1k/NG	3	3	Includer	3	NA	3	1	3/NA	5	3	3	2/NA	Int/Bush	MT	P	GR/LTW	BR/TN	BL/IB
	CP2524E*		2.5	IND	Peking	Rps1k	3	3	Includer	3	2	3	NA	2	5	3	3	NA	Bush	M	P	LTW	TN	BL
NEW	CP2625ES*		2.6	IND	PI88.788	NG	2	2	Includer	2	NA	2	1	NA	5	2	2	2	Int/Nar	MT	P	GR	BR	IB
NEW	CP2725E		2.7	IND	Peking	Rps1k	2	2	Includer	3	1	3	1	NA	5	2	2	2	Int/Nar	MT	P	LTW	BR	BR
▲	CP2920E	CP2925E*/CP3024ES*	2.9	IND	Peking/PI88.788	Rps1k/NG	2	3	Includer	3	5	3	1	2/NA	NA	2	2	2	Int	MT	P	GR	BR/TN	IB
NEW	CP2925E*		2.9	IND	Peking	Rps1k	2	2	Includer	3	5	2	1	NA	5	2	2	2	Int/Nar	MT	P	GR	TN	IB
	CP3024ES*		3.0	IND	PI88.788	NG	1	3	Includer	3	5	3	1	2	5	1	2	1	Int	MT	P	GR	BR	IB
	CP3120E	CP3024ES*/CP3124ES*	3.1	IND	PI88.788	Rps1c/NG	1	4	Includer	3	5	3	1	3	5	2	2	1	Int	MT	P	GR	BR	IB
	CP3124ES*		3.1	IND	PI88.788	Rps1c	1	4	Includer	3	5	3	1	3	5	2	1	1	Int/Nar	MT	P	GR	BR	IB
NEW	CP3325E		3.3	IND	Peking	NG	1	2	Includer	NA	1	3	1	3	5	1	2	1	Int/Bush	MT	P	GR	TN	IB
NEW	CP3330E	CP3325E/CP3425ES*	3.3	IND	Peking	Rps1k/NG	1	3	Includer	NA	3	3	1	NA	5	1	2	1	Int/Bush	MT	P	GR	TN	IB
	CP3422E		3.4	IND	PI88.788	NG	2	2	Includer	3	1	2	NA	3	NA	1	2	1	Int	MT	P	LTW	BR	BL
NEW	CP3425ES*		3.4	IND	Peking	Rps1k	1	3	Includer	NA	NA	2	1	NA	5	1	2	1	Int/Nar	MT	P	GR	TN	IB
	CP3524ES*		3.5	IND	PI88.788	NG	1	2	Includer	NA	1	3	1	3	5	1	2	1	Int/Bush	MT	P	GR	BR	BF
▲	CP3620E	CP3524ES*/CP3625E*	3.6	IND	PI88.788	Rps1k/NG	1	3	Includer	NA	1/NA	4	1	3	NA	1	3	1	Int/Bush	MT	P	GR/LTW	BR	BF/BL

KEY

Scale
 1 = Excellent
 2 = Strong
 3 = Acceptable
 4 = Manage
 5 = Not Recommended
 NG = No gene present

1 SCN Resistant Source
Peking = These varieties contain SCN resistance genes from the Peking soybean breeding lines
PI88.788 = These varieties contain SCN resistance genes from the PI88.788 soybean breeding lines

2 PRR Gene
Rps = Resistance to Phytophthora sojae
HRps = Heterozygous segregating Rps occurrence

3 Southern Stem Canker and Root-Knot Nematode
 1 = Resistant
 2 = Moderately Resistant
 3 = Moderately Resistant–Moderately Susceptible
 4 = Moderately Susceptible
 5 = Susceptible

▲ This symbol indicates that there has been a new component added to the WinPak® variety.

4 Canopy Type
 Nar = Narrow
 Int = Intermediate
 Bush = Bushy

5 Plant Height
 T = Tall
 M = Medium
 S = Short

6 Flower Color
 P = Purple
 W = White

7 Pubescence Type
 GR = Gray
 TW = Tawny
 LTW = Light Tawny

8 Pod Color
 TN = Tan
 BR = Brown

9 Hilum Color
 YE = Yellow/Clear
 GR = Gray
 BL = Black
 IB = Imperfect Black
 BR = Brown
 BF = Buff
 SL = Slate
 TN = Tan
 IY = Imperfect Yellow

Product descriptions and ratings are generated from Answer Plot® trials and/or from the genetics supplier and may change as additional data is gathered. These ratings reflect trends observed in research trials that change with variations in rainfall, temperature, crop production patterns and other factors. Ratings on new soybean varieties are based on limited data and may change as more data is collected.

*WinPak® seed components only. Not for sale individually.



Soybean

BRAND	WinPak Components	Relative Maturity	Indeterminate	Determinate	SCN Resistance 1	PRR Gene 2	SDS Tolerance	Chloride Tolerance	SWM Tolerance	BSR Tolerance	Iron Chlorosis	Southern Stem Canker	Frogeye Leaf Spot	Root-Knot Nematode	Emergence	Standability	Stress Tolerance	Canopy Type 4	Plant Height 5	Flower Color 6	Pubescence Type 7	Pod Color 8	Hilum Color 9	
																								Enlist E3® - RM: 3.6-4.9
NEW CP3625E*		3.6	IND		PI88.788	Rps1k	1	3	Includer	NA	NA	4	1	2	5	1	3	1	Int/Bush	MT	P	LTW	BR	BL
NEW CP3825E		3.8	IND		PI88.788	Rps1k	1	2	Includer	NA	NA	3	1	2	5	1	2	1	Int/Nar	MT	W	LTW	BR	BL
NEW CP3830E	CP3825E/CP3835E*	3.8	IND		PI88.788	Rps1k	1	2	Includer	NA	NA	3	1	2	5	1	2	1	Int/Bush	MT	W	LTW	BR	BL
NEW CP3835E*		3.8	IND		PI88.788	Rps1k	1	2	Includer	NA	NA	3	1	2	5	1	2	1	Int/Bush	MT	W	LTW	BR	BL
▲ CP3920ES	CP3925ES*/CP3924ES*	3.9	IND		PI88.788	Rps1c/NG	2	2	Includer	NA	3/NA	3	1	1	NA	2	2	2/NA	Int/Bush	MT	W	GR/LTW	BR/TN	BF/BL
CP3924ES*		3.9	IND		PI88.788	Rps1c	2	1	Excluder	NA	3	5	1	1	NA	1	2	NA	Int	M	W	GR	TN	BF
NEW CP3925ES*		3.9	IND		PI88.788	NG	2	2	Excluder	NA	NA	2	1	1	5	2	1	2	Int/Bush	M	W	LTW	BR	BL
NEW CP4125ES		4.1	IND		PI88.788	NG	3	3	Excluder	NA	NA	NA	1	1	5	1	1	2	Int/Bush	MT	W	LTW	BR	BL
CP4324ES		4.3	IND		PI88.788	Rps1c	2	2	Includer	NA	5	NA	1	2	5	1	2	1	Int	MT	W	LTW	TN	BR
NEW CP4425E		4.4	IND		PI88.788	Rps1k	3	3	Includer	NA	1	NA	1	2	5	1	2	2	Int/Nar	MT	P	LTW	BR	BL
NEW CP4525ES		4.6	IND		PI88.788	Rps1c	3	3	Includer	NA	NA	NA	1	2	5	1	2	1	Int/Bush	MT	W	LTW	TN	BL
NEW CP4725ES		4.7	IND		PI88.788	NG	3	2	Includer	NA	NA	NA	1	2	5	1	1	2	Int/Bush	MT	P	GR	TN	IB
CP4822ES		4.9	IND		PI88.788	NG	3	3	Excluder	NA	NA	NA	NA	2	NA	2	2	NA	Int/Bush	MT	W	GR	BR	BF

KEY

Scale

- 1 = Excellent
- 2 = Strong
- 3 = Acceptable
- 4 = Manage
- 5 = Not Recommended
- NG = No gene present

1 SCN Resistant Source

Peking = These varieties contain SCN resistance genes from the Peking soybean breeding lines
PI88.788 = These varieties contain SCN resistance genes from the PI88.788 soybean breeding lines

2 PRR Gene

Rps = Resistance to Phytophthora sojae
HRps = Heterozygous segregating Rps occurrence

3 Southern Stem Canker and Root-Knot Nematode

- 1 = Resistant
- 2 = Moderately Resistant
- 3 = Moderately Resistant–Moderately Susceptible
- 4 = Moderately Susceptible
- 5 = Susceptible



This symbol indicates that there has been a new component added to the WinPak® variety.

4 Canopy Type

Nar = Narrow
Int = Intermediate
Bush = Bushy

5 Plant Height

T = Tall
M = Medium
S = Short

6 Flower Color

P = Purple
W = White

7 Pubescence Type

GR = Gray
TW = Tawny
LTW = Light Tawny

8 Pod Color

TN = Tan
BR = Brown

9 Hilum Color

YE = Yellow/Clear
GR = Gray
BL = Black
IB = Imperfect Black
BR = Brown
BF = Buff
SL = Slate
TN = Tan
IY = Imperfect Yellow

Product descriptions and ratings are generated from Answer Plot® trials and/or from the genetics supplier and may change as additional data is gathered.

These ratings reflect trends observed in research trials that change with variations in rainfall, temperature, crop production patterns and other factors. Ratings on new soybean varieties are based on limited data and may change as more data is collected.

*WinPak® seed components only. Not for sale individually.

CROPLAN