

BRAND

RM: 81-96

	Relative Maturity	Response to Population (RTP) ¹	Response to Nitrogen (RTN) ¹	Response to Fungicide (RTF) ¹	GDU to Maturity **	Mid-pollination**	GDU to Flower Date ⁵	Plant Height ²	Ear Height ³	Cob Color	Ear Flex ⁴	Kernel Rows
CP2180VT2P*	81	M	M	M	2025	1070	M-E	M	M	Red	SD	18-20
CP2288VT2P*	82	H	H	M	2065	1090	M	M	M	Red	SF	16-18
CP2315VT2P*	83	M	H	M	2075	1085	E	M-T	M	Red	SF	18-20
CP2324VT2P*	83	M	M	M	2075	1100	M	M	M	Pink	SF	16-18
CP2585VT2P* [SS]*	85	M	H	H	2125	1120	M	M	M	Red	SF	16-18
CP2520RR	86	M	M	M	2125	1120	M	M-T	M	Red	SF	16-20
CP2692D	86	M	M	M	2160	1140	M	M-T	M	Red	SF	16-18
CP2790VT2P*	87	L	H	H	2175	1130	E	M	M	Red	SF	16-18
CP2851VT2P*	88	M	M	M	2200	1160	M	M	M	Red	SD	16-18
CP2845VT2P* [SS]*	89	H	H	H	2210	1150	E	M-T	M	Red	SF	16-18
CP2965VT2P*	89	M	H	H	2235	1180	M-L	M	M	Red	SF	14-16
CP3143VT2P*	91	L	H	M	2290	1200	M-L	M-T	M-H	Red	SF	18-20
CP3166VT2P*	91	H	M	M	2270	1180	E	M	M	Red	SF	16-18
NEW CP3276SSPRO	92	M	M	M	2310	1210	M-L	M	M	Red	SD	14-16
CP3314VT2P*	93	M	L	M	2330	1210	M	M	M	Red	FL	16-18
CP3330AVT2P*	93	M	M	L	2320	1210	M	M-T	M-H	Red	SF	16-18
CP3337VT2P* [RR]	93	M	M	M	2310	1190	E	M	M	Red	FL	16-18
CP3490VT2P*	94	M	M	H	2360	1230	M-L	M-T	M-H	Red	SF	18-20
CP3519SS*	95	M	H	H	2380	1235	M	M-T	M-H	Red	SF	16-18
CP3699RR	96	M	M	M	2400	1240	M	M-T	M-H	Red	SF	16-18

KEY

Scale

- 1 = Excellent
- 2 = Strong
- 3 = Acceptable
- 4 = Manage
- 5 = Not Recommended

Product descriptions and ratings are generated from Answer Plot® trials and/or from the genetics supplier and may change as additional data is gathered.

¹ RTP/RTN/RTF Ratings

- L = Low Response
- M = Moderate Response
- H = High Response
- TBD = To be tested in 2025

² Plant Height

- T = Tall
- M = Medium
- S = short

³ Ear Height

- H = High
- M = Medium
- L = Low

⁴ Ear Flex

- FL = Flex
- SF = Semi-Flex
- FX = Fixed

BRAND	Seedling Vigor	Stalk Quality	Root Strength	Stay green ⁶	Dry down	Drought Tolerance	Test Weight	Gray Leaf Spot	NCLB	SCLB	Common Rust	Southern Rust	Goss's Wilt	Anthraxnose Stalk Rot	Physoderma Node Breakage	Diplodia Ear Rot
RM: 81-96																
CP2180VT2P*	2	3	2	3	2	3	3	NA	2	NA	NA	NA	3	3	NA	NA
CP2288VT2P*	2	1	1	2	2	2	1	NA	2	NA	NA	4	2	3	NA	NA
CP2315VT2P*	2	3	2	3	2	2	3	3	3	NA	2	NA	3	4	NA	NA
CP2324VT2P*	2	2	2	3	2	2	4	4	3	2	2	4	2	2	2	3
CP2585VT2P* [SS]*	2	2	2	2	3	3	3	4	3	2	2	2	3	2	2	2
CP2520RR	3	3	1	3	2	1	3	3	3	NA	3	NA	4	NA	NA	NA
CP2692D	2	1	1	1	3	NA	3	NA	1	NA	1	NA	1	NA	NA	NA
CP2790VT2P*	1	3	2	3	2	1	2	3	2	2	NA	4	4	3	NA	2
CP2851VT2P*	3	2	2	3	2	3	2	3	3	3	NA	NA	3	3	NA	NA
CP2845VT2P* [SS]*	1	2	1	3	1	1	3	NA	3	NA	3	NA	4	4	NA	NA
CP2965VT2P*	1	1	2	3	2	2	2	3	3	1	NA	4	3	2	NA	NA
CP3143VT2P*	2	2	2	2	3	2	2	4	3	2	2	4	3	3	1	3
CP3166VT2P*	2	3	3	3	1	2	3	3	3	NA	NA	3	3	2	NA	NA
NEW CP3276SSPRO	2	2	2	2	2	3	2	2	2	2	2	4	2	1	NA	2
CP3314VT2P*	2	2	2	2	2	2	2	3	3	NA	3	NA	4	NA	NA	NA
CP3330AVT2P*	2	1	1	2	2	2	2	3	3	2	2	4	2	1	2	3
CP3337VT2P* [RR]	2	3	1	3	2	1	2	4	2	4	2	NA	5	3	NA	NA
CP3490VT2P*	1	3	3	3	3	2	3	3	3	NA	NA	3	3	3	3	NA
CP3519SS*	2	2	2	2	2	2	2	4	2	2	2	4	3	1	2	2
CP3699RR	1	1	1	3	3	2	2	3	3	NA	3	NA	3	3	NA	NA

5 Flower Date

L = Late
M = Medium
E = Early

6 Staygreen

Late-season health coming from strong leaf-disease resistance, enhancing hybrid standability.

These ratings reflect trends observed in research trials that change with variations in rainfall, temperature, crop production patterns and other factors. Ratings on new hybrids are based on limited data and may change as more data is collected.

*Follow IRM guidelines and refuge configurations to preserve the benefits and insect protection of these technology crops.

**GDUs published for each product are an estimate and the actual GDUs in a given year/location can vary based upon environmental factors.

BRAND

RM: 97-106

	Relative Maturity	Response to Population (RTP) ¹	Response to Nitrogen (RTN) ¹	Response to Fungicide (RTF) ¹	GDU to Maturity **	Mid-pollination**	GDU to Flower Date ⁵	Plant Height ²	Ear Height ³	Cob Color	Ear Flex ⁴	Kernel Rows
CP3715SSPRO*	97	M	M	M	2425	1242	M-E	M-T	M-H	Red	SF	18-20
CP3724VT2P*	97	M	H	H	2435	1250	M	M-T	M	Red	SF	16-18
CP3735SS* [VT2P]*	97	M	H	H	2425	1250	M	M	M	Red	SD	16-18
CP3790VT2P*	97	L	M	H	2440	1260	M-L	T	M-H	Red	SF	16-18
CP3852TRE*	98	M	M	H	2450	1275	L	M-T	M-H	Red	FL	16-18
CP3899VT2P*	98	H	H	H	2450	1280	L	M-T	M-H	Pink	SF	16-20
NEW CP3818VT4P [TRE]	98	M	M	M	2450	1260	M	M-T	M	Red	SF	16-18
CP3980VT2P*	99	M	M	H	2475	1270	M	M-T	M-H	Red	SF	14-16
CP4024SSPRO*	100	H	H	H	2500	1270	M	M	M	Red	SF	16-18
CP4079VT2P*	100	M	M	H	2480	1280	M	M-T	M	Red	SF	14-16
CP4083VT4P*	100	M	L	H	2490	1270	M	M	M	Red	SF	16-18
CP4099SS*	100	H	H	H	2500	1290	L	M-T	M	Pink	SF	16-20
CP4188VT2P* [SS*, CONV]	101	M	M	M	2490	1280	M	M	M	Red	SF	16-18
CP4246SS*	102	M	H	H	2550	1290	M	M-T	M	Red	SF	16-18
CP4265VT2P*	102	M	L	M	2550	1300	M-L	M	M	Red	SD	16-18
CP4822VT2P*	103	M	L	L	2575	1310	L	M	M-H	Red	SF	16-18
CP4444VT2P*	104	H	L	L	2580	1300	M	T	M-H	Red	SF	14-16
CP4516TRE*	105	M	M	H	2650	1309	M-E	M	M	Red	SF	16-18
CP4652SSPRO*	106	L	H	M	2625	1311	M	M-T	H	Red	SF	14-16
CP4676SS*	106	M	H	M	2650	1310	M	M	M	Pink	SF	16-18

KEY

Scale

1 = Excellent
 2 = Strong
 3 = Acceptable
 4 = Manage
 5 = Not Recommended

Product descriptions and ratings are generated from Answer Plot® trials and/or from the genetics supplier and may change as additional data is gathered.

¹ RTP/RTN/RTF Ratings

L = Low Response
 M = Moderate Response
 H = High Response
 TBD = To be tested in 2025

² Plant Height

T = Tall
 M = Medium
 S = short

³ Ear Height

H = High
 M = Medium
 L = Low

⁴ Ear Flex

FL = Flex
 SF = Semi-Flex
 FX = Fixed

BRAND	Seedling Vigor	Stalk Quality	Root Strength	Stay green ⁶	Dry down	Drought Tolerance	Test Weight	Gray Leaf Spot	NCLB	SCLB	Common Rust	Southern Rust	Goss's Wilt	Anthraxnose Stalk Rot	Physoderma Node Breakage	Diplodia Ear Rot
RM: 97-106																
CP3715SSPRO*	2	2	1	2	2	2	2	3	4	2	2	2	4	2	2	4
CP3724VT2P*	2	2	2	2	3	2	2	2	3	NA	NA	NA	2	2	NA	NA
CP3735SS* [VT2P]*	1	2	2	2	2	3	1	3	3	NA	NA	4	3	3	3	NA
CP3790VT2P*	2	2	4	2	2	2	2	4	3	2	2	3	2	3	5	4
CP3852TRE*	2	2	2	2	2	2	2	3	3	3	NA	NA	NA	2	NA	NA
CP3899VT2P*	1	2	2	2	3	2	2	4	4	NA	3	NA	3	3	NA	NA
NEW CP3818VT4P [TRE]	2	2	2	3	2	2	3	3	2	1	2	4	3	2	NA	2
CP3980VT2P*	2	3	2	3	2	3	3	2	NA	NA	NA	NA	3	3	4	NA
CP4024SSPRO*	2	2	2	3	2	2	3	3	2	2	2	4	3	2	2	2
CP4079VT2P*	2	3	1	3	2	2	3	3	3	2	NA	NA	2	3	NA	NA
CP4083VT4P*	2	2	2	2	2	2	2	3	3	2	2	4	3	2	2	2
CP4099SS*	1	2	1	3	3	2	3	4	4	NA	3	NA	3	3	NA	NA
CP4188VT2P* [SS*, CONV]	1	1	1	1	3	2	1	3	2	NA	NA	NA	2	3	NA	NA
CP4246SS*	2	2	2	3	2	3	2	3	3	2	2	4	2	1	2	3
CP4265VT2P*	1	2	1	3	1	3	3	3	3	2	NA	3	2	3	5	3
CP4822VT2P*	2	3	1	3	2	2	3	3	2	NA	3	NA	3	3	NA	NA
CP4444VT2P*	1	2	2	3	2	3	3	3	3	2	NA	3	3	3	3	3
CP4516TRE*	2	3	2	2	2	3	2	3	3	2	2	3	2	2	2	3
CP4652SSPRO*	2	2	2	2	3	2	3	4	3	2	2	4	2	2	2	3
CP4676SS*	1	3	3	2	1	3	1	3	2	2	NA	2	3	1	NA	2

5 Flower Date

L = Late
M = Medium
E = Early

6 Staygreen

Late-season health coming from strong leaf-disease resistance, enhancing hybrid standability.

These ratings reflect trends observed in research trials that change with variations in rainfall, temperature, crop production patterns and other factors. Ratings on new hybrids are based on limited data and may change as more data is collected.

*Follow IRM guidelines and refuge configurations to preserve the benefits and insect protection of these technology crops.

**GDUs published for each product are an estimate and the actual GDUs in a given year/location can vary based upon environmental factors.

BRAND	Relative Maturity	Response to Population (RTP) ¹	Response to Nitrogen (RTN) ¹	Response to Fungicide (RTF) ¹	GDU to Maturity **	Mid-pollination**	GDU to Flower Date ⁵	Plant Height ²	Ear Height ³	Cob Color	Ear Flex ⁴	Kernel Rows
RM: 107-113												
CP4757VT2P*	107	M	M	M	2675	1320	M	M	M-H	Red	SD	18-20
CP4770SS*	107	M	H	H	2675	1340	L	MT	M	Red	SD	16-18
CP4839PCE*	108	H	H	H	2700	1350	L	MT	M	Pink	SF	16-20
CP4840TRE*	108	M	L	H	2700	1330	M	MT	M	Red	SF	18-20
CP4880SS*	108	H	M	H	2700	1330	M	M-S	M	Red	SD	14-16
CP4917SSPRO*	109	L	M	H	2725	1325	M-E	T	M-H	Red	SF	14-16
CP4930DGV2P*	109	M	M	M	2725	1330	M	M-T	M-H	Red	SF	14-16
CP4997VT2P*	109	H	H	L	2725	1330	M	T	M-H	Red	SF	16-18
NEW CP5050VT4P	110	H	M	H	2750	1340	M	M-T	M	Red	SF	18-20
CP5115VT2P*	111	H	H	M	2775	1350	M-L	M-T	M-H	Red	SF	18-20
CP5132SS*	111	M	M	M	2775	1340	M-E	T	M-H	Red	SD	14-16
CP5208VT2P*	112	M	M	M	2800	1348	NA	M	M	Red	SF	16-18
NEW CP5272VT2P	112	L	M	M	2800	1340	M-E	M	M	Red	SF	14-16
NEW CP5249PCE	112	NA	NA	NA	2800	1360	Late	M-T	M	Red	FL	16-20
CP5320SSPRO*	113	M	H	M	2825	1360	M-L	T	H	Red	SF	16-18
CP5329PCE*	113	M	H	H	2825	1355	M	MT	M	Pink	SF	16-18
CP5340VT2P	113	M	M	L	2825	1350	M	M-S	M	Red	FL	16-20
CP5363TRE*	113	M	M	H	2825	1370	M-L	M-T	M	Red	SF	16-18
CP5370VT2P* [SS]*	113	H	H	M	2830	1370	M	T	M-H	Pink	SF	18-20
CP6640RR	113	M	M	L	2825	1350	M	M-S	M	Red	FL	16-20

KEY

Scale

1 = Excellent
 2 = Strong
 3 = Acceptable
 4 = Manage
 5 = Not Recommended

Product descriptions and ratings are generated from Answer Plot® trials and/or from the genetics supplier and may change as additional data is gathered.

¹ RTP/RTN/RTF Ratings

L = Low Response
 M = Moderate Response
 H = High Response
 TBD = To be tested in 2025

² Plant Height

T = Tall
 M = Medium
 S = short

³ Ear Height

H = High
 M = Medium
 L = Low

⁴ Ear Flex

FL = Flex
 SF = Semi-Flex
 FX = Fixed

BRAND	Seedling Vigor	Stalk Quality	Root Strength	Stay green ⁶	Dry down	Drought Tolerance	Test Weight	Gray Leaf Spot	NCLB	SCLB	Common Rust	Southern Rust	Goss's Wilt	Anthraxnose Stalk Rot	Physoderma Node Breakage	Diplodia Ear Rot
RM: 107-113																
CP4757VT2P*	3	3	2	3	2	2	2	3	2	NA	NA	3	3	3	3	NA
CP4770SS*	3	3	3	3	2	2	2	3	2	NA	NA	5	1	NA	NA	NA
CP4839PCE*	3	1	2	2	3	NA	2	2	2	NA	2	4	2	1	NA	2
CP4840TRE*	3	2	2	2	2	NA	2	3	3	NA	NA	1	3	NA	NA	NA
CP4880SS*	2	2	2	3	3	3	2	3	3	2	NA	4	3	3	3	NA
CP4917SSPRO*	2	2	2	3	2	2	3	2	2	2	2	2	2	2	2	2
CP4930DGV2P*	3	3	3	3	2	3	3	3	3	2	NA	3	2	3	3	NA
CP4997VT2P*	2	2	2	2	2	2	2	3	2	2	3	4	2	2	3	2
NEW CP5050VT4P	2	2	3	2	3	2	2	3	2	2	2	4	2	2	NA	2
CP5115VT2P*	1	2	1	3	3	2	1	3	2	3	NA	NA	4	3	5	3
CP5132SS*	2	2	2	2	2	2	2	2	2	2	2	2	2	1	1	3
CP5208VT2P*	2	2	2	2	3	2	2	3	2	2	NA	1	2	2	NA	NA
NEW CP5272VT2P	2	2	2	2	2	2	1	2	2	1	2	3	2	2	NA	2
NEW CP5249PCE	2	2	2	1	2	NA	2	1	1	NA	1	1	1	2	NA	1
CP5320SSPRO*	2	2	2	3	2	2	3	3	2	1	2	2	2	1	2	2
CP5329PCE*	2	1	2	2	3	NA	2	2	2	NA	2	3	3	1	NA	3
CP5340VT2P	2	1	1	3	2	3	3	3	2	2	3	NA	4	3	NA	4
CP5363TRE*	1	2	2	2	2	2	2	3	2	2	2	2	3	1	1	3
CP5370VT2P* [SS]*	1	1	1	1	2	2	1	3	2	2	3	3	4	2	NA	NA
CP6640RR	2	1	1	3	2	3	3	3	2	2	3	NA	4	3	NA	4

5 Flower Date

L = Late
M = Medium
E = Early

6 Staygreen

Late-season health coming from strong leaf-disease resistance, enhancing hybrid standability.

These ratings reflect trends observed in research trials that change with variations in rainfall, temperature, crop production patterns and other factors. Ratings on new hybrids are based on limited data and may change as more data is collected.

*Follow IRM guidelines and refuge configurations to preserve the benefits and insect protection of these technology crops.

**GDUs published for each product are an estimate and the actual GDUs in a given year/location can vary based upon environmental factors.

BRAND													
RM: 113-119													
	Relative Maturity	Response to Population (RTP) ①	Response to Nitrogen (RTN) ①	Response to Fungicide (RTF) ①	GDU to Maturity **	Mid-pollination**	GDU to Flower Date ⑤	Plant Height ②	Ear Height ③	Cob Color	Ear Flex ④	Kernel Rows	
NEW	CP5336VT2P	113	M	M	L	2825	1350	M	T	M-H	Red	SF	14-16
	CP5497VT2P*	114	H	L	H	2850	1350	M-E	M-T	M-H	Red	SF	14-16
NEW	CP5468VT4P	114	H	M	M	2850	1355	M	M-T	M-H	Red	SF	14-16
	CP5550VT2P*	115	M	M	M	2850	1360	M	M	M	Pink	SF	14-16
	CP5588DGV2P*	115	M	M	H	2875	1360	M	M-T	M-H	Red	SD	16-18
	CP5678VT2P* [SS, RR]*	116	M	H	M	2900	1360	M	M	M	Red	SF	14-16
	CP5682TRE*	116	M	H	H	2900	1380	M-L	M-T	M-H	Red	SF	16-18
	CP5717VT2P*	117	M	M	H	2925	1366	M	M-T	M-H	Red	FL	18-20
	CP5760TRE*	117	L	H	M	2925	1370	NA	T	M-H	Pink	SF	16-18
	CP5893TRE* [RR]	118	M	M	M	3000	1385	L	M	M-L	Red	SF	18-20
NEW	CP5911VT2P	119	M	H	H	2975	1370	M	T	M-H	Red	SF	16-18

KEY

Scale

1 = Excellent
 2 = Strong
 3 = Acceptable
 4 = Manage
 5 = Not Recommended

Product descriptions and ratings are generated from Answer Plot® trials and/or from the genetics supplier and may change as additional data is gathered.

① RTP/RTN/RTF Ratings

L = Low Response
 M = Moderate Response
 H = High Response
 TBD = To be tested in 2025

② Plant Height

T = Tall
 M = Medium
 S = short

③ Ear Height

H = High
 M = Medium
 L = Low

④ Ear Flex

FL = Flex
 SF = Semi-Flex
 FX = Fixed

BRAND	Seedling Vigor	Stalk Quality	Root Strength	Stay green ⁶	Dry down	Drought Tolerance	Test Weight	Gray Leaf Spot	NCLB	SCLB	Common Rust	Southern Rust	Goss's Wilt	Anthraxnose Stalk Rot	Physoderma Node Breakage	Diplodia Ear Rot
	RM: 113-119															
NEW CP5336VT2P	2	2	2	3	2	2	2	2	2	1	2	2	2	2	NA	2
CP5497VT2P*	2	3	2	3	2	2	1	2	3	2	NA	3	3	4	4	NA
NEW CP5468VT4P	2	2	2	3	2	2	2	2	2	1	2	2	3	1	NA	2
CP5550VT2P*	3	2	2	3	2	2	3	3	3	2	NA	4	3	1	NA	3
CP5588DGV2P*	2	2	2	2	2	2	3	3	3	2	NA	NA	3	3	5	3
CP5678VT2P* [SS, RR]*	2	2	3	3	3	2	1	3	2	2	NA	3	3	3	3	3
CP5682TRE*	2	2	2	2	2	2	2	2	2	2	2	3	3	2	2	3
CP5717VT2P*	3	1	2	2	4	3	1	2	2	3	NA	NA	3	NA	NA	NA
CP5760TRE*	2	3	3	3	2	3	2	3	3	2	NA	4	3	2	NA	NA
CP5893TRE* [RR]	1	2	2	1	3	2	1	2	2	1	2	2	3	2	2	4
NEW CP5911VT2P	2	2	2	2	2	2	2	2	2	2	2	2	4	2	NA	2

5 Flower Date

L = Late
M = Medium
E = Early

6 Staygreen

Late-season health coming from strong leaf-disease resistance, enhancing hybrid standability.

These ratings reflect trends observed in research trials that change with variations in rainfall, temperature, crop production patterns and other factors. Ratings on new hybrids are based on limited data and may change as more data is collected.

*Follow IRM guidelines and refuge configurations to preserve the benefits and insect protection of these technology crops.

**GDUs published for each product are an estimate and the actual GDUs in a given year/location can vary based upon environmental factors.