	BRAND	Relative Maturity	Response-to Population [RTP] 1	Response-to Nitrogen [RTN] 1	Response-to Fungicide [RTF] 1	GDU to Maturity **	Mid-pollination** GDU to	Flower Date 2	Plant Height 3	Ear Height 4	Cob Color	Ear Flex 5	Kernel Rows
	RM: 81-96												
	CP2180VT2P*	81	M	M	M	2025	1070	M-E	M	M	RED	SF	18-20
	CP2288VT2P*	82	H	H	M	2065	1090	M	M	M	RED	SF	16-18
	CP2324VT2P*	83	M	M	M	2075	1100	M	M	M	PINK	SF	16-18
	CP2585VT2P*	85	M	H	H	2125	1120	M	M	M	RED	SF	16-18
	CP2520RR	86	M	M	M	2125	1120	M	M-T	M	RED	SF	16-20
NEW	CP2667VT2P	86	M	NA	NA	2140	1130	M	M	M	RED	SF	14-16
	CP2790VT2P*	87	L	H	H	2175	1130	E	M	M	RED	SF	16-18
	CP2845VT2P* [SS/RIB]*	89	H	H	H	2210	1150	E	M-T	M	RED	SF	16-18
	CP3143VT2P*	91	L	H	M	2290	1200	M-L	M-T	M-H	RED	SF	18-20
NEW	CP3104VT4P	91	M	H	M	2275	1200	L	M-T	H	RED	SF	18-20
	CP3276SSPRO*	92	M	M	M	2310	1210	M-L	M	M	RED	SF	14-16
	CP3314VT2P*	93	M	L	M	2330	1210	M	M	M	RED	FL	16-18
	CP3330AVT2P*	93	M	M	M	2320	1210	M	M-T	M-H	RED	SF	16-18
	CP3337RR	93	M	M	M	2310	1190	E	M	M	RED	FL	16-18
	CP3490VT2P*	94	M	M	H	2360	1230	M-L	M-T	M-H	RED	SF	18-20
	CP3519SS*	95	M	H	H	2380	1235	M	M-T	M-H	RED	SF	16-18
NEW	CP3595VT4P	95	M	H	L	2375	1240	L	T	H	RED	SF	16-18
	CP3699RR	96	M	M	M	2400	1240	M	M-T	M-H	RED	SF	16-18

KEY

Scale
1 = Excellent
2 = Strong
3 = Acceptable
4 = Manage
5 = Not Recommended

Product descriptions and ratings are generated from Answer Plot® trials and/or from the genetics supplier and may change as additional data is gathered.

1 RTP/RTN/RTF Ratings
L = Low Response
M = Moderate Response
H = High Response

2 Flower Date
L = Late
M = Medium
E = Early

3 Plant Height
T = Tall
M = Medium
S = Short

4 Ear Height
H = High
M = Medium
L = Low

5 Ear Flex
FL = Flex
SF = Semi-Flex
FX = Fixed

BRAND	Seedling Vigor	Stalk Quality	Root Strength	Staygreen 6	Dry down	Drought Tolerance	Test Weight	Gray Leaf Spot	NCLB	Tar Spot	Common Rust	Southern Rust	Goss's Wilt	Anthracnose Stalk Rot	Physoderma Node Breakage	Diplodia Ear Rot
RM: 81-96																
CP2180VT2P*	2	3	2	3	2	3	3	NA	2	NA	NA	NA	3	3	NA	NA
CP2288VT2P*	2	1	1	2	2	2	1	NA	2	NA	NA	4	2	3	NA	NA
CP2324VT2P*	2	3	2	3	2	2	4	4	3	3	2	4	2	2	2	3
CP2585VT2P*	2	2	2	2	3	3	3	4	3	4	2	2	3	2	2	2
CP2520RR	3	3	1	3	2	1	3	3	3	NA	3	NA	4	NA	NA	NA
NEW CP2667VT2P	3	2	2	2	2	2	2	2	2	4	2	4	2	2	NA	2
CP2790VT2P*	1	3	2	3	2	1	2	3	2	4	NA	4	4	3	NA	2
CP2845VT2P* [SS/RIB]*	1	2	1	3	1	1	3	NA	3	3	3	NA	4	4	NA	NA
CP3143VT2P*	2	2	2	2	3	2	2	4	3	4	2	4	3	3	1	3
NEW CP3104VT4P	2	3	2	2	2	2	2	3	3	3	2	4	3	2	NA	2
CP3276SSPRO*	2	2	2	2	2	3	2	2	2	3	2	4	2	1	NA	2
CP3314VT2P*	2	2	2	2	2	2	2	3	3	NA	3	NA	4	NA	NA	NA
CP3330AVT2P*	2	1	1	2	2	2	2	3	3	2	2	4	2	1	2	3
CP3337RR	2	3	1	3	2	1	2	4	2	NA	2	NA	5	3	NA	NA
CP3490VT2P*	1	3	3	3	3	2	3	3	3	3	NA	3	3	3	3	NA
CP3519SS*	2	2	2	2	2	2	2	4	2	2	2	4	3	1	2	2
NEW CP3595VT4P	2	2	2	2	2	2	3	3	2	3	2	4	2	1	NA	2
CP3699RR	1	1	1	3	3	2	2	3	3	NA	3	NA	3	3	NA	NA

6 Staygreen

Late-season health coming from strong leaf-disease resistance, enhancing hybrid standability.

These ratings reflect trends observed in research trials that change with variations in rainfall, temperature, crop production patterns and other factors. Ratings on new hybrids are based on limited data and may change as more data is collected.

*Follow IRM guidelines and refuge configurations to preserve the benefits and insect protection of these technology crops.

**GDUs published for each product are an estimate and the actual GDUs in a given year/location can vary based upon environmental factors.

BRAND	Relative Maturity	Response-to Population [RTP] 1	Response-to Nitrogen [RTN] 1	Response-to Fungicide [RTF] 1	GDU to Maturity **	Mid-pollination** GDU to	Flower Date 2	Plant Height 3	Ear Height 4	Cob Color	Ear Flex 5	Kernel Rows
RM: 97-106												
CP3715SSPRO*	97	M	M	M	2425	1242	M-E	M-T	M-H	RED	SF	18-20
CP3724VT2P*	97	M	H	H	2435	1250	M	M-T	M	RED	SF	16-18
CP3790VT2P*	97	L	M	H	2440	1260	M-L	T	M-H	RED	SF	16-18
CP3818VT4P [TRE/RIB]	98	M	M	M	2450	1260	M	M-T	M	RED	SF	16-18
CP3852TRE*	98	M	M	H	2450	1275	L	M-T	M-H	RED	FL	16-18
CP3899VT2P*	98	H	H	H	2450	1280	L	M-T	M-H	PINK	SF	16-20
CP3980VT2P*	99	M	M	H	2475	1270	M	M-T	M-H	RED	SF	14-16
CP4024SSPRO*	100	H	H	H	2500	1270	M	M	M	RED	SF	16-18
CP4079VT2P*	100	M	M	H	2480	1280	M	M-T	M	RED	SF	14-16
CP4099SS*	100	H	H	H	2500	1290	L	M-T	M	PINK	SF	16-20
NEW CP4111VT4P	101	M	M	M	2530	1280	M	M	M	RED	SF	16-18
NEW CP4129PCE	101	M	NA	NA	2525	1280	M	M-T	M	WHITE	FL	14-18
CP4246SS*	102	M	H	H	2550	1290	M	M-T	M	RED	SF	16-18
CP4822VT2P*	103	M	L	L	2575	1310	L	M	M-H	RED	SF	16-18
CP4444VT2P*	104	H	L	L	2580	1300	M	T	M-H	RED	SF	14-16
CP4516TRE*	105	M	M	H	2650	1309	M-E	M	M	RED	SF	16-18
CP4652SSPRO*	106	L	H	M	2625	1311	M	M-T	H	RED	SF	14-16
CP4676SS*	106	M	H	M	2650	1310	M	M	M	PINK	SF	16-18
NEW CP4689PCE	106	M	H	M	2660	1320	L	M-T	M-H	PINK	SF	16-18

KEY

Scale
1 = Excellent
2 = Strong
3 = Acceptable
4 = Manage
5 = Not Recommended

Product descriptions and ratings are generated from Answer Plot® trials and/or from the genetics supplier and may change as additional data is gathered.

1 RTP/RTN/RTF Ratings
L = Low Response
M = Moderate Response
H = High Response

2 Flower Date
L = Late
M = Medium
E = Early

3 Plant Height
T = Tall
M = Medium
S = Short

4 Ear Height
H = High
M = Medium
L = Low

5 Ear Flex
FL = Flex
SF = Semi-Flex
FX = Fixed

BRAND	Seedling Vigor	Stalk Quality	Root Strength	Staygreen 6	Dry down	Drought Tolerance	Test Weight	Gray Leaf Spot	NCLB	Tar Spot	Common Rust	Southern Rust	Goss's Wilt	Anthracnose Stalk Rot	Physoderma Node Breakage	Diplodia Ear Rot
RM: 97-106																
CP3715SSPRO*	2	2	1	2	2	2	3	4	2	2	2	4	2	2	2	4
CP3724VT2P*	2	2	2	2	3	2	2	2	3	2	NA	NA	2	2	NA	NA
CP3790VT2P*	2	2	4	2	2	2	2	4	3	3	2	3	2	3	5	4
CP3818VT4P [TRE/RIB]	2	2	2	3	2	2	3	3	2	3	2	4	3	2	NA	2
CP3852TRE*	2	2	2	2	2	2	3	3	3	3	NA	NA	2	NA	NA	NA
CP3899VT2P*	1	2	2	2	3	2	2	4	4	3	3	NA	3	3	NA	NA
CP3980VT2P*	2	3	2	3	2	3	3	2	NA	3	NA	NA	3	3	4	NA
CP4024SSPRO*	2	2	2	3	2	2	3	3	2	4	2	4	3	2	2	2
CP4079VT2P*	2	3	1	3	2	2	3	3	3	3	NA	NA	2	3	NA	NA
CP4099SS*	1	2	1	3	3	2	3	4	4	3	3	NA	3	3	NA	NA
NEW CP4111VT4P	2	2	3	3	2	3	3	3	2	3	2	2	2	2	NA	2
NEW CP4129PCE	1	1	1	2	2	3	2	2	2	2	1	2	1	1	NA	2
CP4246SS*	2	2	2	3	2	3	2	3	3	2	2	4	2	1	2	3
CP4822VT2P*	2	3	1	3	2	2	3	3	2	4	3	NA	3	3	NA	NA
CP4444VT2P*	1	2	2	3	2	3	3	3	3	3	NA	3	3	3	3	3
CP4516TRE*	2	3	2	2	2	3	2	3	3	4	2	3	2	2	2	3
CP4652SSPRO*	2	2	2	2	3	2	3	4	3	3	2	4	2	2	2	3
CP4676SS*	1	3	3	2	1	3	1	3	2	NA	NA	2	3	1	NA	2
NEW CP4689PCE	2	1	1	1	2	2	1	2	1	1	1	4	2	1	NA	1

6 Staygreen

Late-season health coming from strong leaf-disease resistance, enhancing hybrid standability.

These ratings reflect trends observed in research trials that change with variations in rainfall, temperature, crop production patterns and other factors. Ratings on new hybrids are based on limited data and may change as more data is collected.

*Follow IRM guidelines and refuge configurations to preserve the benefits and insect protection of these technology crops.

**GDUs published for each product are an estimate and the actual GDUs in a given year/location can vary based upon environmental factors.

BRAND	Relative Maturity	Response-to Population [RTP] 1	Response-to Nitrogen [RTN] 1	Response-to Fungicide [RTF] 1	GDU to Maturity **	Mid-pollination** GDU to	Flower Date 2	Plant Height 3	Ear Height 4	Cob Color	Ear Flex 5	Kernel Rows
RM: 107-113												
CP4757VT2P*	107	M	M	M	2675	1320	M	M	M-H	RED	SF	18-20
CP4770SS*	107	M	H	H	2675	1340	L	MT	M	RED	SF	16-18
CP4839PCE*	108	H	H	H	2700	1350	L	MT	M	PINK	SF	16-20
CP4840TRE*	108	M	L	H	2700	1330	M	MT	M	RED	SF	18-20
CP4880SS*	108	H	M	H	2700	1330	M	M-S	M	RED	SF	14-16
CP4917SSPRO*	109	L	M	H	2725	1325	M-E	T	M-H	RED	SF	14-16
CP4930DGVT2P*	109	M	M	M	2725	1330	M	M-T	M-H	RED	SF	14-16
NEW CP4949PCE	109	L	NA	NA	2725	1330	M	M-T	M	RED	FL	16-20
CP5050VT4P	110	H	M	H	2750	1340	M	M-T	M	RED	SF	18-20
CP5115VT2P*	111	H	H	M	2775	1350	M-L	M-T	M-H	RED	SF	18-20
CP5132SS*	111	M	M	M	2775	1340	M-E	T	M-H	RED	SF	14-16
CP5208VT2P*	112	M	M	M	2800	1348	NA	M	M	RED	SF	16-18
CP5249PCE	112	M	M	M	2800	1360	L	M-T	M	RED	FL	16-20
CP5272VT2P	112	L	M	M	2800	1340	M-E	M	M	RED	SF	14-16
CP5320SSPRO*	113	M	H	M	2825	1360	M-L	T	H	RED	SF	16-18
CP5336VT2P	113	M	M	M	2825	1350	M	T	M-H	RED	SF	14-16
CP5363TRE*	113	M	M	H	2825	1370	M-L	M-T	M	RED	SF	16-18
CP5370VT2P* [SS/RIB]*	113	H	H	M	2830	1370	M	T	M-H	PINK	SF	18-20
CP6640RR	113	M	M	L	2825	1350	M	M-S	M	RED	FL	16-20

KEY

Scale
1 = Excellent
2 = Strong
3 = Acceptable
4 = Manage
5 = Not Recommended

Product descriptions and ratings are generated from Answer Plot® trials and/or from the genetics supplier and may change as additional data is gathered.

1 RTP/RTN/RTF Ratings
L = Low Response
M = Moderate Response
H = High Response

2 Flower Date
L = Late
M = Medium
E = Early

3 Plant Height
T = Tall
M = Medium
S = Short

4 Ear Height
H = High
M = Medium
L = Low

5 Ear Flex
FL = Flex
SF = Semi-Flex
FX = Fixed

BRAND	Seedling Vigor	Stalk Quality	Root Strength	Staygreen 6	Dry down	Drought Tolerance	Test Weight	Gray Leaf Spot	NCLB	Tar Spot	Common Rust	Southern Rust	Goss's Wilt	Anthracnose Stalk Rot	Physoderma Node Breakage	Diplodia Ear Rot
RM: 107-113																
CP4757VT2P*	3	3	2	3	2	2	2	3	2	3	NA	3	3	3	3	NA
CP4770SS*	3	3	3	3	2	2	2	3	2	3	NA	5	1	NA	NA	NA
CP4839PCE*	3	1	2	2	3	NA	2	2	2	2	2	4	2	1	NA	2
CP4840TRE*	2	2	2	2	2	2	2	3	3	3	NA	1	3	NA	NA	NA
CP4880SS*	2	2	2	3	3	3	2	3	3	4	NA	4	3	3	3	NA
CP4917SSPRO*	2	2	2	3	2	2	3	2	2	4	2	2	2	2	2	2
CP4930DGVT2P*	3	3	3	3	2	3	3	3	3	4	NA	3	2	3	3	NA
NEW CP4949PCE	2	2	2	1	2	3	2	2	2	2	1	3	1	1	NA	2
CP5050VT4P	2	2	3	2	3	2	2	3	2	3	2	4	2	2	NA	2
CP5115VT2P*	1	2	1	3	3	2	1	3	2	3	NA	NA	4	3	5	3
CP5132SS*	2	2	2	2	2	2	2	2	2	3	2	2	2	1	1	3
CP5208VT2P*	2	2	2	2	3	2	2	3	2	4	NA	1	2	2	NA	NA
CP5249PCE	2	2	2	1	2	2	2	1	1	2	1	3	1	2	NA	1
CP5272VT2P	2	2	2	2	2	2	1	2	2	3	2	3	2	2	NA	2
CP5320SSPRO*	2	2	2	3	2	2	3	3	2	3	2	2	2	1	2	2
CP5336VT2P	2	2	2	3	2	2	2	2	2	4	2	2	2	2	NA	2
CP5363TRE*	1	2	2	2	2	2	2	3	2	3	2	2	3	1	1	3
CP5370VT2P* [SS/RIB]*	1	1	1	1	2	2	1	3	2	2	3	3	4	2	NA	NA
CP6640RR	2	1	1	3	2	3	3	3	2	NA	3	NA	4	3	NA	4

6 Staygreen

Late-season health coming from strong leaf-disease resistance, enhancing hybrid standability.

These ratings reflect trends observed in research trials that change with variations in rainfall, temperature, crop production patterns and other factors. Ratings on new hybrids are based on limited data and may change as more data is collected.

*Follow IRM guidelines and refuge configurations to preserve the benefits and insect protection of these technology crops.

**GDUs published for each product are an estimate and the actual GDUs in a given year/location can vary based upon environmental factors.

BRAND	Relative Maturity	Response-to Population [RTP] 1	Response-to Nitrogen [RTN] 1	Response-to Fungicide [RTF] 1	GDU to Maturity **	Mid-pollination** GDU to	Flower Date 2	Plant Height 3	Ear Height 4	Cob Color	Ear Flex 5	Kernel Rows
RM: 114-119												
CP5497VT2P*	114	H	L	H	2850	1350	M-E	M-T	M-H	RED	SF	14-16
CP5550VT2P*	115	M	M	M	2850	1360	M	M	M	PINK	SF	14-16
CP5678VT2P*	116	M	H	M	2900	1360	M	M	M	RED	SF	14-16
CP5682TRE*	116	M	H	H	2900	1380	M-L	M-T	M-H	RED	SF	16-18
CP5760TRE*	117	L	H	M	2925	1370	NA	T	M-H	PINK	SF	16-18
NEW CP5777SSPRO	117	H	M	H	2925	1370	M	T	M-H	RED	SF	18-20
NEW CP5796RR	117	H	H	M	2925	1370	M-L	M	M-L	RED	SF	16-18
CP5893TRE* [RR]	118	M	M	M	3000	1385	L	M	M-L	RED	SF	18-20
CP5911VT2P	119	M	H	H	2975	1370	M	T	M-H	RED	SF	16-18

KEY

Scale
1 = Excellent
2 = Strong
3 = Acceptable
4 = Manage
5 = Not Recommended

Product descriptions and ratings are generated from Answer Plot® trials and/or from the genetics supplier and may change as additional data is gathered.

1 RTP/RTN/RTF Ratings
L = Low Response
M = Moderate Response
H = High Response

2 Flower Date
L = Late
M = Medium
E = Early

3 Plant Height
T = Tall
M = Medium
S = Short

4 Ear Height
H = High
M = Medium
L = Low

5 Ear Flex
FL = Flex
SF = Semi-Flex
FX = Fixed

BRAND	Seedling Vigor	Stalk Quality	Root Strength	Staygreen 6	Dry down	Drought Tolerance	Test Weight	Gray Leaf Spot	NCLB	Tar Spot	Common Rust	Southern Rust	Goss's Wilt	Anthracnose Stalk Rot	Physoderma Node Breakage	Diplodia Ear Rot
RM: 114-119																
CP5497VT2P*	2	3	2	3	2	2	1	2	3	NA	NA	3	3	4	4	NA
CP5550VT2P*	3	2	2	3	2	2	3	3	3	NA	NA	4	3	1	NA	3
CP5678VT2P*	2	2	3	3	3	2	1	3	2	NA	NA	3	3	3	3	3
CP5682TRE*	2	2	2	2	2	2	2	2	2	3	2	3	3	2	2	3
CP5760TRE*	2	3	3	3	2	3	2	3	3	NA	NA	4	3	2	NA	NA
NEW CP5777SSPRO	2	2	2	2	2	2	2	2	4	3	2	2	3	2	NA	2
NEW CP5796RR	2	2	2	1	2	2	2	2	2	3	2	2	2	2	NA	3
CP5893TRE* [RR]	1	2	2	1	3	2	1	2	2	3	2	2	3	2	2	4
CP5911VT2P	2	2	2	2	2	2	2	2	2	4	2	2	4	2	NA	2

6 Staygreen

Late-season health coming from strong leaf-disease resistance, enhancing hybrid standability.

These ratings reflect trends observed in research trials that change with variations in rainfall, temperature, crop production patterns and other factors. Ratings on new hybrids are based on limited data and may change as more data is collected.

*Follow IRM guidelines and refuge configurations to preserve the benefits and insect protection of these technology crops.

**GDUs published for each product are an estimate and the actual GDUs in a given year/location can vary based upon environmental factors.