	BRAND	WinPak® Components	Relative Maturity	Determinate Indeterminate	SCN Resistance 1	PRR Gene 2	PRR Tolerance	SDS Tolerance	Chloride Tolerance	SWM Tolerance	BSR Tolerance	Iron Chlorosis	Southern Stem Canker 3
	Enlist E3® - RM: 0.08-1.6												
	CP00824E		0.08	IND	PI88.788	Rps3a	1	NA	Includer	3	5	2	1
NEW	**CP0237E**		0.2	IND	PI88.788	Rps1k	2	3	Includer	2	1	2	1
▲	**CP0530E**	CP0527E*/CP0534E*	0.5	IND	PI88.788	Rps1k,H3a/NG	2	2	Inc/Exc	2	1	2	1
NEW	CP0527E*		0.5	IND	PI88.788	NG	2	2	Excluder	2	1	2	1
	CP0534E*		0.5	IND	PI88.788	Rps1k,H3a	1	2	Includer	2	1	1	1
	CP0820E	CP0822E*/CP0926E	0.8	IND	Peking/PI88.788	Rps1c/NG	2	3/NA	Inc/Exc	2	1/NA	2	1
	CP0822E*		0.8	IND	PI88.788	NG	2	NA	Excluder	2	NA	3	NA
	CP0926E		0.9	IND	Peking	Rps1c	2	3	Includer	1	1	1	1
NEW	**CP1160E**	CP1127E/CP1137E*	1.1	IND	Peking/PI88.788	Rps1k,3a/1c	1	3	Includer	2	2/NA	2	1/NA
NEW	**CP1127E**		1.1	IND	Peking	Rps1c	1	2	Includer	2	NA	1	NA
NEW	CP1137E*		1.1	IND	PI88.788	Rps1k,3a	1	3	Includer	2	2	3	1
	CP1430E	CP1425E*/CP1522E*	1.4	IND	PI88.788	Rps1c,3a/3a	1	3	Includer	3	1/NA	2	1/NA
	CP1425E*		1.4	IND	PI88.788	Rps1c,3a	1	3	Includer	2	NA	1	1
	CP1522E*		1.5	IND	PI88.788	Rps3a	1	2	Includer	3	1	3	NA
▲	**CP1620E**	CP1624E*/CP1627E	1.6	IND	Peking	Rps1k,6/1k	3	2	Includer	2	4	2	1/NA
	CP1624E*		1.6	IND	Peking	Rps1k,6	3	2	Includer	2	2	1	NA
NEW	**CP1627E**		1.6	IND	Peking	Rps1k	2	2	Includer	2	5	3	1

KEY

Scale
1 = Excellent
2 = Strong
3 = Acceptable
4 = Manage
5 = Not Recommended
NG = No gene present

1 SCN Resistant Source
Peking = These varieties contain SCN resistance genes from the Peking soybean breeding lines
PI88.788 = These varieties contain SCN resistance genes from the PI88.788 soybean breeding lines

2 PRR Gene
Rps = Resistance to Phytophthora sojae
HRps = Heterozygous segregating Rps occurrence

3 Southern Stem Canker and Root-Knot Nematode
1 = Resistant
2 = Moderately Resistant
3 = Moderately Resistant–Moderately Susceptible
4 = Moderately Susceptible
5 = Susceptible

▲ This symbol indicates that there has been a new component added to the WinPak® variety.

Product descriptions and ratings are generated from Answer Plot® trials and/or from the genetics supplier and may change as additional data is gathered.

	BRAND	Frogeye Leaf Spot	Root-Knot Nematode 3	Emergence	Standability	Stress Tolerance	Canopy Type 4	Plant Height 5	Flower Color 6	Pubescence Type 7	Pod Color 8	Hilum Color 9
	Enlist E3® - RM: 0.08-1.6											
	CP00824E	NA	NA	1	2	1	Bush	M-T	P	GR	TN	BF
NEW	**CP0237E**	NA	NA	1	2	2	Bush	M	P	GR	TN	IB
▲	**CP0530E**	NA	NA	1	2	1	Int	M	P	GR	TN	IB
NEW	CP0527E*	NA	NA	1	2	1	Int	M	P	GR	TN	IB
	CP0534E*	NA	NA	1	2	1	Int	M	P	GR	TN	IB
	CP0820E	NA	NA	1	2	2	Int	M	P	GR	TN	BF/IB
	CP0822E*	NA	NA	1	2	2	Int	M	P	GR	TN	BF
	CP0926E	NA	NA	1	1	1	Int	M	P	GR	TN	IB
NEW	**CP1160E**	1/NA	NA	1/NA	1	2/NA	Int	M	P/W	GR	TN	BF/IB
NEW	**CP1127E**	NA	NA	1	1	2	Int	M	P	GR	TN	IB
NEW	CP1137E*	1	NA	NA	1	NA	Int	M	W	GR	TN	BF
	CP1430E	NA	NA	1	2	2	Int	M-T	P	GR	TN	BF/IB
	CP1425E*	NA	NA	1	2	1	Int/Nar	M-T	P	GR	TN	IB
	CP1522E*	NA	NA	1	2	2	Int	M	P	GR	TN	BF
▲	**CP1620E**	1/NA	NA	2	2	2/NA	Int/Bush	M-T	P	GR/LTW	BR/TN	BF/BR
	CP1624E*	1	NA	2	2	NA	Int/Bush	M	P	LTW	TN	BR
NEW	**CP1627E**	NA	NA	1	1	2	Int	M-T	P	GR	BR	BF

4 Canopy Type
- **Nar** = Narrow
- **Int** = Intermediate
- **Bush** = Bushy

5 Plant Height
- **T** = Tall
- **M** = Medium
- **S** = Short

6 Flower Color
- **P** = Purple
- **W** = White

7 Pubescence Type
- **GR** = Gray
- **TW** = Tawny
- **LTW** = Light Tawny

8 Pod Color
- **TN** = Tan
- **BR** = Brown

9 Hilum Color
- **YE** = Yellow/Clear
- **GR** = Gray
- **BL** = Black
- **IB** = Imperfect Black
- **BR** = Brown
- **BF** = Buff
- **SL** = Slate
- **TN** = Tan
- **IY** = Imperfect Yellow

These ratings reflect trends observed in research trials that change with variations in rainfall, temperature, crop production patterns and other factors. Ratings on new soybean varieties are based on limited data and may change as more data is collected.

*WinPak® seed components only. Not for sale individually.

	BRAND	WinPak® Components	Relative Maturity	Determinate Indeterminate	SCN Resistance 1	PRR Gene 2	PRR Tolerance	SDS Tolerance	Chloride Tolerance	SWM Tolerance	BSR Tolerance	Iron Chlorosis	Southern Stem Canker 3
	Enlist E3® - RM: 1.8-3.1												
▲	**CP1830E**	CP1825E*/CP1827E*	1.8	IND	Peking/PI88.788	Rps3a/1k	1	2	Includer	2	1/NA	2	1/NA
	CP1825E*		1.8	IND	Peking	Rps1k	1	2	Includer	2	NA	2	1
NEW	CP1827E*		1.8	IND	PI88.788	Rps3a	1	2	Includer	2	1	2	NA
▲	**CP2020E**	CP2024E/CP2027E*	2.0	IND	Peking/PI88.788	Rps3a/1k	2	3	Includer	2	2	3	1/NA
	CP2024E		2.0	IND	Peking	Rps1k	2	4	Includer	2	2	3	1
NEW	CP2027E*		2.0	IND	PI88.788	Rps3a	1	2	Includer	2	1	2	NA
▲	**CP2230E**	CP2227E*/CP2336E	2.2	IND	Peking	Rps1k	2	2	Includer	2	1/NA	3	1/NA
NEW	CP2227E*		2.2	IND	Peking	Rps1k	2	2	Includer	2	NA	2	NA
	CP2336E		2.3	IND	Peking	Rps1k	1	2	Includer	2	1	3	1
NEW	**CP2530E**	CP2527E*/CP2627E*	2.5	IND	PI88.788	Rps1k/H1k	3	3	Includer	3	5/NA	3	1
NEW	CP2527E*		2.5	IND	PI88.788	HRps1k	2	3	Includer	2	5	3	1
NEW	CP2627E*		2.6	IND	PI88.788	Rps1k	3	2	Includer	3	NA	3	1
▲	**CP2920E**	CP2826E*/CP2927E*	2.9	IND	Peking/PI88.788	Rps1k/NG	2/NA	2	Includer	2	NA	2/NA	1
	CP2826E*		2.8	IND	PI88.788	NG	2	2	Includer	2	NA	2	1
NEW	CP2927E*		2.9	IND	Peking	Rps1k	NA	2	Includer	2	NA	NA	1
	CP3120E	CP3024ES*/CP3126E*	3.1	IND	PI88.788	Rps1c/NG	1	3	Includer	3	5/NA	3	1
	CP3024ES*		3.0	IND	PI88.788	NG	1	3	Includer	3	5	3	1
	CP3126E*		3.1	IND	PI88.788	Rps1c	1	3	Includer	3	NA	3	1

KEY

Scale
1 = Excellent
2 = Strong
3 = Acceptable
4 = Manage
5 = Not Recommended
NG = No gene present

1 SCN Resistant Source
Peking = These varieties contain SCN resistance genes from the Peking soybean breeding lines
PI88.788 = These varieties contain SCN resistance genes from the PI88.788 soybean breeding lines

2 PRR Gene
Rps = Resistance to Phytophthora sojae
HRps = Heterozygous segregating Rps occurrence

3 Southern Stem Canker and Root-Knot Nematode
1 = Resistant
2 = Moderately Resistant
3 = Moderately Resistant–Moderately Susceptible
4 = Moderately Susceptible
5 = Susceptible

▲ This symbol indicates that there has been a new component added to the WinPak® variety.

Product descriptions and ratings are generated from Answer Plot® trials and/or from the genetics supplier and may change as additional data is gathered.

	BRAND	Frogeye Leaf Spot	Root-Knot Nematode 3	Emergence	Standability	Stress Tolerance	Canopy Type 4	Plant Height 5	Flower Color 6	Pubescence Type 7	Pod Color 8	Hilum Color 9
	Enlist E3® - RM: 1.8-3.1											
▲	**CP1830E**	NA	NA	1	1	1	Int	M-T	P	GR	TN	BF
	CP1825E*	NA	NA	1	1	1	Int/Nar	M-T	P	GR	TN	BF
NEW	CP1827E*	NA	NA	1	1	1	Int	M-T	P	GR	TN	BF
▲	**CP2020E**	4/NA	NA	2	1	1/NA	Int	M	P	GR	BR/TN	BF/IB
	CP2024E	4	NA	2	1	NA	Int	M-S	P	GR	BR	IB
NEW	CP2027E*	NA	NA	1	1	1	Int	M	P	GR	TN	BF
▲	**CP2230E**	NA	NA	2	2	2	Int	M-T	P	GR/LTW	TN	BL/IB
NEW	CP2227E*	NA	NA	1	2	2	Int	M-T	P	LTW	TN	BL
	CP2336E	NA	NA	2	2	1	Int	M-T	P	GR	TN	IB
NEW	**CP2530E**	2/NA	NA	2	2	1/NA	Int	M-T	P/W	LTW	BR	BR/BL
NEW	CP2527E*	NA	NA	2	2	1	Int	M-T	W	LTW	BR	BL
NEW	CP2627E*	2	NA	2	2	NA	Int	M-T	P	LTW	BR	BR
▲	**CP2920E**	NA	NA	2	3	1/NA	Int/Bush	M-T	P	LTW	BR/TN	BR/BL
	CP2826E*	NA	NA	2	2	1	Int/Bush	M-T	P	LTW	BR	BL
NEW	CP2927E*	NA	NA	2	3	NA	Int/Bush	M-T	P	LTW	TN	BR
	CP3120E	2/NA	NA	1	2	1	Int	M-T	P	GR	BR	BF/IB
	CP3024ES*	2	NA	1	2	1	Int	M-T	P	GR	BR	IB
	CP3126E*	NA	NA	1	2	1	Int	M-T	P	GR	BR	BF

4 Canopy Type
- **Nar** = Narrow
- **Int** = Intermediate
- **Bush** = Bushy

5 Plant Height
- **T** = Tall
- **M** = Medium
- **S** = Short

6 Flower Color
- **P** = Purple
- **W** = White

7 Pubescence Type
- **GR** = Gray
- **TW** = Tawny
- **LTW** = Light Tawny

8 Pod Color
- **TN** = Tan
- **BR** = Brown

9 Hilum Color
- **YE** = Yellow/Clear
- **GR** = Gray
- **BL** = Black
- **IB** = Imperfect Black
- **BR** = Brown
- **BF** = Buff
- **SL** = Slate
- **TN** = Tan
- **IY** = Imperfect Yellow

These ratings reflect trends observed in research trials that change with variations in rainfall, temperature, crop production patterns and other factors. Ratings on new soybean varieties are based on limited data and may change as more data is collected.

*WinPak® seed components only. Not for sale individually.

	BRAND	WinPak® Components	Relative Maturity	Determinate Indeterminate	SCN Resistance 1	PRR Gene 2	PRR Tolerance	SDS Tolerance	Chloride Tolerance	SWM Tolerance	BSR Tolerance	Iron Chlorosis	Southern Stem Canker 3
	Enlist E3® - RM: 3.3-4.9												
▲	**CP3330E**	CP3327E*/CP3426E*	3.3	IND	PI88.788	Rps1c	2	3	Includer	3	5/NA	3	1
NEW	CP3327E*		3.3	IND	PI88.788	Rps1c	2	3	Includer	3	5	3	1
	CP3426E*		3.4	IND	PI88.788	Rps1c	2	2	Includer	3	NA	3	1
▲	**CP3620ES**	CP3626ES*/CP3627ES*	3.6	IND	PI88.788	Rps1c/1k	1	2	Includer	3/NA	1/NA	3	1
	CP3626ES*		3.6	IND	PI88.788	Rps1c	1	2	Includer	3	NA	3	1
NEW	CP3627ES*		3.6	IND	PI88.788	Rps1k	1	1	Includer	NA	1	3	1
	CP3830E	CP3825E*/CP3835E*	3.8	IND	PI88.788	Rps1k	1	2	Includer	NA	NA	3	1
	CP3825E*		3.8	IND	PI88.788	Rps1k	1	2	Includer	NA	NA	3	1
	CP3835E*		3.8	IND	PI88.788	Rps1k	1	2	Includer	NA	NA	3	1
▲	**CP3920ES**	CP3827ES*/CP3925ES	3.9	IND	PI88.788	NG	2	2	Inc/Exc	NA	2/NA	3	1
NEW	CP3827ES*		3.8	IND	PI88.788	NG	1	2	Includer	NA	2	3	1
	CP3925ES*		3.9	IND	PI88.788	NG	2	2	Excluder	NA	NA	2	1
NEW	**CP4127ES**		4.1	IND	PI88.788	Rps1k,3a	2	2	Excluder	NA	2	3	1
NEW	**CP4427ES**		4.4	IND	PI88.788	Rps1k	NA	2	Excluder	NA	NA	3	1
	CP4822ES		4.9	IND	PI88.788	NG	3	3	Excluder	NA	NA	NA	NA
NEW	**CP4827ES**		4.8	IND	PI88.788	Rps1c,3a	2	2	Excluder	NA	NA	3	1

KEY

Scale
1 = Excellent
2 = Strong
3 = Acceptable
4 = Manage
5 = Not Recommended
NG = No gene present

1 SCN Resistant Source
Peking = These varieties contain SCN resistance genes from the Peking soybean breeding lines
PI88.788 = These varieties contain SCN resistance genes from the PI88.788 soybean breeding lines

2 PRR Gene
Rps = Resistance to Phytophthora sojae
HRps = Heterozygous segregating Rps occurrence

3 Southern Stem Canker and Root-Knot Nematode
1 = Resistant
2 = Moderately Resistant
3 = Moderately Resistant–Moderately Susceptible
4 = Moderately Susceptible
5 = Susceptible

▲ This symbol indicates that there has been a new component added to the WinPak® variety.

Product descriptions and ratings are generated from Answer Plot® trials and/or from the genetics supplier and may change as additional data is gathered.

	BRAND	Frogeye Leaf Spot	Root-Knot Nematode 3	Emergence	Standability	Stress Tolerance	Canopy Type 4	Plant Height 5	Flower Color 6	Pubescence Type 7	Pod Color 8	Hilum Color 9
	Enlist E3® - RM: 3.3-4.9											
▲	**CP3330E**	NA	NA	1	2	2	Int/Bush	M-T	W	LTW	BR/TN	BR/BL
NEW	CP3327E*	NA	NA	1	2	2	Int/Bush	M-T	W	LTW	TN	BR
	CP3426E*	NA	NA	1	1	2	Int/Bush	M-T	W	LTW	BR	BL
▲	**CP3620ES**	2/NA	NA	1	2	2	Int/Bush	M-T	P/W	LTW	BR	BL
	CP3626ES*	NA	NA	1	1	2	Int	M-T	W	LTW	BR	BL
NEW	CP3627ES*	2	NA	1	2	1	Int/Bush	M-T	P	LTW	BR	BL
	CP3830E	2	NA	1	2	1	Int/Bush	M-T	W	LTW	BR	BL
	CP3825E*	2	NA	1	2	1	Int/Nar	M-T	W	LTW	BR	BL
	CP3835E*	2	NA	1	2	1	Int/Bush	M-T	W	LTW	BR	BL
▲	**CP3920ES**	1	5	2	1	2	Int/Bush	M-T	P/W	LTW	BR	BL
NEW	CP3827ES*	1	5	1	1	1	Int/Bush	M-T	P	LTW	BR	BL
	CP3925ES*	1	5	2	1	2	Int/Bush	M	W	LTW	BR	BL
NEW	**CP4127ES**	2	5	1	2	2	Int/Bush	M-T	W	LTW	BR	BR
NEW	**CP4427ES**	2	5	2	2	2	Int/Bush	M	P	LTW	BR	BL
	CP4822ES	2	5	2	2	NA	Int/Bush	M-T	W	GR	BR	BF
NEW	**CP4827ES**	1	2	2	3	2	Int/Bush	M-T	W	GR	TN	BF

4 Canopy Type
- **Nar** = Narrow
- **Int** = Intermediate
- **Bush** = Bushy

5 Plant Height
- **T** = Tall
- **M** = Medium
- **S** = Short

6 Flower Color
- **P** = Purple
- **W** = White

7 Pubescence Type
- **GR** = Gray
- **TW** = Tawny
- **LTW** = Light Tawny

8 Pod Color
- **TN** = Tan
- **BR** = Brown

9 Hilum Color
- **YE** = Yellow/Clear
- **GR** = Gray
- **BL** = Black
- **IB** = Imperfect Black
- **BR** = Brown
- **BF** = Buff
- **SL** = Slate
- **TN** = Tan
- **IY** = Imperfect Yellow

These ratings reflect trends observed in research trials that change with variations in rainfall, temperature, crop production patterns and other factors. Ratings on new soybean varieties are based on limited data and may change as more data is collected.

*WinPak® seed components only. Not for sale individually.

	BRAND	WinPak® Components	Relative Maturity	Determinate Indeterminate	SCN Resistance 1	PRR Gene 2	PRR Tolerance	SDS Tolerance	Chloride Tolerance	SWM Tolerance	BSR Tolerance	Iron Chlorosis	Southern Stem Canker 3
	XtendFlex® - RM: 0.03-1.2												
	CP00346XF		0.03	IND	NG	Rps1c	2	NA	Includer	2	NA	2	1
	CP00640XF	CP00545XF*/CP00744XF*	0.06	IND	PI88.788/NG	Rps1c,3a/1c	2	NA	Includer	2	2/NA	3	1/NA
	CP00545XF*		0.05	IND	PI88.788	Rps1c,3a	2	NA	Includer	2	NA	2	1
	CP00744XF*		0.07	IND	NG	Rps1c	1	NA	Includer	2	2	4	NA
	CP00944XF		0.09	IND	PI88.788	Rps1c	2	NA	Includer	4	2	3	NA
NEW	**CP00947XF**		0.09	IND	PI88.788	Rps1c	3	NA	Includer	NA	NA	3	NA
NEW	**CP0240XF**	CP0246XF/CP0247XF*	0.2	IND	PI88.788	Rps3a/1c	3	2/NA	Includer	4	4	2	NA
	CP0246XF		0.2	IND	PI88.788	Rps3a	2	2	Includer	3	4	2	NA
NEW	CP0247XF*		0.2	IND	PI88.788	Rps1c	4	NA	Includer	4	3	1	NA
	CP0440XF	CP0444XF*/CP0555XF	0.4	IND	PI88.788	Rps1c,3a/1c	2	3/NA	Includer	3	1/NA	2	1/NA
	CP0444XF*		0.4	IND	PI88.788	Rps1c	2	NA	Includer	3	1	1	NA
	CP0555XF		0.5	IND	PI88.788	Rps1c,3a	1	3	Includer	3	NA	3	1
▲	**CP0740XF**	CP0747XF*/CP0751XF*	0.7	IND	PI88.788	Rps1c,3a/1c	2	3/NA	Includer	3	1	2	1/NA
NEW	CP0747XF*		0.7	IND	PI88.788	Rps1c	1	3	Includer	2	1	2	1
	CP0751XF*		0.7	IND	PI88.788	Rps1c,3a	2	NA	Includer	3	1	2	NA
	CP0940XF	CP0955XF*/CP1042XF*	0.9	IND	PI88.788	HRps3a/1c	2	2/NA	Includer	2	3	2	1/NA
	CP0955XF*		0.9	IND	PI88.788	Rps1c	2	2	Includer	2	2	3	1
	CP1042XF*		1.0	IND	PI88.788	HRps3a	2	NA	Includer	2	3	2	NA
	CP1240XF	CP1242XF*/CP1246XF*	1.2	IND	PI88.788	Rps1c,3a/H3a	2	3	Includer	2	2	2	1/NA
	CP1242XF*		1.2	IND	PI88.788	HRps3a	2	3	Includer	2	1	2	NA
	CP1246XF*		1.2	IND	PI88.788	Rps1c,3a	2	2	Includer	1	3	2	1

KEY

Scale
1 = Excellent
2 = Strong
3 = Acceptable
4 = Manage
5 = Not Recommended
NG = No gene present

1 SCN Resistant Source
Peking = These varieties contain SCN resistance genes from the Peking soybean breeding lines
PI88.788 = These varieties contain SCN resistance genes from the PI88.788 soybean breeding lines

2 PRR Gene
Rps = Resistance to Phytophthora sojae
HRps = Heterozygous segregating Rps occurrence

3 Southern Stem Canker and Root-Knot Nematode
1 = Resistant
2 = Moderately Resistant
3 = Moderately Resistant–Moderately Susceptible
4 = Moderately Susceptible
5 = Susceptible

▲ This symbol indicates that there has been a new component added to the WinPak® variety.

Product descriptions and ratings are generated from Answer Plot® trials and/or from the genetics supplier and may change as additional data is gathered.

	BRAND	Frogeye Leaf Spot	Root-Knot Nematode 3	Emergence	Standability	Stress Tolerance	Canopy Type 4	Plant Height 5	Flower Color 6	Pubescence Type 7	Pod Color 8	Hilum Color 9
	XtendFlex® - RM: 0.03-1.2											
	CP00346XF	NA	NA	NA	3	NA	Int	M	P	GR	TN	BF
	CP00640XF	2/NA	NA	2/NA	3	NA	Int	M-T	P	LTW	BR/TN	BR/GR
	CP00545XF*	NA	NA	NA	3	NA	Int	M-T	P	LTW	TN	BR
	CP00744XF*	2	NA	2	2	NA	Int	M	P	LTW	BR	GR
	CP00944XF	NA	NA	1	2	NA	Int	M-T	P	LTW	BR	BL
NEW	**CP00947XF**	NA	NA	1	2	NA	Int/Bush	M-T	P	GR	BR	BF
NEW	**CP0240XF**	NA	NA	1/NA	3	NA	Int/Bush	M-T	P	TW/LTW	BR	BR/BL
	CP0246XF	NA	NA	NA	3	NA	Int/Bush	M-T	P	LTW	BR	BR
NEW	CP0247XF*	NA	NA	1	3	NA	Int/Bush	M-T	P	TW	BR	BL
	CP0440XF	NA	NA	1/NA	2	NA	Int/Bush	M-T	P	GR/LTW	BR	GR/IB
	CP0444XF*	NA	NA	1	1	NA	Int/Bush	M-T	P	GR	BR	IB
	CP0555XF	NA	NA	NA	2	NA	Int	M	P	LTW	BR	GR
▲	**CP0740XF**	NA	NA	1	3	2/NA	Int	M-T	P	TW/LTW	BR/TN	BL
NEW	CP0747XF*	NA	NA	1	2	2	Int	M	P	LTW	TN	BL
	CP0751XF*	NA	NA	1	3	NA	Int	M-T	P	TW	BR	BL
	CP0940XF	NA	NA	1/NA	2	2/NA	Int	M-T	P	LTW	TN	BL/BR
	CP0955XF*	NA	NA	NA	1	NA	Int/Nar	M	P	LTW	TN	BL
	CP1042XF*	NA	NA	1	2	2	Int/Bush	M-T	P	LTW	TN	BR
	CP1240XF	NA	NA	1/NA	2	2/NA	Int/Bush	M-T	P	GR/LTW	BR/TN	BL/IB
	CP1242XF*	NA	NA	1	1	2	Int	M-T	P	LTW	BR	BL
	CP1246XF*	NA	NA	NA	2	NA	Int/Bush	M	P	GR	TN	IB

4 Canopy Type
- **Nar** = Narrow
- **Int** = Intermediate
- **Bush** = Bushy

5 Plant Height
- **T** = Tall
- **M** = Medium
- **S** = Short

6 Flower Color
- **P** = Purple
- **W** = White

7 Pubescence Type
- **GR** = Gray
- **TW** = Tawny
- **LTW** = Light Tawny

8 Pod Color
- **TN** = Tan
- **BR** = Brown

9 Hilum Color
- **YE** = Yellow/Clear
- **GR** = Gray
- **BL** = Black
- **IB** = Imperfect Black
- **BR** = Brown
- **BF** = Buff
- **SL** = Slate
- **TN** = Tan
- **IY** = Imperfect Yellow

These ratings reflect trends observed in research trials that change with variations in rainfall, temperature, crop production patterns and other factors. Ratings on new soybean varieties are based on limited data and may change as more data is collected.

*WinPak® seed components only. Not for sale individually.

BRAND	WinPak® Components	Relative Maturity	Determinate Indeterminate	SCN Resistance 1	PRR Gene 2	PRR Tolerance	SDS Tolerance	Chloride Tolerance	SWM Tolerance	BSR Tolerance	Iron Chlorosis	Southern Stem Canker 3
XtendFlex® - RM: 1.5-4.8												
CP1540XF	CP1443XF*/CP1545XF*	1.5	IND	PI88.788	Rps1c,3a/1c,3a	2	3	Includer	2	2	3	1
CP1443XF*		1.4	IND	PI88.788	Rps1c,3a	2	2	Includer	1	2	3	1
CP1545XF*		1.5	IND	PI88.788	Rps1c,3a	1	3	Includer	2	1	2	1
CP1840XF	CP1846XF*/CP1844XF*	1.8	IND	PI88.788	Rps1c,3a/NG	2	2	Inc/Exc	2	2	3	1
CP1844XF*		1.8	IND	PI88.788	NG	2	2	Includer	2	1	3	1
CP1846XF*		1.8	IND	PI88.788	Rps1c,3a	2	2	Excluder	1	3	2	1
CP2054XF		2.0	IND	PI88.788	NG	2	2	Includer	2	1	3	1
CP2350XF	CP2244XF*/CP2346XF*	2.3	IND	PI88.788	Rps1c	3	2	Includer	3	3	2	1
CP2244XF*		2.2	IND	PI88.788	Rps1c	3	1	Includer	2	4	2	1
CP2346XF*		2.3	IND	PI88.788	Rps1c	2	2	Includer	3	2	1	1
CP2540XF	CP2543XF*/CP2545XF*	2.5	IND	PI88.788	Rps1c	2	3	Includer	3	1	2	1
CP2543XF*		2.5	IND	PI88.788	Rps1c	2	3	Includer	2	1	2	1
CP2545XF*		2.5	IND	PI88.788	Rps1c	2	2	Includer	3	1	2	1
CP2846XF		2.8	IND	PI88.788	Rps1c	3	3	Includer	3	3	3	1
CP3146XF		3.1	IND	PI88.788	Rps1c	3	4	Includer	4	3	3	1
NEW **CP3547XF**		3.5	IND	PI88.788	Rps1c,H3a	NA	3	Includer	3	1	4	1
CP3845XFS		3.8	IND	PI88.788	Rps1c	3	2	Excluder	2	1	2	1
CP4246XFS		4.2	IND	PI88.788	NG	2	2	Includer	NA	NA	4	2
CP4545XFS		4.5	IND	PI88.788	Rps1k	1	4	Includer	NA	NA	2	1
CP4845XFS		4.8	IND	PI88.788	Rps1c	2	4	Excluder	NA	NA	4	1

KEY

Scale
1 = Excellent
2 = Strong
3 = Acceptable
4 = Manage
5 = Not Recommended
NG = No gene present

1 SCN Resistant Source
Peking = These varieties contain SCN resistance genes from the Peking soybean breeding lines
PI88.788 = These varieties contain SCN resistance genes from the PI88.788 soybean breeding lines

2 PRR Gene
Rps = Resistance to Phytophthora sojae
HRps = Heterozygous segregating Rps occurrence

3 Southern Stem Canker and Root-Knot Nematode
1 = Resistant
2 = Moderately Resistant
3 = Moderately Resistant–Moderately Susceptible
4 = Moderately Susceptible
5 = Susceptible

▲ This symbol indicates that there has been a new component added to the WinPak® variety.

Product descriptions and ratings are generated from Answer Plot® trials and/or from the genetics supplier and may change as additional data is gathered.

BRAND	Frogeye Leaf Spot	Root-Knot Nematode 3	Emergence	Standability	Stress Tolerance	Canopy Type 4	Plant Height 5	Flower Color 6	Pubescence Type 7	Pod Color 8	Hilum Color 9
XtendFlex® - RM: 1.5-4.8											
CP1540XF	NA	NA	2	2	1/NA	Int	M-T	P	GR/LTW	BR/TN	BR/IB
CP1443XF*	NA	NA	2	2	NA	Int	M-T	P	LTW	BR	BR
CP1545XF*	NA	NA	1	2	1	Int/Nar	M-T	P	GR	TN	IB
CP1840XF	NA	NA	1/NA	1	2/NA	Int	M-T	P	LTW	BR/TN	BL
CP1844XF*	NA	NA	1	1	2	Int	M-T	P	LTW	TN	BL
CP1846XF*	NA	NA	NA	1	NA	Int	M-T	P	LTW	BR	BL
CP2054XF	NA	NA	1	2	2	Int	M	P	LTW	TN	BL
CP2350XF	3	NA	2/NA	3	NA	Int	M-T	P/W	LTW	BR/TN	BL
CP2244XF*	4	NA	2	2	NA	Int/Bush	M-T	W	LTW	BR	BL
CP2346XF*	2	NA	NA	3	NA	Int	M-T	P	LTW	TN	BL
CP2540XF	NA	NA	2	3	2	Int/Bush	M-T	P	GR/LTW	BR/TN	BL/IB
CP2543XF*	NA	NA	2	2	2	Int	M-T	P	GR	BR	IB
CP2545XF*	NA	NA	2	3	1	Int/Bush	M-T	P	LTW	BR	BL
CP2846XF	NA	NA	NA	2	NA	Int/Bush	M	W	LTW	BR	BL
CP3146XF	NA	NA	NA	3	NA	Int/Bush	M-T	W	LTW	TN	BL
NEW **CP3547XF**	4	NA	1	1	NA	Int	M-T	P	GR	TN	IB
CP3845XFS	2	NA	NA	2	NA	Int/Bush	M-T	P	LTW	BN	BL
CP4246XFS	1	4	NA	2	NA	Int	M-T	W	LTW	BR	BL
CP4545XFS	1	5	NA	1	NA	Int	M	W	LTW	BR	BL
CP4845XFS	3	3	NA	3	NA	Int/Bush	M-T	P	LTW	TN	BL

4 Canopy Type
- **Nar** = Narrow
- **Int** = Intermediate
- **Bush** = Bushy

5 Plant Height
- **T** = Tall
- **M** = Medium
- **S** = Short

6 Flower Color
- **P** = Purple
- **W** = White

7 Pubescence Type
- **GR** = Gray
- **TW** = Tawny
- **LTW** = Light Tawny

8 Pod Color
- **TN** = Tan
- **BR** = Brown

9 Hilum Color
- **YE** = Yellow/Clear
- **GR** = Gray
- **BL** = Black
- **IB** = Imperfect Black
- **BR** = Brown
- **BF** = Buff
- **SL** = Slate
- **TN** = Tan
- **IY** = Imperfect Yellow

These ratings reflect trends observed in research trials that change with variations in rainfall, temperature, crop production patterns and other factors. Ratings on new soybean varieties are based on limited data and may change as more data is collected.

*WinPak® seed components only. Not for sale individually.