CROPLAN

2026 SEASON

Corn // Soybean // Alfalfa // Corn Silage // Forage Sorghum // Grain Sorghum // Triticale // Spring Canola // Winter Canola // Sunflower // Hard Red Spring Wheat // Hard Red Winter Wheat // Soft Red Winter Wheat // Field Pea OSE CHOOP SEED GUIDE.

TURNING THE PAGE TO 2026 IS A LOT EASIER WITH THE RIGHTINFORMATION.

2026 SEED GUIDE

f the hundreds of decisions that go into a successful season, your seed decision is one of the most important. We know the impact the right seed can make, and more importantly, so do you. It's why this seed guide is in your hands right now. It's a responsibility we don't take lightly. Within these pages, you'll find products that put your needs first, with reliable performance and expertise that's with you every step of the way.

Your seed decision begins with our decision to comb the industry to find some of the very best products. We select from a large pool of genetics and traits, then our elite team of seed product managers get to work. They constantly push the limits to rapidly bring to market the right products for your unique acre.

So much goes into our seed before it goes to market. From years of research in the breeding pipeline to continued testing on the Answer Plot® system, we have the ability to document how seed performs under

different scenarios and management styles. Using the valuable data collected throughout the entire process, we can help you match the right seed choice to your fields and to maximize ROI potential.

Last but certainly not least, the best decision we make every season is to entrust our success and yours to local retail seed experts. When it comes to seed expertise and local field knowledge, they continually raise the bar. Our local retail seed experts can interpret the data available and suggest custom recommendations with a "focused on you" approach. They're here for you all season long so you can be even more confident in your seed decision.

From our CROPLAN® seed team, the decisions we make are in service of bringing you some of the best products possible. You'll find them within the pages of this seed guide. With the help of your local retail seed expert, and our CROPLAN seed team, a successful 2026 season starts here.

Jamie Kloster

Seed Product Manager. North & West

Clayton Johnson

Seed Product Manager, North

Leta Larsen

U.S. Alfalfa Specialist

Jeff Jackson

U.S. Sorghum and Triticale Product Manager, Alfalfa Specialist

Mick Miller

U.S. Canola Product Manager; Alfalfa and Forage Specialist

Ryan Moeller

U.S. Product Manager Sunflower, Wheat, Pulses Jeff Osterhaus

Seed Product Manager, North Central

Hector De Leon

Corn and Soybean Director

CROPLAN Brand Manager

Virgil Moore

Seed Product Manager,

Coastal West

Carl Scholting

Seed Product Manager, **Central Plains**

Eric Kennedy

Seed Product Manager. South-East

Randy Mette

Seed Product Manager, Central East



UNLOCK YOUR FARM'S POTENTIAL WITH THESE HIGH-PERFORMERS.

Optimize Seed ROI

To produce farm topping yields, you need to do many things right. And that starts with CROPLAN® seed. It's seed that puts you on the path to maximizing ROI on each acre, beginning with exceptionally high performing genetics, which carry the latest traits and technology. But even bigger advantages come with the data and intelligence we build on top of these cutting-edge corn hybrids.

ANSWER PLOT® RESEARCH PROVIDES POPULATION, NITROGEN AND FUNGICIDE RESPONSE DATA FOR ALL CROPLAN CORN HYBRIDS.

That means you can fine tune management and increase yield potential in the most economically efficient manner.

- There's a 36.5 bu/A average yield response advantage¹ when hybrids are managed according to their Response to Nitrogen (RTN).
- Then, there's a 12.0 bu/A average yield response advantage¹ when hybrids are managed according to their Response to Fungicide (RTF), which not only guides the fungicide decision, but also the application timing.
- Testing and correlating plant populations, RTN and RTF allows us to make sense of the almost infinite interactions between population, nitrogen, fungicide and yield response for each hybrid.

EACH HYBRID IS DIFFERENT, AND THEIR AGRONOMIC REQUIREMENTS ARE, TOO.

Putting every hybrid into the same environment won't maximize your ROI. Instead, give each hybrid what it needs when it needs it. And just as importantly, eliminate actions that don't provide the yield and revenue impact you desire.

Only CROPLAN seed provides this level of intelligence. And you can only find CROPLAN seed hybrids at the best retailers in America.

ZINC SEED TREATMENT IN THE BAG

Zinc is proven to help corn get off to a fast, healthy start and encourage stronger root development. CROPLAN is one of the only seed brands with zinc on every corn hybrid, in every bag, with no overtreatment or upcharge. It's a key component of our proprietary corn seed treatment – Fortivent® Plus. In 2018 Answer Plot® testing, Fortivent Plus showed a +4.7bu/A average advantage over untreated CROPLAN products.

Fortivent® Plus Features and Benefits

- All CROPLAN® hybrids come with Poncho® VOTiVO® seed treatment.
- Provides enhanced Pythium control with ethaboxam fungicide.
- Includes Fortivent Zn for success in early-season growth and root development.
- Includes a replant guarantee on all CROPLAN hybrids.*

When you choose CROPLAN seed, you're gaining an agronomic edge which can help maximize ROI potential.

*Contact your local retail seed expert.

1. 2024 Answer Plot® trial data.

BRING THE POWER OF PROOF TO YOUR FARM.

Check out the national Answer Plot® results below. They're proof that bringing high-end genetics with the latest traits and an unbiased focus on product development can deliver big yield potential. Make sure these high performers are a part of your final lineup this season.

	CORN Product	YIELD Bu/a	MOISTURE	TEST Weight
	CP2324VT2P	224.6	19.3%	56.5
80 Day	CP2180VT2P	221.9	18.3%	58.1
Corn Product	CP2315VT2P	204.2	19.0%	57.8
Trial	CP2288VT2P	203.5	19.2%	58.4
	2024 Answer Plot	trial data from 8 lo	cations, across 3 states	:: MN, ND, WI
	CP2965VT2P	227.1	18.9%	58.3
	CP2585SS	227.0	18.7%	58.5
85 Day	CP2845VT2P	223.0	18.2%	58.0
Corn	CP2845SS	221.2	19.3%	58.0
Product	CP2790VT2P	220.6	18.2%	58.2
Trial	CP2585VT2P	214.1	17.5%	58.1
	CP2324VT2P	209.2	17.5%	57.2
	2024 Answer Plot	trial data from 12 lo	ocations, across 3 state:	s: MN, ND, WI
	CP3490VT2P	250.7	19.8%	56.4
	CP3330VT2P	247.7	19.1%	56.6
90 Day	CP3143VT2P	241.6	18.9%	56.5
Corn	CP3314VT2P	232.9	19.0%	56.7
Product	CP2965VT2P	231.7	17.3%	58.7
Trial	CP2845SS	218.3	17.6%	58.2
	CP2845VT2P	218.2	16.4%	58.1
	2024 Answer Plot trial	data from 13 locati	ions, across 5 states: M	I, MN, ND, SD, WI
	CP3899VT2P	266.6	18.2%	56.8
	CP3790VT2P	260.3	17.4%	56.1
	CP3519SS	253.5	18.1%	57.6
95 Day	CP3724VT2P	252.3	17.5%	56.1
Corn Product	CP3715SSPRO	249.7	16.9%	56.3
Trial	CP3735SS	245.8	17.5%	57.9
	CP3575VT2P	241.3	16.5%	58.5
	CP3490VT2P	239.6	16.2%	56.8
	2024 Answer Plot trial d	ata from 19 locatio	ns, across 6 states: IA, I	MI, MN, ND, SD, WI

	CORN	YIELD	MOISTURE	TEST
	PRODUCT	BU/A		WEIGHT
	CP3899VT2P	263.9	17.1%	57.8
	CP4024SSPRO	263.7	18.0%	56.3
	CP3980VT2P	261.7	17.1%	57.6
	CP4444VT2P	260.6	17.3%	56.6
100 Day	CP3790VT2P	259.2	16.4%	56.8
Corn	CP3852TRE	259.1	16.5%	56.9
Product	CP3724VT2P	258.5	16.8%	56.9
Trial	CP4246SS	256.1	17.1%	58.0
	CP4188VT2P	253.4	16.9%	57.3
	CP4083VT4P	252.5	16.9%	56.8
	CP4188SS	251.3	16.7%	57.1
	2024 Answer	Plot trial data from OH, WI, MN, CO,	25 locations, across 8 IA, MI, SD, IL	states:
	CP4840TRE	279.6	19.3%	57.3
	CP4917SSPRO	272.1	19.6%	55.2
105 Day	CP4770SS	266.9	17.5%	56.7
Corn	CP4516TRE	266.3	16.9%	56.9
Product	CP4757VT2P	257.7	17.5%	58.6
Trial	CP4676SS	250.1	18.0%	58.2
	CP4652SSPRO	248.2	17.0%	57.0
			37 locations, across 13 , MI, OH, SD, KS, IL, MN	
	CP4839PCE	271.9	17.7%	58.5
	CP4930DGVT2P	268.9	17.1%	58.2
110 Day	CP5208VT2P	264.2	18.8%	58.7
Corn	CP4840TRE	263.5	17.2%	58.3
Product Trial	CP4917SSPRO	257.2	17.7%	56.2
IIIaI	CP5073VT2P	255.0	18.2%	57.2
			35 locations, across 12 KY, TN, IA, KS, IL, MO	? states:

	CORN Product	YIELD Bu/a	MOISTURE	TEST WEIGHT
	CP5497VT2P	269.7	18.8%	58.5
	CP5682TRE	268.1	20.6%	56.4
	CP5320SSPRO	261.5	17.7%	56.9
115 Day	CP5760TRE	258.0	19.9%	55.7
Corn	CP5363TRE	256.0	18.7%	58.0
Product	CP5370VT2P	256.0	18.1%	58.1
Trial	CP5550VT2P	254.8	18.2%	57.7
	CP5678VT2P	247.0	19.1%	58.5
			34 locations, across 12 (Y, OH, AR, LA, MO, IL	states:
	CP5682TRE	263.3	19.3%	56.7
120 Day	CP5893TRE	261.5	19.4%	58.7
Corn	CP5760TRE	249.9	18.8%	55.8
Product Trial	CP5678SS	239.3	18.5%	59.2
IIIdl			17 locations, across 11 ; , LA, MO, IL, NE, IA	states:

OUR INDEPENDENCE FUELS THE TRAITS WE OFFER.

When you are a leader in the seed industry, you're able to hand select the genetics and traits farmers want, independently. Here are the traits available in our lineup this year.

		1	TRAIT COMPONENT	S			HERBICIDE TOLERANCE GLYPHOSATE GLUFOSINATE ENLIST® FOPS						
BELOW GROUND TRAITS	YIELDGARD® Rootworm	HERCULEX® Rootworm	ROOTWORM	DURACADE®	RNAi	GLYPHOSATE	GLUFOSINATE	ENLIST®	FOPS				
VT4PRO™	✓				✓	✓							
SMARTSTAX®	✓	✓				✓	✓						
SMARTSTAX® PRO	✓	✓			✓	✓	✓						
DURACADE®			✓	✓		✓	√ **						


		TRAIT CON	1PONENTS			HERBICIDE	TOLERANCE	
ABOVE GROUND TRAITS	YIELDGARD VT PRO®	YIELDGARD® Corn Borer	HERCULEX® 1	VIPTERA®	GLYPHOSATE	GLUFOSINATE	ENLIST®	FOPS
VT DOUBLE PRO®	✓				✓			
TRECEPTA® TECHNOLOGY	√			✓	✓			
POWERCORE® ENLIST®	√		✓		√	✓	✓	✓

^{**}Check bag tag on tolerance


CROPLAN® TRAIT LETTERING FOR CORN HYBRIDS

Descriptive hybrid numbering and trait lettering systems are used for CROPLAN® corn hybrids.


KEY	HYBRID	TRAIT	LOGO
SS/RIB	SmartStax® RIB Complete® Corn Blend	Two mode of actions working against corn rootworm for below ground protection. As a RIB Complete® brand corn blend, means refuge compliance for the Corn-Growing Area is easier than ever. Two more sites of action provide tolerance to glyphosate and glufosinate herbicide applications.	SmartStax
SSPRO/RIB	SmartStax® PRO Complete®Corn Blend	For corn on corn acres, or those with corn rootworm damage, SmartStax® PRO technology contains three different modes of action against corn rootworm. SmartStax® PRO Technology combines the proven benefits of SmartStax® Technology with an additional, unique RNAi-based mode of action — becoming the first product with three modes of action for corn rootworm control. Plus, it's a RIB Complete® brand corn blend, which means refuge compliance for the Corn-Growing Area is easier than ever. Products available with and without refuge in bag options.	SmartStay PRO
VT4P	VT4PRO™ RIB Complete®	For corn on corn acres, or those with corn rootworm damage, VT4PRO [™] Technology combines the three built-in modes of action in Trecepta® Technology, an elite above-ground pest package for corn, with two below-ground modes of action to help manage corn rootworm. VT4PRO Technology will provide farmers protection against above-ground pests including European corn borer, southwestern corn borer, fall armyworm, black cutworm, western bean cutworm and corn earworm. VT4PRO contains Roundup Ready 2 Technology® which allows the corn plant to withstand glyphosate treatments. Plus, it's a RIB Complete® brand corn blend, which means refuge compliance for the Corn- Growing Area is easier than ever. Products available with and without refuge in bag options.	VT4PRO"
VT2P/RIB	VT Double PRO® RIB Complete® Corn Blend	For rotated acres with no visible corn rootworm, and low to moderate risk. Dual modes of action for maximum protection against above-ground pests, like European and Southwestern corn borers and fall armyworm. An additional site of action helps plants withstand glyphosate to prevent weeds from competing with corn. As a RIB Complete® brand corn blend, means refuge compliance for the Corn-Growing Area is easier than ever. Products available with and without refuge in bag options.	VTDoublePRO*
RR	Roundup Ready® Corn 2	Roundup Ready Corn 2 enables consistent field-to-field weed control. Engineered for glyphosate tolerance, this technology allows you to apply Roundup® brand agricultural herbicides and other labeled glyphosate products.	Roundup Ready CORN 2
TRE/RIB	Trecepta® RIB Complete® Corn Blend	For rotated acres with no visible corn rootworm, and low to moderate risk. Trecepta® Technology helps reduce yield loss by protecting your corn crop from a wide range of above-ground pests. Built on the proven VT Double PRO® Technology, Trecepta Technology gives you more complete control against corn borers (European and southwestern), fall armyworm, western bean cutworm, black cutworm and corn earworm. Trecepta contains Roundup Ready 2 Technology® which allows the corn plant to withstand glyphosate treatments. Plus, it's a RIB Complete® brand corn blend, which means refuge compliance for the Corn-Growing Area is easier than ever. Products available with and without refuge in bag options.	Trecepta°
DGVT2P/RIB	DroughtGard® VT Double PRO® RIB Complete® Corn Blend	VT Double PRO® RIB Complete® corn blend contains dual modes of action for maximum protection against above-ground pests, like European and Southwestern corn borers and fall armyworm. DroughtGard® Hybrids products are designed to help corn plants resist drought stress and minimize the risk associated with one key, unpredictable factor: The weather. The DroughtGard® Hybrids gene helps the plant create proteins that are essential for growth, helping to support yield opportunity when water is scarce. Plus, it's a RIB Complete® brand corn blend, which means refuge compliance for the Corn-Growing Area is easier than ever. Products available with and without refuge in bag options.	DroughtGard NYBRIDS VTDoubleBRO
D	Duracade®	The Duracade® trait stack provides multiple modes of action against corn rootworm and corn borer, as well as suppression of ear-feeding insects. This trait stack includes a novel, alternate mode of action to help preserve trait durability and delay insect adaptation for long-term field health, and the convenience of an integrated E-Z Refuge® seed blend.	Duracae LIBERTY LINK W
PCE	PowerCore® Enlist®	Herbicide flexibility with the Enlist® weed control system, which offers tolerance to 2,4-D choline in Enlist® herbicides in addition to glufosinate and glyphosate. Insect control against black cutworm, fall armyworm, European and southwestern corn borers, and corn earworm. Enlist weed control system provides a whole-farm solution across corn, soybean and cotton acres.	POWERCORE Enlist REFUGE ADVANCED




- Position on average-to-high yield potential acres
- Strong seedling and roots
- Maximize yield potential with moderate-to-high populations
- Flowers early for RM, keep in zone




- Excellent yield stability across all environments; strong stress tolerance
- Excellent root strength with strong stalks
- Responds to enhanced nitrogen management
- Strong Goss's wilt tolerance




- Excellent drought tolerance to move across variable and tough acres
- Solid agronomics with strong defensive characteristics
- Manage with populations and fungicide application
- Flowers early for RM, keep in zone




- Key early 80 RM hybrid; works across yield environments
- Strong seedling vigor for planting early
- Fast die/fast dry type hybrid will drydown fast after maturity
- A bit lighter test weight



- Ideally placed on productive soils
- Strong seedling vigor for planting early
- Moderate response to nitrogen hybrid; good response to aggressive nitrogen management
- Use caution in drought-prone, low productive soils



- Strong stress tolerance on heavy and moderate soil types
- Excellent roots and drought tolerance
- Nice ear flex for lower populations
- Optimum emergence when planted in warm soils




- Agrisure Duracade[™] Artesian® trait with excellent yield potential; handles variability and multiple soil types
- Medium-tall plant with strong stalks; dual-purpose option

2 = Strong

Low response to population for success at lower plant densities


5 = Not Recommended

 Acceptable Goss's wilt tolerance; slower drydown due to girthy cob and tight husk




- High-yield potential product with strong ear flex and drought tolerance
- Excellent seedling vigor for early planting
- Strong ear flex with a moderate response-to-nitrogen; can fit a broad range of growing conditions
- Manage for late-season stalks and Goss's wilt


and my change as additional data is gathered.




- Great option for Red River Valley and East
- Solid stalks, roots and emergence
- Semi-determinate ear; keep plant densities moderate to high
- Keep on rotated acres




- High-yield potential product for most soil types and environments
- Earlier flowering date and fast drydown
- High response to nitrogen and population optimizes yield potential
- Manage placement for Goss"s wilt




- Consistent performance on variable ground
- Excellent early vigor for early planting
- High response to nitrogen; aggressive nitrogen fertility helps drive yield potential on productive soils
- Acceptable Goss's wilt tolerance




- High-yield potential for productive soils with good stress tolerance for tougher acres
- Strong early vigor for early planting; strong stalks late into season
- Good ear flex for planting at reduced populations
- Acceptable Goss's wilt tolerance




- Well adapted for planting across yield environments and soil types
- Strong early vigor and very good stress tolerance
- Good ear flex at low populations and maintains ear size at high populations
- Acceptable Goss's wilt tolerance




- Versatile hybrid with consistent yield potential across environments
- Very strong late season agronomics with solid disease package
- Semi-flex ear allows for variable populations
- Manage for Southern Rust



- Tough-acre hybrid for low-yielding environments
- Solid agronomic package
- Flex ear for variable planting populations
- Manage for Goss's wilt




- Broadly adapted hybrid with outstanding agronomics and yield potential
- Strong emergence, stalks, roots and drought tolerance
- Low response to nitrogen and fungicide; flexible and economical to manage
- Strong Goss's wilt tolerance




- Solid yield potential with early flowering enables northern movement
- Massive roots for coarse soil types and consistent silking under drought stress
- Moderate response to population, handles variable plant densities
- Not recommended for acres with Goss's wilt history




- High-yield potential hybrid with versatility
- Strong drought tolerance allows placement on drier acres
- Excellent emergence allows for early-plant option
- Acceptable drydown




- Versatile SmartStax® hybrid; high-yield potential and strong agronomics
- Solid agronomic package; strong emergence, stalks, roots and drought tolerance
- Moderate response to fungicide; versatile placement on both rotated and continuous corn acres
- Acceptable Goss's wilt tolerance; manage in high pressure areas




- Adaptable across most soil types; moves into low-yield environments
- Consistent hybrid handles stress well with excellent emergence, roots and
- Moderate response-to scores provide versatility for positioning and management




- Versatile SmartStax® PRO hybrid for known corn rootworm acres
- Strong stress tolerance and solid agronomics
- Moderate response to nitrogen rating; doesn't need aggressive nitrogen management to thrive
- Manage in areas where gray leaf spot is a concern



- Responds well to aggressive nitrogen fertility and fungicide application
- Works well in tough, variable or ideal yield environments




- Adaptable east to west; best suited for variable and tough acres
- Excellent test weight and emergence with solid defensive traits
- Plant at moderate to high densities; fungicide application is recommended
- Keep in RM zone




- Tall VT Double PRO® hybrid with outstanding yield potential
- Strong agronomics across the board
- Moderate response to fungicide rating, may benefit with a fungicide application
- Do not overpopulate to help root development


and my change as additional data is gathered.




- Consistent high-yield potential across multiple environments and soil types
- Strong emergence, roots and stalk quality
- Semi-flex ear that allows for a range of populations
- Manage gray leaf spot and northern corn leaf blight with a fungicide in heavy pressure scenarios




- Excellent seedling vigor; strong stalks, roots and drought tolerance
- High response to intensive management; can handle average acres
- Manage in areas with gray leaf spot and northern corn leaf blight



- Consistent high-yield potential across multiple environments and soil types
- Strong agronomics with acceptable Goss's Wilt tolerance
- Manage with strong fertility on good ground to maximize yield potential
- Manage for Southern Rust



- High-yield potential hybrid that works across many acres
- Moderate management allows for versatile placement
- Acceptable stalks; can benefit from a fungicide application
- Use caution when applying growth regulator chemistries




- Versatile hybrid; works well within zone and north of zone
- Strong roots and stalks; wide area of adaptability
- Moderate response to nitrogen and fungicide; great flexibility
- Manage leaf diseases with a fungicide in corn-on-corn situations




- Excellent option for all soil types and yield environments
- Medium-tall hybrid with seedling vigor; excellent roots
- Position at moderate populations and manage nitrogen for high-yield potential
- Strong Goss's wilt rating; acceptable test weight, stalks and staygreen







- Strong early vigor for early planting; strong stalks late into season
- Good ear flex; responds to fungicide and nitrogen management
- Acceptable Goss's wilt tolerance; manage in high pressure areas




- Solid product that shows consistency in most soil types with high-yield potential
- Late-flowering hybrid has excellent roots and seedling vigor
- High response to intensive management; can also handle average acres
- Manage in areas with gray leaf spot and northern corn leaf blight




- Works east to west with a widely adapted footprint
- Very attractive plant type with solid agronomic package
- Semi-flex ear allows lower densities; responds when population is pushed
- Handles tough, variable and ideal yield environments




- Tough-acre hybrid for the moderate-to-low corn-on-corn acre
- Strong roots, stalks and emergence for the corn-on-corn acres
- Semi-flex ear allows for variable planting populations
- Acceptable GLS and NCLB; manage with a fungicide




- Position on average to moderate productive acres; dual purpose potential
- Excellent emergence and roots with solid stalks
- More fixed ear; keep at moderate to high populations
- Avoid areas with history of Physoderma node breakage



- Stress tolerance for challenging environments; flowers late
- Solid heat and drought tolerance; keep as earlier product in full-season zones
- Low response-to-nitrogen and fungicide; nice ear flex for variable populations
- Acceptable Goss's wilt tolerance




- Consistent and versatile hybrid to cover broad acres
- Excellent emergence and seedling vigor; strong stalks and roots
- Manage populations in high-yield environments
- Tall hybrid with acceptable Anthracnose rating



- Best performance on medium-to-highly productive acres
- Strong roots, test weight and Goss's wilt tolerance
- High response to intensive management; can handle average acres
- Manage late season intactness with a fungicide application in high yield environments




- Versatile hybrid works well within zone and south of zone
- Excellent top-end yield potential hybrid
- Responds favorably to additional nitrogen applications
- Maximize late season staygreen with fungicide application



- Versatile hybrid, position and manage for high yield
- Medium-height hybrid with excellent emergence, seedling vigor and test weight
- Position at moderate populations and manage nitrogen for high yield potential
- Fungicide application recommended in areas prone to gray leaf spot




- Best performance potential on medium-to-highly-productive acres
- Strong roots and test weight with high yield potential
- Moderate response to nitrogen and fungicide offers great flexibility
- Best suited for rotated acres



- PowerCore® Enlist® hybrid that works east to west
- Strong agronomics, drought tolerance and intactness
- Handles tough acres
- Strong Goss's wilt tolerance




- Broadly adapted across yield environments; excels on highly productive and silage acres
- Strong test weight and drought tolerance allow for broad placement
- Position at moderate populations with enhanced nitrogen management for high yield potential
- Tall plant type with higher ear placement




- Highly versatile Trecepta® hybrid with very good in-season appearance
- Very good late season standability and intactness; nice grain quality
- Good ear flex that allows for moderate planting populations


KEY




- Best performance on high-yield potential acres and well-drained soils
- SmartStax® hybrid with exceptional top-end yield potential
- Strong stalks and strong roots
- Acceptable Goss's wilt tolerance




- Exciting SmartStax® PRO hybrid; works east to west
- Very good agronomics; good greensnap tolerance
- Best if kept in maturity zone; does not move south exceptionally well
- Good Goss's wilt and southern rust tolerance




- Strong western adaptation; good Goss's wilt and strong greensnap tolerance
- Exceptional top-end yield potential
- Plant at moderate populations due to semi-flex ear
- Recommend a fungicide application in areas with high disease pressure



- Moves east to west; broadly adapted to soil types and yield environments
- Tall hybrid with strong stalks, roots and staygreen
- Manage nitrogen and population
- Best-suited for rotated acres; manage accordingly in corn-on-corn situations




- Highly versatile hybrid with the VT4P trait for the 110RM group
- Strong agronomics with very good drought tolerance and late season stalks
- Nice ear flex for variable planting populations
- Manage for Southern Rust




- Best suited for variable to tough acres
- Excellent emergence, seedling vigor and roots
- Semi-flex ear; plant at moderate populations
- Avoid areas with Goss"s wilt history




- 111 RM SmartStax® hybrid replaces SS products: CP5210, CP5073 and
- Very good late season standability and intactness with nice grain quality
- Responds well to higher management



- Versatile product that can move east to west across the Corn Belt
- Flexible hybrid that can handle low-end to high-end acres
- Moderate response to fungicide, which can help with late season health




- Broadly adapted, workhorse style hybrid that can deliver top end yield potential
- Strong ear flex with excellent grain quality and test weight
- Very good drought tolerance, late season health, and intactness
- Acceptable Southern Rust tolerance



- Broadly adapted with very good agronomics and high yield potential
- Big flex ear with very good late season health and intactness
- Above average tar spot tolerance



- Position in average to high yield environments to maximize performance
- Very good emergence, roots, stalks and drought tolerance
- Strong Goss"s Wilt tolerance




- Versatile hybrid with excellent heat tolerance and yield potential
- Medium-short hybrid with strong stalks and solid agronomics
- Position at moderate-to-low populations to maximize girthy flex ear
- Use caution in areas with high risk of greensnap


5 = Not Recommended




- Key 113 RM SmartStax® PRO hybrid; handles marginal-to-highly productive, rotated and corn-on-corn acres
- Strong emergence, stalks and disease package; early vigor with dual purpose silage option
- Semi-flex ear allows for moderate planting populations
- Tall plant type with higher ear placement




- Versatile hybrid with excellent heat tolerance and yield potential
- Medium-short hybrid with strong stalks and solid agronomics
- Position at moderate-to-low populations to maximize girthy flex ear
- Use caution in areas with high risk of greensnap




- Broadly adapted east to west across soil types and yield levels
- Strong emergence; very good late-season stalks and plant integrity
- Good ear flex that allows for moderate planting populations
- Fungicide recommended in areas with southern rust concerns



- High yield potential when placed on medium-to-highly productive acres
- Excellent emergence with strong late season stalks and drought tolerance
- Manage key diseases and late season intactness with fungicide application
- Fungicide is recommended in areas where gray leaf spot and southern rust are a concern




- Versatile, dual-purpose product; adapted across multiple yield environments
- Excellent stalks, roots and test weight; strong drydown
- Optimize yield potential with enhanced nitrogen management; moderate-tohigh plant densities
- Best positioned on rotated acres; ear tip back influenced by genetics




- Widely adapted east to west across multiple soil types and yield levels
- Strong roots and drought tolerance with excellent test weight
- Semi-flex ear and high response-to-population score allow positioning across yield environments
- Manage fields with history of Anthracnose and southern rust




- Broadly adapted VT4P with very good agronomics and late season intactness
- Good ear flex to allow for variable planting populations
- Excellent tolerance to Anthracnose Stalk Rot; very good tolerance to Physoderma Node Breakage
- Acceptable Goss"s Wilt tolerance




- Position on average-to-high-yield potential acres; dual purpose option
- Solid agronomic and disease package
- Keep plant densities moderate to high
- Acceptable Goss's wilt tolerance




- Best performance in the central and eastern Corn Belt
- Top-end yield potential with very good stress tolerance
- Excellent dual purpose silage potential
- Use caution in high Physoderma regions






- Broadly adapted across yield environments; excels on highly productive acres
- Strong agronomic package; very good grain quality
- Semi-flex ear allows for variable planting populations



- Delta hybrid versatile enough to perform outside of zone
- Flexible hybrid that can work across a variety of yield environments
- Excellent test weight and flex ear
- Strong agronomics and southern rust tolerance

3 = Acceptable



- Outstanding performance potential from east to west
- Top-end yield potential with good ear flex capabilities
- Versatile placement across soil types at moderate populations
- Fungicide recommended to enhance protection against southern rust



- High yield potential, full season hybrid with very good agronomics and drought tolerance
- Semi-flex ear to allow for variable planting populations
- Very good staygreen and late season intactness
- Good tolerance to Southern Rust



- Fits well in the Southern U.S. and Delta regions
- Full-season offering with excellent emergence and seedling vigor
- Strong stalks and roots with good late season health
- Strong southern rust tolerance

		Pop. Re	Ni. Po	Fu Ro	0.								_
	*elativ	Population RI,	Nitragen In	Fundicitie IA	Se to VOII to M	Mid nolling	Flower	Date o	Car Ho	Sept 3		To.	Th.
BRAND		"Athrity"			70	Carity **	tion to	ale o	Rhr 2	8hr o	COD COLOR	Flex	The Rows
RM: 81-96													
CP2180VT2P*		81	M	M	M	2025	1070	M-E	M	M	Red	SD	18-20
CP2288VT2P*		82	Н	Н	M	2065	1090	M	М	М	Red	SF	16-18
CP2315VT2P*		83	M	Н	M	2075	1085	E	M-T	M	Red	SF	18-20
CP2324VT2P*		83	M	M	M	2075	1100	M	М	М	Pink	SF	16-18
CP2585VT2P* [SS]	<i>k</i>	85	M	Н	Н	2125	1120	M	M	M	Red	SF	16-18
CP2520RR		86	M	M	M	2125	1120	M	M-T	M	Red	SF	16-20
CP2692D		86	M	M	M	2160	1140	M	M-T	M	Red	SF	16-18
CP2790VT2P*		87	L	Н	Н	2175	1130	E	M	M	Red	SF	16-18
CP2851VT2P*		88	M	M	M	2200	1160	M	M	M	Red	SD	16-18
CP2845VT2P* [SS]	*	89	Н	Н	Н	2210	1150	E	M-T	М	Red	SF	16-18
CP2965VT2P*		89	M	Н	Н	2235	1180	M-L	M	M	Red	SF	14-16
CP3143VT2P*		91	L	Н	M	2290	1200	M-L	M-T	M-H	Red	SF	18-20
CP3166VT2P*		91	Н	M	M	2270	1180	E	M	M	Red	SF	16-18
EW CP3276SSPRO		92	M	M	M	2310	1210	M-L	M	M	Red	SD	14-16
CP3314VT2P*		93	M	L	M	2330	1210	M	M	M	Red	FL	16-18
CP3330AVT2P*		93	M	M	L	2320	1210	М	M-T	M-H	Red	SF	16-18
CP3337VT2P* [RR]		93	M	M	M	2310	1190	Е	M	M	Red	FL	16-18
CP3490VT2P*		94	M	M	Н	2360	1230	M-L	M-T	M-H	Red	SF	18-20
CP3519SS*		95	M	Н	Н	2380	1235	M	M-T	M-H	Red	SF	16-18
CP3699RR		96	M	M	M	2400	1240	M	M-T	M-H	Red	SF	16-18

Scale

1 = Excellent

2 = Strong

3 = Acceptable

4 = Manage

5 = Not Recommended

Product descriptions and ratings are generated from Answer Plot® trials and/or from the genetics supplier and may change as additional data is gathered.

RTP/RTN/RTF Ratings

 $\mathbf{L} = \text{Low Response}$

M = Moderate Response

H = High Response

TBD = To be tested in 2025

Plant Height

T = Tall $\mathbf{M} = \mathsf{Medium}$ S = short

8 Ear Height

H = High $\mathbf{M} = \text{Medium}$ $\mathbf{L} = \mathsf{Low}$

4 Ear Flex

FL = Flex SF = Semi-Flex





	Seedli	Stall	Roots	Staye		Or Ollehr To	Te _s ,	Graylo			Comp	South	60.	Anth	Notte Byst		in.
BRAND	Seedling	Vigor 16	Augity Root St.	reneth Stay gree	⁸ n _O	Drought Tole	Pance Ch	Weight Brayles	Spor	NCIB	SCIB COMMON	Solfhern Rust	Rust Goss's	Anthi Stalk	None Physical Stream of the St	Crina Far,	Dodia Ror
RM: 81-96																	
CP2180VT2P*		2	3	2	3	2	3	3	NA	2	NA	NA	NA	3	3	NA	NA
CP2288VT2P*		2	1	1	2	2	2	1	NA	2	NA	NA	4	2	3	NA	NA
CP2315VT2P*		2	3	2	3	2	2	3	3	3	NA	2	NA	3	4	NA	NA
CP2324VT2P*		2	2	2	3	2	2	4	4	3	2	2	4	2	2	2	3
CP2585VT2P* [SS]*		2	2	2	2	3	3	3	4	3	2	2	2	3	2	2	2
CP2520RR		3	3	1	3	2	1	3	3	3	NA	3	NA	4	NA	NA	NA
CP2692D		2	1	1	1	3	NA	3	NA	1	NA	1	NA	1	NA	NA	NA
CP2790VT2P*		1	3	2	3	2	1	2	3	2	2	NA	4	4	3	NA	2
CP2851VT2P*		3	2	2	3	2	3	2	3	3	3	NA	NA	3	3	NA	NA
CP2845VT2P* [SS]*		1	2	1	3	1	1	3	NA	3	NA	3	NA	4	4	NA	NA
CP2965VT2P*		1	1	2	3	2	2	2	3	3	1	NA	4	3	2	NA	NA
CP3143VT2P*		2	2	2	2	3	2	2	4	3	2	2	4	3	3	1	3
CP3166VT2P*		2	3	3	3	1	2	3	3	3	NA	NA	3	3	2	NA	NA
EW CP3276SSPRO		2	2	2	2	2	3	2	2	2	2	2	4	2	1	NA	2
CP3314VT2P*		2	2	2	2	2	2	2	3	3	NA	3	NA	4	NA	NA	NA
CP3330AVT2P*		2	1	1	2	2	2	2	3	3	2	2	4	2	1	2	3
CP3337VT2P* [RR]		2	3	1	3	2	1	2	4	2	4	2	NA	5	3	NA	NA
CP3490VT2P*		1	3	3	3	3	2	3	3	3	NA	NA	3	3	3	3	NA
CP3519SS*		2	2	2	2	2	2	2	4	2	2	2	4	3	1	2	2
CP3699RR		1	1	1	3	3	2	2	3	3	NA	3	NA	3	3	NA	NA



L = Late
M = Medium
E = Early

Staygreen

Late-season health coming from strong leaf-disease resistance, enhancing hybrid standability. These ratings reflect trends observed in research trials that change with variations in rainfall, temperature, crop production patterns and other factors. Ratings on new hybrids are based on limited data and may change as more data is collected.

 $^{{}^{\}star}\text{Follow IRM guidelines and refuge configurations to preserve the benefits and insect protection of these technology crops.}$

^{**}GDUs published for each product are an estimate and the actual GDUs in a given year/location can vary based upon environmental factors.

		^	Pan Ro	Ni Pa	Tu. Ro									_
		Relative	Population IA, Walling	Nitrogen Ri	Function Respond	Ser OU to M	Mid poline	Tioner Tower	Pan h	tar He	ight o	C. (3)	To.	Th.
	BRAND		aturity 1			70	Carity **	Tion to	ale o	Ehr 2	&hr o	Cob Color Ear	Flex 2	The Rows
	RM: 97-106													
	CP3715SSPRO*		97	M	M	M	2425	1242	M-E	M-T	M-H	Red	SF	18-20
	CP3724VT2P*		97	M	Н	Н	2435	1250	M	M-T	M	Red	SF	16-18
	CP3735SS* [VT2P]*		97	M	Н	Н	2425	1250	M	M	M	Red	SD	16-18
	CP3790VT2P*		97	L	M	Н	2440	1260	M-L	T	M-H	Red	SF	16-18
	CP3852TRE*		98	M	M	Н	2450	1275	L	M-T	M-H	Red	FL	16-18
	CP3899VT2P*		98	Н	Н	Н	2450	1280	L	M-T	M-H	Pink	SF	16-20
NEW	CP3818VT4P [TRE]		98	M	M	M	2450	1260	M	M-T	M	Red	SF	16-18
	CP3980VT2P*		99	M	M	Н	2475	1270	M	M-T	M-H	Red	SF	14-16
	CP4024SSPRO*		100	Н	Н	Н	2500	1270	M	M	M	Red	SF	16-18
	CP4079VT2P*		100	M	M	Н	2480	1280	M	M-T	M	Red	SF	14-16
	CP4083VT4P*		100	M	L	Н	2490	1270	M	M	M	Red	SF	16-18
	CP4099SS*		100	Н	Н	Н	2500	1290	L	M-T	M	Pink	SF	16-20
	CP4188VT2P* [SS*, CONV]		101	M	M	M	2490	1280	M	M	M	Red	SF	16-18
	CP4246SS*		102	M	Н	Н	2550	1290	М	M-T	M	Red	SF	16-18
	CP4265VT2P*		102	M	L	M	2550	1300	M-L	M	M	Red	SD	16-18
	CP4822VT2P*		103	M	L	L	2575	1310	L	M	M-H	Red	SF	16-18
	CP4444VT2P*		104	Н	L	L	2580	1300	M	T	M-H	Red	SF	14-16
	CP4516TRE*		105	M	M	Н	2650	1309	M-E	M	M	Red	SF	16-18
	CP4652SSPRO*		106	L	Н	M	2625	1311	M	M-T	Н	Red	SF	14-16
	CP4676SS*		106	M	Н	M	2650	1310	М	M	M	Pink	SF	16-18

Scale

1 = Excellent

2 = Strong

3 = Acceptable

4 = Manage

5 = Not Recommended

Product descriptions and ratings are generated from Answer Plot® trials and/or from the genetics supplier and may change as additional data is gathered.

RTP/RTN/RTF Ratings

 $\mathbf{L} = \text{Low Response}$

M = Moderate Response

H = High Response

TBD = To be tested in 2025

Plant Height

T = Tall

S = short

 $\mathbf{M} = \mathsf{Medium}$

8 Ear Height

H = High $\mathbf{M} = \text{Medium}$ $\mathbf{L} = \mathsf{Low}$

4 Ear Flex

FL = Flex SF = Semi-Flex

FX = Fixed



						Q.											
	Seedin	The Vigor Stalk	Quality Root St.	Stay Stee	4	Drought Tole	Te _{St}	Weight Gray lead			SCI & CONMON	Southern Rust	Gos	Anthi Stalk	Note Physologicals	No. Ol	2/0
BRAND		& Vigor	Hality "	eneth "Co		HOWN TOLE	Prance Test M	eigh, a	Spor	NCIB	SCIB	Rust	Rust 60ss	SWIIT WAY	Shore Eak	Tha dr	Modia Rot
RM: 97-106		`	`			`	`										
CP3715SSPRO*		2	2	1	2	2	2	3	4	2	2	2	4	2	2	2	4
CP3724VT2P*		2	2	2	2	3	2	2	2	3	NA	NA	NA	2	2	NA	NA
CP3735SS* [VT2P]*		1	2	2	2	2	3	1	3	3	NA	NA	4	3	3	3	NA
CP3790VT2P*		2	2	4	2	2	2	2	4	3	2	2	3	2	3	5	4
CP3852TRE*		2	2	2	2	2	2	3	3	3	NA	NA	NA	2	NA	NA	NA
CP3899VT2P*		1	2	2	2	3	2	2	4	4	NA	3	NA	3	3	NA	NA
NEW CP3818VT4P [TRE]		2	2	2	3	2	2	3	3	2	1	2	4	3	2	NA	2
CP3980VT2P*		2	3	2	3	2	3	3	2	NA	NA	NA	NA	3	3	4	NA
CP4024SSPRO*		2	2	2	3	2	2	3	3	2	2	2	4	3	2	2	2
CP4079VT2P*		2	3	1	3	2	2	3	3	3	2	NA	NA	2	3	NA	NA
CP4083VT4P*		2	2	2	2	2	2	2	3	3	2	2	4	3	2	2	2
CP4099SS*		1	2	1	3	3	2	3	4	4	NA	3	NA	3	3	NA	NA
CP4188VT2P* [SS*, C	ONV]	1	1	1	1	3	2	1	3	2	NA	NA	NA	2	3	NA	NA
CP4246SS*		2	2	2	3	2	3	2	3	3	2	2	4	2	1	2	3
CP4265VT2P*		1	2	1	3	1	3	3	3	3	2	NA	3	2	3	5	3
CP4822VT2P*		2	3	1	3	2	2	3	3	2	NA	3	NA	3	3	NA	NA
CP4444VT2P*		1	2	2	3	2	3	3	3	3	2	NA	3	3	3	3	3
CP4516TRE*		2	3	2	2	2	3	2	3	3	2	2	3	2	2	2	3
CP4652SSPRO*		2	2	2	2	3	2	3	4	3	2	2	4	2	2	2	3
CP4676SS*		1	3	3	2	1	3	1	3	2	2	NA	2	3	1	NA	2



L = Late
M = Medium
E = Early

Staygreen

Late-season health coming from strong leaf-disease resistance, enhancing hybrid standability. These ratings reflect trends observed in research trials that change with variations in rainfall, temperature, crop production patterns and other factors. Ratings on new hybrids are based on limited data and may change as more data is collected.

 ${}^{\star}\text{Follow IRM guidelines and refuge configurations to preserve the benefits and insect protection of these technology crops.}$

**GDUs published for each product are an estimate and the actual GDUs in a given year/location can vary based upon environmental factors.

		Pop Ro	N: Po	Fig. Br									_
	Relative	Population RI, Waterloop	"Itrogen in	The transfer of the post	Ser SOUTON	Mid Bolli.	Flower	Date O	Ear He	s	. G	. No.	b
BRAND		COULARS POR	Nitrogen IR	Tung te spol	E	Mid Dolling	Tioner Tower	Oate S	Ight S	ight o	Cob Color Sal	Flex O	The Pows
RM: 107-11													
CP4757VT2P*		107	M	M	M	2675	1320	M	M	M-H	Red	SD	18-20
CP4770SS*		107	M	Н	Н	2675	1340	L	MT	M	Red	SD	16-18
CP4839PCE*		108	Н	Н	Н	2700	1350	L	MT	M	Pink	SF	16-20
CP4840TRE*		108	M	L	Н	2700	1330	M	MT	M	Red	SF	18-20
CP4880SS*		108	Н	M	Н	2700	1330	M	M-S	M	Red	SD	14-16
CP4917SSPR0*		109	L	M	Н	2725	1325	M-E	T	M-H	Red	SF	14-16
CP4930DGVT2P*		109	M	M	M	2725	1330	M	M-T	M-H	Red	SF	14-16
CP4997VT2P*		109	Н	Н	L	2725	1330	M	T	M-H	Red	SF	16-18
NEW CP5050VT4P		110	Н	M	Н	2750	1340	M	M-T	M	Red	SF	18-20
CP5115VT2P*		111	Н	Н	M	2775	1350	M-L	M-T	M-H	Red	SF	18-20
CP5132SS*		111	M	M	M	2775	1340	M-E	T	M-H	Red	SD	14-16
CP5208VT2P*		112	M	M	M	2800	1348	NA	M	M	Red	SF	16-18
NEW CP5272VT2P		112	L	M	M	2800	1340	M-E	M	M	Red	SF	14-16
NEW CP5249PCE		112	NA	NA	NA	2800	1360	Late	M-T	M	Red	FL	16-20
CP5320SSPR0*		113	M	Н	M	2825	1360	M-L	T	Н	Red	SF	16-18
CP5329PCE*		113	M	Н	Н	2825	1355	M	MT	M	Pink	SF	16-18
CP5340VT2P		113	M	M	L	2825	1350	M	M-S	M	Red	FL	16-20
CP5363TRE*		113	M	М	Н	2825	1370	M-L	M-T	M	Red	SF	16-18
CP5370VT2P* [S	5]*	113	Н	Н	M	2830	1370	M	Ţ	M-H	Pink	SF	18-20
CP6640RR		113	M	M	L	2825	1350	M	M-S	M	Red	FL	16-20

Scale

1 = Excellent

2 = Strong

3 = Acceptable

4 = Manage

5 = Not Recommended

Product descriptions and ratings are generated from Answer Plot® trials and/or from the genetics supplier and may change as additional data is gathered.

RTP/RTN/RTF Ratings

 $\mathbf{L} = \text{Low Response}$ M = Moderate Response

H = High Response

TBD = To be tested in 2025

Plant Height

T = Tall $\mathbf{M} = \mathsf{Medium}$

S = short

8 Ear Height

H = High $\mathbf{M} = \text{Medium}$ $\mathbf{L} = \mathsf{Low}$

4 Ear Flex

FL = Flex SF = Semi-Flex

FX = Fixed



	Seculi	Stall	Roofs	Stayer		Drought Tol	, its,	Gray Lear			Comm	Southern Rust	600	Anthi S.	Note Physological Stock of the Physological Physical P		
BRAND	Seelling	Vigor	Root St.	Stay gre	en o	V down Tol	erance .	Weight Heal	Spor	NCIB .	SCIB COMMON	Rust	Rust Goss	Anthi Stalk	Chose Eak	Stina Kar	nodia for
RM: 107-113																	
CP4757VT2P*		3	3	2	3	2	2	2	3	2	NA	NA	3	3	3	3	NA
CP4770SS*		3	3	3	3	2	2	2	3	2	NA	NA	5	1	NA	NA	NA
CP4839PCE*		3	1	2	2	3	NA	2	2	2	NA	2	4	2	1	NA	2
CP4840TRE*		3	2	2	2	2	NA	2	3	3	NA	NA	1	3	NA	NA	NA
CP4880SS*		2	2	2	3	3	3	2	3	3	2	NA	4	3	3	3	NA
CP4917SSPRO*		2	2	2	3	2	2	3	2	2	2	2	2	2	2	2	2
CP4930DGVT2P*		3	3	3	3	2	3	3	3	3	2	NA	3	2	3	3	NA
CP4997VT2P*		2	2	2	2	2	2	2	3	2	2	3	4	2	2	3	2
NEW CP5050VT4P		2	2	3	2	3	2	2	3	2	2	2	4	2	2	NA	2
CP5115VT2P*		1	2	1	3	3	2	1	3	2	3	NA	NA	4	3	5	3
CP5132SS*		2	2	2	2	2	2	2	2	2	2	2	2	2	1	1	3
CP5208VT2P*		2	2	2	2	3	2	2	3	2	2	NA	1	2	2	NA	NA
NEW CP5272VT2P		2	2	2	2	2	2	1	2	2	1	2	3	2	2	NA	2
NEW CP5249PCE		2	2	2	1	2	NA	2	1	1	NA	1	1	1	2	NA	1
CP5320SSPRO*		2	2	2	3	2	2	3	3	2	1	2	2	2	1	2	2
CP5329PCE*		2	1	2	2	3	NA	2	2	2	NA	2	3	3	1	NA	3
CP5340VT2P		2	1	1	3	2	3	3	3	2	2	3	NA	4	3	NA	4
CP5363TRE*		1	2	2	2	2	2	2	3	2	2	2	2	3	1	1	3
CP5370VT2P* [SS] ³	*	1	1	1	1	2	2	1	3	2	2	3	3	4	2	NA	NA
CP6640RR		2	1	1	3	2	3	3	3	2	2	3	NA	4	3	NA	4



L = Late
M = Medium
E = Early

Staygreen

Late-season health coming from strong leaf-disease resistance, enhancing hybrid standability. These ratings reflect trends observed in research trials that change with variations in rainfall, temperature, crop production patterns and other factors. Ratings on new hybrids are based on limited data and may change as more data is collected.

 ${}^{\star}\text{Follow IRM guidelines and refuge configurations to preserve the benefits and insect protection of these technology crops.}$

**GDUs published for each product are an estimate and the actual GDUs in a given year/location can vary based upon environmental factors.

	Relati	PODUJRes PO	Nir Respo	Fungic: Po	GDI),	Mig	r _{lo} ,	Plan					
BRAND	, ave	Ponulation IA	Nitroshol R	Tungicing IA	So to Soliton	Athrity **	Tioner Stoner	Pan h	E STREET	Nam o	Cob Color Fa	· Flex	The Rows
RM: 113-119		110				2225	1050		-	** **	D 1	0.5	14.10
NEW CP5336VT2P		113	M	M	L	2825	1350	М	l	M-H	Red	SF	14-16
CP5497VT2P*		114	Н	L	Н	2850	1350	M-E	M-T	M-H	Red	SF	14-16
NEW CP5468VT4P		114	Н	M	M	2850	1355	M	M-T	M-H	Red	SF	14-16
CP5550VT2P*		115	M	M	M	2850	1360	M	M	M	Pink	SF	14-16
CP5588DGVT2P*		115	M	M	Н	2875	1360	M	M-T	M-H	Red	SD	16-18
CP5678VT2P* [SS, RR]*		116	M	Н	M	2900	1360	M	M	M	Red	SF	14-16
CP5682TRE*		116	M	Н	Н	2900	1380	M-L	M-T	M-H	Red	SF	16-18
CP5717VT2P*		117	M	M	Н	2925	1366	М	M-T	M-H	Red	FL	18-20
CP5760TRE*		117	L	Н	M	2925	1370	NA	T	M-H	Pink	SF	16-18
CP5893TRE* [RR]		118	M	M	M	3000	1385	L	M	M-L	Red	SF	18-20
NEW CP5911VT2P		119	M	Н	Н	2975	1370	M	T	M-H	Red	SF	16-18

Scale

1 = Excellent

2 = Strong

3 = Acceptable

4 = Manage

5 = Not Recommended

Product descriptions and ratings are generated from Answer Plot® trials and/or from the genetics supplier and may change as additional data is gathered.

RTP/RTN/RTF Ratings

 $\mathbf{L} = \text{Low Response}$

M = Moderate Response

H = High Response

TBD = To be tested in 2025

Plant Height

T = Tall $\mathbf{M} = \mathsf{Medium}$ S = short

8 Ear Height

H = High M = Medium $\mathbf{L} = \mathsf{Low}$

4 Ear Flex

FL = Flex SF = Semi-Flex FX = Fixed



d	Star Star	Roos	Stan		Drought.		G _{ray}			Cop	Sour		Anth	Nous Physic		
BRAND	Seding Vigor State	Quality Root St.	reneth Stay gree	no On	Orought Tole	Tance St W	Weight Cal	Shor	NCIB	SCI B COMMON	Southern.	Rust Goss's	Mily Stalk A	Note Physological School Physological School Physological Physical P	derma Far	iologia Rof
RM: 113-119																
NEW CP5336VT2P	2	2	2	3	2	2	2	2	2	1	2	2	2	2	NA	2
CP5497VT2P*	2	3	2	3	2	2	1	2	3	2	NA	3	3	4	4	NA
NEW CP5468VT4P	2	2	2	3	2	2	2	2	2	1	2	2	3	1	NA	2
CP5550VT2P*	3	2	2	3	2	2	3	3	3	2	NA	4	3	1	NA	3
CP5588DGVT2P*	2	2	2	2	2	2	3	3	3	2	NA	NA	3	3	5	3
CP5678VT2P* [SS, RR]*	2	2	3	3	3	2	1	3	2	2	NA	3	3	3	3	3
CP5682TRE*	2	2	2	2	2	2	2	2	2	2	2	3	3	2	2	3
CP5717VT2P*	3	1	2	2	4	3	1	2	2	3	NA	NA	3	NA	NA	NA
CP5760TRE*	2	3	3	3	2	3	2	3	3	2	NA	4	3	2	NA	NA
CP5893TRE* [RR]	1	2	2	1	3	2	1	2	2	1	2	2	3	2	2	4
NEW CP5911VT2P	2	2	2	2	2	2	2	2	2	2	2	2	4	2	NA	2

Flower Date

L = Late
M = Medium
E = Early

6 Staygreen

Late-season health coming from strong leaf-disease resistance, enhancing hybrid standability. These ratings reflect trends observed in research trials that change with variations in rainfall, temperature, crop production patterns and other factors. Ratings on new hybrids are based on limited data and may change as more data is collected.

 ${}^{\star}\text{Follow IRM guidelines and refuge configurations to preserve the benefits and insect protection of these technology crops.}$

**GDUs published for each product are an estimate and the actual GDUs in a given year/location can vary based upon environmental factors.

THIS IS WHAT BROAD ACCESS TO THE BEST GENETICS AND TRAITS LOOKS LIKE.

DISEASE & INSECT PROTECTION FOR SOYBEANS

Warden® CX II provides broad-spectrum protection against early-season disease and insects to help improve root health, plant vigor and optimize yield potential. Built from the strong foundation of Warden® CX, Warden® CX II seed treatment includes an additional, innovative active ingredient (Vayantis®) for enhanced disease protection.

Warden® CX II Features and Benefits

Contains four fungicides for multiple modes of action against early-season disease:

- Combination of Vayantis® (Picarbutrazox), a novel A.I., and the highest labeled rate of Mefanoxam commercially available for unprecedented control of Pythium and Phytophthora (including metalaxyl-resistant Pythium).
- Sedaxane (Vibrance®) for Rhizoctonia protection.
- Fludioxonil for protection from Fusarium.
- Includes active ingredient in Cruiser® insecticide (Thiamethoxam) with proven Cruiser® Vigor Effect for healthier, robust root system. Cruiser insecticide provides protection against an array of seed- and foliar-feeding insects.
- A convenient premix formulation at a low use rate that allows for easier application and room to add products to your total seed treatment offer.
- Extra colorant and polymer providing a more vivid red color, plus improved flowability and handling at the planter, leading to better stand counts and yield potential.

WHY WINPAK® SOYBEAN VARIETIES?

WinPak®

WinPak® soybeans are a unique combination of two complimentary varieties blended together to maximize yield potential and help reduce risk. They're a unique concept in soybeans, designed to handle field variability across both highly productive and stressed environments to help ensure you can maximize ROI potential across diverse conditions.

EXAMPLE OF HOW A WINPAK VARIETY CAN BE FORMULATED

PLACEMENT	VARIETY A SAMPLE Average to below-average yield environments.	VARIETY B SAMPLE Best-suited to productive acres.
DISEASE PACKAGE	Strong soybean white mold and iron deficiency chlorosis (IDC) tolerance.	Excellent phytophthora root rot and frogeye field tolerance.
AGRONOMICS	Narrow canopy typeTall heightExcellent standability	Bushy canopy typeMedium heightAverage standability
STRESS TOLERANCE	Excellent stress tolerance.	Strong stress tolerance.

SOYBEAN HERBICIDE TOLERANCE AND WEED CONTROL


Creating a plan for season-long weed management is critical. And it all starts with seed selection. There are several herbicide-tolerant traits available with full commercial approval, which offer great postemergence options.

	GLYPHOSATE	GLUFONSINATE	2,4-D CHOLINE	DICAMBA
XTENDFLEX®	Χ	Χ		Χ
ROUNDUP READY 2 XTEND®	Х			Х
ENLIST E3®	Х	Х	Х	

CROPLAN® TRAIT LETTERING FOR SOYBEAN VARIETIES

Descriptive variety numbering and trait lettering systems are used for CROPLAN® soybean varieties.

KEY	VARIETY	TRAIT HERBICIDE TOLERANCE	LOGO
XF	XtendFlex®	Roundup®, dicamba and glufosinate tolerant	SOYBEANS
E	Enlist E3®	Glyphosate, glufosinate and 2,4-D choline tolerant	Enlist E3
S	STS®	Sulfonylurea tolerant	N/A



- Solid yield potential as the earliest product in the CROPLAN® soybean lineup
- Versatile placement for variable soils
- Strong PRR tolerance and IDC tolerance
- Use caution on SCN-prone areas

ROPLAN CP00545X	SOYBEAN	IDFLEX.		
Height Canopy Type Emergence Standability	MT Int NA 3	Characteristics	PRR Tolerance SDS Tolerance SWM Tolerance BSR Tolerance Iron Chlorosis	N/A 2
Earliest XtendFlex® :	ooyboon in CPO	DI AN®	souboan linour	


■ Strong IDC tolerance

Group	SOYBEANS	WinPak*				
Height	MT		PRR Tolerance		2	
Canopy Type	Int	stics	SDS Tolerance	N/A		
Emergence	2/NA	Characteristics	SWM Tolerance		2	
Standability	3	l ä	BSR Tolerance	N/A		
		-	Iron Chlorosis		3	

- WinPak® variety consisting of CP00545XF and CP00744XF
- Broadly adapted for the northern U.S.; works well on variable soils
- Strong PRR and SWM tolerance with acceptable IDC tolerance
- Use caution under heavy SCN pressure

ROPLAN CP00944XI	SOYBEA	**************************************						
Height Canopy Type Emergence Standability	MT Int 1 2	Characteristics	PRR Tolerance SDS Tolerance SWM Tolerance BSR Tolerance	NIA 2				
otanuabinty	-	"	Iron Chlorosis	2				

- Also available in WinPak® variety CP00840XF
- Solid defensive characteristics for tougher environments
- Top end yield potential with a taller plant type to aid movement onto lighter soil
- Lower populations; use caution in heavy white mold environments



- Replaces CP0244XF with much higher yield potential
- Broadly adapted variety that works on good ground and poorly drained IDC soils
- Strong IDC and PRR tolerance with Rps3a gene resistance to PRR
- Use caution on BSR-prone soils


Group: 0.4				
Height	MT	s	PRR Tolerance	2
Canopy Type	Int/Bush	Characteristics	SDS Tolerance	N/A
Emergence	1/NA	acte	SWM Tolerance	3
Standability	2	Char	BSR Tolerance Iron Chlorosis	N/A
WinPak® variety cons	sisting of CP044	14XF an	d CP0555XF	
WinPak® variety cons Genetically diverse W Strong IDC and stron Acceptable SWM tole	/inPak variety; ex g PRR for poorly	cellent	yield potential	
Genetically diverse W Strong IDC and stron	/inPak variety; ex g PRR for poorly	cellent	yield potential	



- Also available in WinPak® variety CP0440XF
- High yield potential on good ground
- Excellent PRR package for poorly drained soils



- WinPak® variety consisting of CP0744XF and CP0751XF
- Strong IDC and PRR tolerance
- Solid yield potential and strong defensive characteristics for versatile placement



- Also available in WinPak® variety CP0740XF
- Ideally placed in areas prone to PRR
- Strong PRR package with strong IDC

Height	MT		PRR Tolerance	
Canopy Type	Int	stics	SDS Tolerance	N/A
Emergence	1/NA	Characteristics	SWM Tolerance	2
Standability	2	Chars	BSR Tolerance	3
			Iron Chlorosis	2
M: D.L	onsisting of CP09	EEVE	J OD1040VE	



- WinPak® variety consisting of CP1242XF and CP1246XF
- Versatile WinPak variety that works across many acres
- Strong agronomic package; high yield potential
- Upgraded yield potential and PRR package over last year's CP1240XF



- Also available in WinPak® variety CP1540XF
- Excellent SWM tolerance; Strong SDS and IDC
- Double stack PRR gene; strong tolerance
- Medium-tall plant with strong standability



- WinPak® variety consisting of CP1443XF and CP1545XF
- Genetically diverse WinPak variety; excellent yield potential and stress
- Strong PRR and SWM tolerance
- Acceptable IDC tolerance

ROPLAN	CP1840XF Group: 1.8	SOYBEANS	FLEX.	WinPak*	
Height Canopy Type Emergence Standability		MT Int 1/NA 1	Characteristics	PRR Tolerance SDS Tolerance SWM Tolerance BSR Tolerance Iron Chlorosis	2
Strong S	® variety consis SWM and IDC to t BSR tolerance ty with strong s	olerance			

CP1844XF Group: 1.8	SOYBEAN	is		
Height Canopy Type	MT Int	tics	PRR Tolerance SDS Tolerance	2
Emergence	1	Characteristics	SWM Tolerance	2
Standability	1	Chara	BSR Tolerance Iron Chlorosis	

- Component in WinPak® variety CP1840
- Excellent standability and emergence that can be placed well in no-till/strip-till
- Taller soybean with strong Phytophthora root rot tolerance





- Single line that pairs strong agronomics with yield potential
- Strong PRR, SDS, and stress tolerance allows movement east to west
- Strong SWM and standability for heavy white mold acres
- Average IDC; manage on high pH acres



- WinPak® variety that consists of CP2244XF and CP2346XF
- WinPak® variety with broad-acre adaptability and high yield potential
- Acceptable PRR, SWM and standability to fit most acres going west

ір: 2.5	SOUBERIS	X.	WinPak*	
Int	MT /Bush 2 3	Characteristics	PRR Tolerance SDS Tolerance SWM Tolerance BSR Tolerance Iron Chlorosis	3
roduct from Wes	t to East with otable SDS pr	prov	en genetic bac ction	
	Int variety that consist roduct from Wes	MT Int/Bush 2 3 eariety that consists of CP2543 roduct from West to East with	MT Int/Bush 2 3 4 arriety that consists of CP2543XF aroduct from West to East with prov	MT PRR Tolerance Int/Bush SDS Tolerance 2 SWM Tolerance BSR Tolerance








- WinPak® variety consisting of CP3444XF and CP3544XFS
- Broadly adapted variety from east to west
- Strong overall agronomic package with excellent standability

Height	MT		PRR Tolerance		3	
Canopy Type	Int/Bush	Characteristics	SDS Tolerance		2	
Emergence	NA	acte	Frogeye Leaf spot		2	
Standability	2	Ba	Southern Stem Canker			П
BSR Tolerance	1		Root-Knot Nematode	N/A		
Broadly adapted	east to west ability and SDS toler					

CP4246XFS Group: 4.2	SOYBEANS	FLEX.		
Height	MT		PRR Tolerance	2
Canopy Type	Int	stics	SDS Tolerance	2
Emergence	NA	cteri	Frogeye Leaf spot	1
Standability	2	Characteristics	Southern Stem Canker	2
BSR Tolerance	NA	_	Root-Knot Nematode	4

- Strong standability enables toughness and top-end yield potential
- Broadly adapted variety that handles bottom ground to tough hills
- Very good standability and SDS tolerance
- Use caution on high pH soils




- Single-line XtendFlex® variety with strong yield stability across environments
- Well suited for most all soil types and drainage classes
- Excellent standability and PRR tolerance; strong IDC tolerance
- Manage in high SDS areas



- STS®-tolerant variety broadly adapted across soil types and yield levels
- Position broadly east to west and north to south on mixed to heavy soils
- Excluder with excellent emergence; SSC resistance
- Use caution with placement in sand on wide rows

Group: 4.8	SOYBE	NDFLEX.		
Height	MT		PRR Tolerance	2
Canopy Type	Int/Bush	istic	SDS Tolerance	4
Emergence	NA	cter	Frogeye Leaf spot	3
Standability	3	Characteristics	Southern Stem Canker	
BSR Tolerance	NA	-	Root-Knot Nematode	3

- Single-line variety with high yield potential
- Broad acre fit, from light sands to heavy soil types
- Excellent emergence and early-season vigor; excluder for high salt scenarios
- Manage in high SDS areas



- A larger plant type allows for movement onto lighter and/or more offensive soils
- Solid disease package for success in heavier soil types
- Manage for acres where soybean white mold is a concern; reduce populations and increase row spacings
- Early CROPLAN® Enlist E3® soybean with improved yield potential and PRR over CP00729E



- Consistent high-yield potential with an excellent defensive package
- Larger canopy allows for movement into offensive environments; delivers a solid defensive package for more defensive soil types
- Excellent PRR, BSR and standability; SCN resistance and overall good IDC and SWM
- Larger plant type overall with excellent standability; no need to push populations



- New, single-line variety that combines high-yield potential and strong standability
- Broad acre variety with a thinner plant type
- Excellent emergence and very good stress tolerance


eight	MT		PRR Tolerance		2
anopy Type	Int	gis	SDS Tolerance	N/A	
mergence	1/NA	Characteristics	SWM Tolerance	3	
tandability	2	Sara	BSR Tolerance	N/A	
		-	Iron Chlorosis		2

Group: 0.5	Enlist ES SOFIE AND	Win	Pak°	
Height	M		PRR Tolerance	2
Canopy Type	Int/Bush	stics	SDS Tolerance	3
Emergence	2	Characteristics	SWM Tolerance	3
Standability	2	l ga	BSR Tolerance	2
-			Iron Chlorosis	

- WinPak® variety consisting of CP0525E and CP0534E
- Genetically diverse WinPak variety; excellent IDC tolerance
- Strong PRR package for poorly drained soils and two SCN gene sources
- Agronomically sound variety with no major watchouts



- WinPak® variety consisting of CP0822E and CP0926E
- Offers versatility to handle offensive environments to stress-prone areas
- Half Peking variety and half Pl88.788 for SCN control
- Upgraded yield potential, IDC and SWM tolerance over last year's CP0820E



- Component in WinPak® variety CP0820E
- Strong, defensive bean for placement on soils prone to IDC or SWM
- Excellent IDC and SWM tolerance
- Has Peking SCN resistance for high SCN areas

CP1123E Group: 1.1	Enlist E3			
Height	MT		PRR Tolerance	
Canopy Type	Int	Characteristics	SDS Tolerance	2
Emergence	1	acter	SWM Tolerance	3
Standability	2	Char	BSR Tolerance Iron Chlorosis	


- Also available in WinPak® variety 1130E
- High yield potential with Peking SCN resistance
- Versatile placement for high productivity potential in areas prone to IDC and **PRR**
- Strong IDC and PRR tolerance with Rps3a gene resistance




- WinPak® variety consisting of CP1123E and CP1225E
- Excellent yield potential with good IDC tolerance
- Peking x Peking WinPak variety for acres with soybean cyst nematode
- Acceptable SWM and SDS tolerance




- Also available in WinPak® variety CP1430E
- Excellent IDC variety for IDC-prone areas
- Excellent PRR tolerance for poorly drained soils



- WinPak® variety consisting of CP1425E and CP1522E
- Strong yield performance in 2024 Answer Plot® locations with strong IDC tolerance
- Excellent PRR package for poorly drained soils
- Acceptable SWM tolerance





- Peking single-line variety with high-yield potential
- Best positioned in central MN and east into WI and MI
- Strong PRR and BSR tolerance; excellent standability and above average SWM tolerance
- Use caution when planting on fields with history of IDC



- WinPak® variety consisting of CP1535E and CP1624E
- Versatile WinPak variety; works best on IDC acres and fields with SCN pressure
- Strong agronomic package; strong standability



- Key Peking single-line variety that is also in WinPak® variety CP1830E
- Versatile variety that works from west to east across many soil types
- Excellent PRR tolerance and standability; strong IDC and SWM tolerance
- Use caution on fields with heavy BSR history


Height	MT	<u>ន</u>	PRR Tolerance SDS Tolerance		2
Canopy Type Emergence	Int/Bush 2	Characteristics	SWM Tolerance		3
Standability	2	Chara	BSR Tolerance	N/A	
			Iron Chlorosis		3



- WinPak® variety consisting of CP1826E and CP1825E
- Broadly adapted WinPak variety that combines yield and agronomic strength
- Excellent standability; strong PRR, IDC and SWM tolerance
- Half Peking variety and half Pl88.788 for SCN control




- Peking WinPak® variety consisting of CP2024E and CP2025E
- Broadly adapted from the Dakotas to Michigan and East
- Strong standability, PRR and BSR tolerance; acceptable IDC and SWM tolerance




- High yield potential single line Peking variety also in WinPak® variety CP2020E
- Strong performance west to east across many soil types
- Excellent standability; acceptable SWM tolerance, strong PRR and BSR tolerance
- Acceptable IDC tolerance

Groplan Gro		Enlist E3	Win	Pak*		
Height Canopy Type Emergence Standability	Int/Bu	MT Ish 3	Characteristics	PRR Tolerance SDS Tolerance SWM Tolerance BSR Tolerance Iron Chlorosis		3 3 3
Broadly ad	variety consisting of apted with high yiel s SWM, IDC, and s	d potent	ial and a		ength	

UPGRADED




- A Peking variety with excellent PRR, BSR and SDS tolerance
- Excellent choice where Peking is needed for SCN
- Strong SWM with excellent standability on highly productive soils
- High-yield potential with PRR tolerance that works great for no-till and narrow rows



- WinPak® variety that consists of CP2524E and CP2526E
- High yield potential variety that moves east to west and can handle tougher soils
- Acceptable SDS, SWM, and IDC tolerance
- Acceptable SWM and IDC, but caution on severe SWM pressure and ultra high pH soils

KEY

2 = Strong




- New single-line Enlist® variety with versatility and top-end yield potential
- Position on medium-to- high-end acres for best performance
- Very good standability and SDS, SWM and IDC tolerance
- Component in WinPak® variety CP2920E

ROPLAN Group: 3.1	Enlist ES	Win	Pak [*]		
Height	МТ		PRR Tolerance		
Canopy Type	Int	stics	SDS Tolerance		3
Emergence	1	Characteristics	SWM Tolerance		3
Standability	2	Bar.	BSR Tolerance	N/A	
		-	Iron Chlorosis		3

- WinPak® variety consisting of CP3024ES and CP3126E
- Broad acre WinPak variety with top end yield potential
- Improved agronomics including SDS and SWM
- Acceptable IDC tolerance



- Upgraded WinPak® variety that consists of CP2826E and CP3024ES
- Versatile variety that can move east to west and handles defensive to offensive
- Improved IDC, SDS, and SWM allow this WinPak variety to move east to west
- Manage SDS in high pressure environments with seed treatment



- High-yield potential, single-line variety
- Works well east to west
- Excellent standability




- WinPak® variety consisting of CP3325E and CP3426E
- Broad acre adaption from tough to high yielding environments
- Solid agronomic package, including SDS and IDC tolerance

ROPLAN	CP3620ES Group: 3.6	Enlist E3	Win	Pak [*]	
Height Canopy Type Emergence Standability		MT Int 1 2	Characteristics	PRR Tolerance SDS Tolerance SWM Tolerance BSR Tolerance Iron Chlorosis	N/A N/A


- Broad acre product that moves east to west; handles variable soils with top end yield potential
- Very good PRR and SDS tolerance




- Single-line variety is a component of WinPak® variety CP3830
- Strong western movement that can handle tough acres
- Excellent PRR tolerance with acceptable SDS tolerance
- Acceptable IDC tolerance



- WinPak® variety consisting of CP3825E and CP3835E
- WinPak variety designed for Central and West
- Strong standability and SDS tolerance; acceptable IDC tolerance



- Upgraded WinPak® variety consisting of CP3925ES and CP3926ES
- CP3925ES brings IDC protection to this WinPak variety
- Outstanding agronomic package; excellent FELS tolerance & strong SDS & PRR tolerance
- Broadly adapted WinPak variety with high-yield potential and great defensive characteristics




- Single-line variety with high yield potential and excellent standability
- Best performance on medium- to well-drained soils
- Excellent FELS tolerance; good PRR and SDS tolerance



- Single-line variety with excellent emergence and very good standability
- Excellent stress tolerance; very good PRR, SDS and FELS tolerance
- Stable yield potential across low and high yield environments
- Use caution in IDC prone areas



- Single-line variety; light tawny, brown type that handles stress well
- Broad acre soybean with narrower plant type
- Excellent emergence and very good stress tolerance
- Manage with seed treatment in areas with higher concerns for PRR and SDS



- Single-line variety with high-yield potential; medium-tall variety
- Excels in high yield environments with ability to handle stress
- Excellent standability with very good tolerance to SDS





Group: 4.9

Height	MT
Canopy Type	Int/Bush
Emergence	2
Standability	2
BSR Tolerance	NA

Characteristics	PRR Tolerance SDS Tolerance Frogeye Leaf spot Southern Stem Canker Root-Knot Nematode	N/A
	Root-Knot Nematode	N/A
	Root-Knot Nematode	N/A

- STS®-tolerant excluder variety
- Broadly adapted east to west on most soil types including heavy clay soils
- Taller plant type with strong emergence and standability; excellent tolerance to Cercospora leaf spot
- Manage in areas with severe SDS and PRR

		Relative A Sonnoisents	Indere De	SCN	Sesistance O	PAR PAR	Tolerance SUS	Cho,	Shull Tolerance	PSA	Tolerance Iton C	Souther Cank	, Ste
			Maturity Polarity	terminate at a	nc _e	PAR Conce	Terance	Terance	Nerance	Terance	Nerance	Thorosis Cana	9, ³ 17
		- RM: 0.08-1.5											
	CP00824E		0.08	IND	PI88.788	Rps3a	1	NA	Includer	3	5	2	1
	CP0124E		0.1	IND	PI88.788	Rps3a	1	NA	Includer	2	1	2	1
NEW	CP0330E	CP0326E*/CP0336E*	0.3	IND	P188.788	Rps1k,3a/NG	2	2/NA	Includer	3	1/NA	2	1
NEW	CP0326E*		0.3	IND	PI88.788	Rps1k,3a	1	NA	Includer	3	NA	2	1
NEW	CP0336E*		0.3	IND	PI88.788	NG	2	2	Includer	2	1	1	1
	CP0530E	CP0525E*/CP0534E*	0.5	IND	Peking/P188.788	Rps1c/1k,H3a	2	3	Includer	3	2	1	1
	CP0525E*		0.5	IND	Peking	Rps1c	3	3	Includer	3	2	1	1
	CP0534E*		0.5	IND	PI88.788	Rps1k,H3a	1	2	Includer	2	1	1	1
	CP0820E	CP0822E*/CP0926E	0.8	IND	Peking/P188.788	Rps1c/NG	2	3/NA	Inc/Exc	2	1/NA	2	1
	CP0822E*		0.8	IND	P188.788	NG	2	NA	Excluder	2	NA	3	NA
NEW	CP0926E		0.9	IND	Peking	Rps1c	2	3	Includer	1	1	1	1
	CP1130E	CP1123E/CP1225E*	1.1	IND	Peking	Rps3a/1k	2	3	Includer	3	2	2	1/NA
	CP1123E		1.1	IND	Peking	Rps3a	1	2	Includer	3	1	2	1
	CP1225E*		1.3	IND	Peking	Rps1k	3	3	Includer	3	2	2	NA
	CP1430E	CP1425E/CP1522E*	1.4	IND	PI88.788	Rps1c,3a/3a	1	3	Includer	3	1/NA	2	1/NA
	CP1425E		1.4	IND	PI88.788	Rps1c,3a	1	3	Includer	2	NA	1	1
	CP1522E*		1.5	IND	PI88.788	Rps3a	1	2	Includer	3	1	3	NA
	CP1525ES		1.5	IND	Peking	Rps1k	2	1	Includer	2	2	4	1

Scale

- 1 = Excellent
- 2 = Strong
- 3 = Acceptable
- 4 = Manage
- 5 = Not Recommended
- NG = No gene present

SCN Resistant Source

Peking = These varieties contain SCN resistance genes from the Peking soybean breeding lines

P188.788 = These varieties contain SCN resistance genes from the PI88.788 soybean breeding

PRR Gene

Rps = Resistance to Phytophthora sojae HRps = Heterozygous segregating Rps occurrence

3 Southern Stem Canker and Root-Knot Nematode

- 1 = Resistant
- 2 = Moderately Resistant
- 3 = Moderately Resistant-Moderately Susceptible
- 4 = Moderately Susceptible
- 5 = Susceptible



This symbol indicates that there has been a new component added to the WinPak® variety.



	Fig.	Root Knor No.	Talule o	Energence	Stantability Street	Canon Canon	The Plant H	rione,	Tubescen	Par Par	Color @	Color O
	Enlist E3® -	- RM: 0.08-	1.5									
	CP00824E	NA	5	1	2	1	Bush	MT	Р	GR	TN	BF
	CP0124E	NA	5	1	1	1	Int	MT	Р	GR	TN	IB
NEW	CP0330E	NA	NA	1/NA	2	1/NA	Int	MT	Р	GR	TN	BF/IB
NEW	CP0326E*	NA	NA	NA	2	NA	Int	M	P	GR	TN	BF
NEW	CP0336E*	NA	NA	1	1	1	Int	MT	Р	GR	TN	IB
	CP0530E	NA	5/NA	2	2	1/NA	Int/Bush	M	Р	GR/LTW	BR/TN	BL/IB
	CP0525E*	3	NA	2	2	NA	Int/Bush	M	Р	LTW	BR	BL
	CP0534E*	NA	5	1	2	1	Int	M	Р	GR	TN	IB
	CP0820E	NA	5	1	1	2	Int	M	Р	GR	TN	BF/IB
	CP0822E*	NA	5	1	1	2	Int	M	Р	GR	TN	BF
NEW	CP0926E	NA	NA	1	1	1	Int	M	P	GR	TN	IB
	CP1130E	2/NA	5/NA	2	3	1	Int/Bush	MT	Р	GR/LTW	BR/TN	BF/BL
	CP1123E	NA	5	1	2	1	Int	MT	Р	GR	TN	BF
	CP1225E*	2	NA	3	3	NA	Int/Bush	M	Р	LTW	BR	BL
	CP1430E	NA	5	1	2	2	Int	MT	Р	GR	TN	BF/IB
	CP1425E	NA	5	1	2	1	Int/Nar	MT	Р	GR	TN	IB
	CP1522E*	NA	5	1	2	2	Int	M	Р	GR	TN	BF
	CP1525ES	3	NA	NA	1	NA	Int	MS	Р	GR	BR	IB

Nar = Narrow Int = Intermediate Bush = Bushy

5 Plant Height
T = Tall

T = Tall
M = Medium
S = Short

6 Flower Color

P = Purple W = White

Pubescence Type

GR = Gray
TW = Tawny
LTW = Light Tawny

8 Pod Color

TN = Tan BR = Brown 9 Hilum Color

YE = Yellow/Clear GR = Gray

BL = Black


 $\mathbf{IB} = \mathsf{Imperfect}\;\mathsf{Black}$

BR = Brown BF = Buff

SL = Slate TN = Tan

IY = Imperfect Yellow

These ratings reflect trends observed in research trials that change with variations in rainfall, temperature, crop production patterns and other factors. Ratings on new soybean varieties are based on limited data and may change as more data is collected.



Scale

- 1 = Excellent
- 2 = Strong
- 3 = Acceptable
- 4 = Manage 5 = Not Recommended
- NG = No gene present

SCN Resistant Source

Peking = These varieties contain SCN resistance genes from the Peking soybean breeding lines

P188.788 = These varieties contain SCN resistance genes from the PI88.788 soybean breeding lines

2 PRR Gene

Rps = Resistance to Phytophthora sojae HRps = Heterozygous segregating Rps occurrence

3 Southern Stem Canker and Root-Knot Nematode

- 1 = Resistant
- 2 = Moderately Resistant
- 3 = Moderately Resistant-Moderately Susceptible
- 4 = Moderately Susceptible
- 5 = Susceptible

This symbol indicates that there has been a new component added to the WinPak® variety.



	\ B .						\	\ \		\	
r _{rogo}	Root Knot No			Stre	Cann	Plan	Flow	Tillesce	nco Nuc 2	Hills	
	elears.	Matoue -	Emergence	Standability	Cano, Cano	No Brown Plans He	Flower Flower	Color O	Ce Type Of	Color O	Color O
			n _{Ce}	"ity	¹ / _{Co}	0	3	Ø	0	0	Ø
Enlist E3® CP1620E	- KIVI: 1.5-3	5/NA	2	2	2/NA	Int	MT	Р	GR/LTW	TN	BR/IB
CP1535E*	1	5	1	2	2/11/4	Int/Nar	MT	P	GR	TN	IB
CP1624E*	-	NA	2	2	NA	Int/Bush	M	Р	LTW	TN	BR
CP1830E	2/NA	NA	2	2	1/NA	Int	MT	Р	GR/LTW	BR/TN	BF/BR
CP1825E*	NA	5	1	1	1	Int/Nar	MT	Р	GR	TN	BF
CP1826E	2	NA	2	2	NA	Int/Bush	MT	Р	LTW	BR	BR
CP2020E	4/NA	5/NA	2	2	2/NA	Int	М	Р	GR	BR/TN	IB
CP2024E	4	NA	2	1	NA	Int	MS	Р	GR	BR	IB
CP2025E*	NA	5	2	2	2	Int/Nar	MT	Р	GR	TN	IB
CP2230E	3/NA	NA	3	3	2/NA	Int/Bush	MT	Р	LTW	TN	BR/BI
CP2226E*	NA	NA	2	2	2	Int/Bush	М	Р	LTW	TN	BR
CP2325E*	3	NA	3	3	NA	Int/Bush	MT	Р	LTW	TN	BL
CP2336E	NA	NA	2	2	1	Int	MT	Р	GR	TN	IB
CP2520E	2/NA	5	3	3	2/NA	Int/Bush	MT	Р	LTW	BR/TN	BL
CP2524E*	2	5	3	3	NA	Bush	М	Р	LTW	TN	BL
CP2526E*	NA	NA	2	2	2	Int	MT	Р	LTW	BR	BL
CP2920E	2/NA	5	2	2	1	Int/Bush	MT	Р	GR/LTW	BR	BL/IB
CP2826E	NA	NA	2	2	1	Int/Bush	MT	Р	LTW	BR	BL
CP3024ES*	2	5	1	2	1	Int	MT	Р	GR	BR	IB

Nar = Narrow Int = Intermediate Bush = Bushy

5 Plant Height
T = Tall

T = Tall
M = Medium
S = Short

6 Flower Color

P = Purple W = White

Pubescence Type

GR = Gray
TW = Tawny
LTW = Light Tawny

8 Pod Color

TN = Tan BR = Brown 9 Hilum Color

YE = Yellow/Clear GR = Gray

BL = Black

 $\mathbf{IB} = \mathsf{Imperfect}\;\mathsf{Black}$

BR = Brown BF = Buff

SL = Slate TN = Tan

IY = Imperfect Yellow

These ratings reflect trends observed in research trials that change with variations in rainfall, temperature, crop production patterns and other factors. Ratings on new soybean varieties are based on limited data and may change as more data is collected.

	Minda Comodens	Inderen Alling De Committee Committe	SCW Aterninate	esistance	PR Cone	Tolerance SUS	Chor Chor	Shar Share	Tolerance 85R	nderance lion	Southern Cane	Sien
BRAND Enlist E3®		turity 11	hate hate	·*•	16 ₂	ance	"Ance	of ance	ance	STARCE .	TOTOSIS 18	9
CP3120E	CP3024ES*/CP3126E*	3.1	IND	PI88.788	Rps1c/NG	1	3	Includer	3	NA	3	1
CP3024ES*		3.0	IND	PI88.788	NG	1	3	Includer	3	5	3	1
CP3126E*		3.1	IND	PI88.788	Rps1c	1	3	Includer	3	NA	3	1
CP3330E	CP3325E/CP3426E*	3.3	IND	Peking/P188.788	Rps1c/NG	2	2	Includer	3/NA	1/NA	3	1
CP3325E		3.3	IND	Peking	NG	1	2	Includer	NA	1	3	1
CP3426E*		3.4	IND	PI88.788	Rps1c	2	2	Includer	3	NA	3	1
CP3620ES	CP3524ES*/CP3626ES*	3.6	IND	PI88.788	Rps1c/NG	1	2	Includer	3/NA	1/NA	3	1
CP3524ES*		3.5	IND	PI88.788	NG	1	2	Includer	NA	1	3	1
CP3626ES*		3.6	IND	PI88.788	Rps1c	1	2	Includer	3	NA	3	1
CP3830E	CP3825E/CP3835E*	3.8	IND	PI88.788	Rps1k	1	2	Includer	NA	NA	3	1
CP3825E		3.8	IND	PI88.788	Rps1k	1	2	Includer	NA	NA	3	1
CP3835E*		3.8	IND	PI88.788	Rps1k	1	2	Includer	NA	NA	3	1
CP3920ES	CP3925ES*/CP3926ES*	3.9	IND	PI88.788	Rps1c/NG	2	2	Excluder	NA	NA	2	1
CP3925ES*		3.9	IND	PI88.788	NG	2	2	Excluder	NA	NA	2	1
CP3926ES*		3.9	IND	PI88.788	Rps1c	1	2	Excluder	NA	NA	2	1
CP4125ES		4.1	IND	PI88.788	NG	3	3	Excluder	NA	NA	NA	1
CP4324ES		4.3	IND	PI88.788	Rps1c	2	2	Includer	NA	5	NA	1
CP4425E		4.4	IND	PI88.788	Rps1k	3	3	Includer	NA	1	NA	1
CP4725ES		4.7	IND	PI88.788	NG	3	2	Includer	NA	NA	NA	1
CP4822ES		4.9	IND	PI88.788	NG	3	3	Excluder	NA	NA	NA	NA

Scale

- 1 = Excellent
- 2 = Strong
- 3 = Acceptable
- 4 = Manage
- 5 = Not Recommended
- NG = No gene present

SCN Resistant Source

Peking = These varieties contain SCN resistance genes from the Peking soybean breeding lines

P188.788 = These varieties contain SCN resistance genes from the PI88.788 soybean breeding

PRR Gene

Rps = Resistance to Phytophthora sojae HRps = Heterozygous segregating Rps occurrence

3 Southern Stem Canker and Root-Knot Nematode

- 1 = Resistant
- 2 = Moderately Resistant
- 3 = Moderately Resistant-Moderately Susceptible
- 4 = Moderately Susceptible
- 5 = Susceptible

This symbol indicates that there has been a new component added to the WinPak® variety.



	_	Root							Pup			
	Tokey	Root Knorne	Matous	Energenco	Standability Street	Cando Cando	Day Tone	Flower Flower	Color O	Co ino	Color O	Color O
	BRAND Enlist E3® -			*ence	Willing .	Ance	0	6	0	6	Ø	(
	CP3120E	2/NA	5	1	2	1	Int	MT	Р	GR	BR	BF/IB
	CP3024ES*	2	5	1	2	1	Int	MT	Р	GR	BR	IB
NEW	CP3126E*	NA	NA	1	2	1	Int	MT	Р	GR	BR	BF
	CP3330E	3/NA	5/NA	1	2	3	Int/Bush	MT	P/W	GR/LTW	BR/TN	BL/IB
	CP3325E	3	5	1	2	1	Int/Bush	MT	Р	GR	TN	IB
NEW	CP3426E*	NA	NA	1	1	2	Int/Bush	MT	W	LTW	BR	BL
	CP3620ES	3/NA	5	1	2	2	Int	MT	P/W	GR/LTW	BR	BF/BL
	CP3524ES*	3	5	1	2	1	Int/Bush	MT	Р	GR	BR	BF
NEW	CP3626ES*	NA	5	1	1	2	Int	MT	W	LTW	BR	BL
	CP3830E	2	5	1	2	1	Int/Bush	MT	W	LTW	BR	BL
	CP3825E	2	5	1	2	1	Int/Nar	MT	W	LTW	BR	BL
	CP3835E*	2	5	1	2	1	Int/Bush	MT	W	LTW	BR	BL
	CP3920ES	2	5	2	2	2	Int/Bush	MT	W	LTW	BR/TN	BR/BL
	CP3925ES*	1	5	2	1	2	Int/Bush	M	W	LTW	BR	BL
NEW	CP3926ES*	2	5	1	2	1	Int/Bush	MT	W	LTW	TN	BR
	CP4125ES	1	5	1	1	2	Int/Bush	MT	W	LTW	BR	BL
	CP4324ES	2	5	1	2	1	Int	MT	W	LTW	TN	BR
	CP4425E	2	5	1	2	2	Int/Nar	MT	Р	LTW	BR	BL
	CP4725ES	2	5	1	1	2	Int/Bush	MT	Р	GR	TN	IB
	CP4822ES	2	NA	2	2	NA	Int/Bush	MT	W	GR	BR	BF

Nar = Narrow Int = Intermediate Bush = Bushy

5 Plant Height
T = Tall

T = Tall
M = Medium
S = Short

6 Flower Color

P = Purple W = White

Pubescence Type

GR = Gray
TW = Tawny
LTW = Light Tawny

8 Pod Color

TN = Tan BR = Brown 9 Hilum Color

YE = Yellow/Clear GR = Gray

BL = Black

 $\mathbf{IB} = \mathsf{Imperfect}\;\mathsf{Black}$

BR = Brown BF = Buff

SL = Slate TN = Tan

IY = Imperfect Yellow

These ratings reflect trends observed in research trials that change with variations in rainfall, temperature, crop production patterns and other factors. Ratings on new soybean varieties are based on limited data and may change as more data is collected.

		Relative Ma	Inder De	SCN A STORIGHT OF THE SCHOOL S	ess _{falice}	PARGON PARTO	st.	Chol. Stolerance	Swall Swall	Nerance \$54	Tolerance Iton	Souther Cank	Tr. Steph
	BRAND	nents	arity "	nato nato	~	(6	Ance	· Ance	· Ance	'Ance	'Ance	Tosis	
	XtendFlex®	- RM: 0.03-1.5											
NEW	CP00346XF		0.03	IND	NG	Rps1c	2	NA	Includer	2	NA	2	1
NEW	CP00640XF	CP00545XF*/CP00744XF*	0.06	IND	P188.788/NG	Rps1c,3a/1c	2	NA	Includer	2	2/NA	3	1/NA
	CP00545XF*		0.05	IND	PI88.788	Rps1c,3a	2	NA	Includer	2	NA	2	1
	CP00744XF*		0.07	IND	NG	Rps1c	1	NA	Includer	2	2	4	NA
	CP00944XF		0.09	IND	PI88.788	Rps1c	2	NA	Includer	4	2	2	NA
NEW	CP0246XF		0.2	IND	PI88.788	Rps3a	2	2	Includer	3	4	2	NA
	CP0440XF	CP0444XF*/CP0555XF	0.4	IND	PI88.788	Rps1c,3a/1c	2	3/NA	Includer	3	1/NA	2	1/NA
	CP0444XF*		0.4	IND	PI88.788	Rps1c	2	NA	Includer	3	1	1	NA
	CP0555XF		0.5	IND	PI88.788	Rps1c,3a	1	3	Includer	3	NA	3	1
	CP0740XF	CP0744XF*/CP0751XF*	0.7	IND	PI88.788	Rps1k/1c,3a	2	2/NA	Includer	3	1	2	1/NA
	CP0744XF*		0.7	IND	PI88.788	Rps1k	2	2	Includer	2	1	2	1
	CP0751XF*		0.7	IND	PI88.788	Rps1c,3a	2	NA	Includer	3	1	2	NA
	CP0940XF	CP0955XF*/CP1042XF*	0.9	IND	PI88.788	HRps3a/1c	2	2/NA	Includer	2	3	2	1/NA
	CP0955XF*		0.9	IND	PI88.788	Rps1c	2	2	Includer	2	2	3	1
	CP1042XF*		1	IND	PI88.788	HRps3a	2	NA	Includer	2	3	2	NA
	CP1240XF	CP1242XF*/CP1246XF*	1.2	IND	PI88.788	Rps1c,3a/H3a	2	3	Includer	2	2	2	1/NA
	CP1242XF*		1.2	IND	PI88.788	HRps3a	2	3	Includer	2	1	2	NA
NEW	CP1246XF*		1.2	IND	P188.788	Rps1c,3a	2	2	Includer	1	3	2	1
	CP1540XF	CP1443XF*/CP1545XF*	1.5	IND	PI88.788	Rps1c,3a/1c,3a	2	3	Includer	2	2	3	1
	CP1443XF*		1.4	IND	PI88.788	Rps1c,3a	2	2	Includer	1	2	3	1
	CP1545XF*		1.5	IND	P188.788	Rps1c,3a	1	3	Includer	2	1	2	1

Scale

- 1 = Excellent
- 2 = Strong
- 3 = Acceptable
- 4 = Manage
- 5 = Not Recommended
- NG = No gene present

SCN Resistant Source

Peking = These varieties contain SCN resistance genes from the Peking soybean breeding lines

P188.788 = These varieties contain SCN resistance genes from the PI88.788 soybean breeding

PRR Gene

Rps = Resistance to Phytophthora sojae HRps = Heterozygous segregating Rps occurrence

3 Southern Stem Canker and Root-Knot Nematode

- 1 = Resistant
- 2 = Moderately Resistant
- 3 = Moderately Resistant-Moderately Susceptible
- 4 = Moderately Susceptible
- 5 = Susceptible

This symbol indicates that there has been a new component added to the WinPak® variety.

7700	Root-Knor			Sh	G.	4,	76	Pubesc		Hr.	
BRAND Finger		natolle 3	Energence	Standahility 1.e.	Canu, Canu	NA TIME OF PANY A	Flower Plans	Ulesce,	nce Nue Pad	Color O	Color O
XtendFlex® -											
▼ CP00346XF	NA	NA	NA	3	NA	Int	M	Р	GR	TN	BF
CP00640XF	2/NA	NA	2/NA	3	NA	Int	MT	Р	LTW	TN/BR	BR/GR
CP00545XF*	NA	NA	NA	3	NA	Int	MT	Р	LTW	TN	BR
CP00744XF*	2	NA	2	2	NA	Int	M	Р	LTW	BR	GR
CP00944XF	NA	NA	1	2	NA	Int	MT	Р	LTW	BR	BL
☑ CP0246XF	NA	NA	NA	3	NA	Int/Bush	MT	Р	LTW	BR	BR
CP0440XF	NA	NA	1/NA	2	NA	Int/Bush	MT	Р	GR/LTW	BR	GR/IE
CP0444XF*	NA	NA	1	1	NA	Int/Bush	MT	Р	GR	BR	IB
CP0555XF	NA	NA	NA	2	NA	Int	M	Р	LTW	BR	GR
CP0740XF	NA	5/NA	1	3	1/NA	Int	MT	Р	GR/TW	BR	BL/IB
CP0744XF*	NA	5	1	2	1	Int	M	Р	GR	BR	IB
CP0751XF*	NA	NA	1	3	NA	Int	MT	Р	TW	BR	BL
CP0940XF	NA	NA	1/NA	2	2/NA	Int	MT	Р	LTW	TN	BL/BF
CP0955XF*	NA	NA	NA	1	NA	Int/Nar	M	Р	LTW	TN	BL
CP1042XF*	NA	NA	1	2	2	Int/Bush	MT	Р	LTW	TN	BR
CP1240XF	NA	NA	1/NA	2	2/NA	Int/Bush	MT	Р	GR/LTW	BR/TN	BL/IB
CP1242XF*	NA	NA	1	1	2	Int	MT	Р	LTW	BR	BL
▼ CP1246XF*	NA	NA	NA	2	NA	Int/Bush	М	Р	GR	TN	IB
CP1540XF	NA	5/NA	2	2	1/NA	Int	MT	Р	GR/LTW	BR/TN	BR/IB
CP1443XF*	NA	NA	2	2	NA	Int	MT	Р	LTW	BR	BR
CP1545XF*	NA	5	1	2	1	Int/Nar	MT	Р	GR	TN	IB

Nar = Narrow Int = Intermediate Bush = Bushy

5 Plant Height

T = Tall
M = Medium
S = Short

6 Flower Color

P = Purple W = White

Pubescence Type

GR = Gray
TW = Tawny
LTW = Light Tawny

Hilum Color

8 Pod Color

TN = Tan

BR = Brown

YE = Yellow/Clear GR = Gray

BL = Black IB = Imperfect Black

BR = Brown BF = Buff

SL = Slate TN = Tan

IY = Imperfect Yellow

These ratings reflect trends observed in research trials that change with variations in rainfall, temperature, crop production patterns and other factors. Ratings on new soybean varieties are based on limited data and may change as more data is collected.

	Wind Res.		SCNA		A .		Chlo	·.			Solition	
	Mind Composers Relative Me	Indeterni	aterninate No.	SS SANCE O	PAR Gange	lerance SDS	Tolerance	ide Tolerance SWM	Dierance BSAN	Ton C	Souther Cante	Siem
	- RM: 1.8-4.8											
CP1840XF	CP1846XF*/CP1844XF*	1.8	IND	PI88.788	Rps1c,3a/NG	2	2	Inc/Exc	2	2	3	1
CP1844XF*		1.8	IND	PI88.788	NG	2	2	Includer	2	1	3	1
NEW CP1846XF*		1.8	IND	PI88.788	Rps1c,3a	2	2	Excluder	1	3	2	1
CP2054XF		2	IND	PI88.788	NG	2	2	Includer	2	1	3	1
NEW CP2350XF	CP2244XF*/CP2346XF*	2.3	IND	PI88.788	Rps1c	3	2	Includer	3	3	2	1
CP2244XF*		2.2	IND	PI88.788	Rps1c	3	1	Includer	2	4	2	1
NEW CP2346XF*		2.3	IND	PI88.788	Rps1c	2	2	Includer	3	2	1	1
CP2540XF	CP2543XF*/CP2545XF*	2.5	IND	PI88.788	Rps1c	2	3	Includer	3	1	2	1
CP2543XF*		2.5	IND	PI88.788	Rps1c	2	3	Includer	2	1	2	1
CP2545XF*		2.5	IND	PI88.788	Rps1c	2	2	Includer	3	1	2	1
NEW CP2846XF		2.8	IND	PI88.788	Rps1c	3	3	Includer	3	3	3	1
NEW CP3146XF		3.1	IND	PI88.788	Rps1c	3	4	Includer	4	3	3	1
CP3550XF	CP3444XF*/CP3544XFS*	3.5	IND	PI88.788	Rps1c/3a	3	3	Inc/Exc	3	2	3	1
CP3444XF*		3.4	IND	PI88.788	Rps1c	3	2	Includer	3	2	3	1
CP3544XFS*		3.5	IND	PI88.788	Rps3a	3	3	Excluder	3	1	3	1
CP3845XFS		3.8	IND	PI88.788	Rps1c	3	2	Excluder	2	1	2	1
NEW CP4246XFS		4.2	IND	PI88.788	NG	2	2	Includer	NA	NA	4	2
CP4545XFS		4.5	IND	PI88.788	Rps1k	1	4	Includer	NA	NA	2	1
CP4541XFS		4.6	IND	PI88.788	Rps1c	3	2	Excluder	NA	NA	NA	1
CP4845XFS		4.8	IND	PI88.788	Rps1c	2	4	Excluder	NA	NA	4	1

Scale

1 = Excellent

- 2 = Strong
- 3 = Acceptable
- 4 = Manage
- 5 = Not Recommended
- NG = No gene present

SCN Resistant Source

Peking = These varieties contain SCN resistance genes from the Peking soybean breeding lines

P188.788 = These varieties contain SCN resistance genes from the PI88.788 soybean breeding

PRR Gene

Rps = Resistance to Phytophthora sojae HRps = Heterozygous segregating Rps occurrence

3 Southern Stem Canker and Root-Knot Nematode

- 1 = Resistant
- 2 = Moderately Resistant
- 3 = Moderately Resistant-Moderately Susceptible
- 4 = Moderately Susceptible
- 5 = Susceptible

This symbol indicates that there has been a new component added to the WinPak® variety.

\	Roo.							A.			
Frand Brand	ROOT, RIGHT NEW	Natoue .	Energence	Standalility Stres	S Tolerance Canon	TANIA PANIA	Flower Property of the Control of th	Color O	Pal Pal	Color O Hilling	Color O
BRAND XtendFlex® -			nc _e	"lig	^{II} Ce	Ø	Ø	Ø	2	Ø	Ø
CP1840XF	NA	NA	1/NA	1	2/NA	Int	MT	Р	LTW	BR/TN	BL
CP1844XF*	NA	5	1	1	2	Int	MT	Р	LTW	TN	BL
CP1846XF*	NA	NA	NA	1	NA	Int	MT	P	LTW	BR	BL
CP2054XF	NA	5	1	2	2	Int	M	Р	LTW	TN	BL
EW CP2350XF	3	NA	2/NA	3	NA	Int	MT	P/W	LTW	BR/TN	BL
CP2244XF*	4	NA	2	2	NA	Int/Bush	MT	W	LTW	BR	BL
EW CP2346XF*	2	NA	NA	3	NA	Int	MT	P	LTW	TN	BL
CP2540XF	NA	5	2	3	2	Int/Bush	MT	Р	GR/LTW	BR/TN	BL/IB
CP2543XF*	NA	5	2	2	2	Int	MT	Р	GR	BR	IB
CP2545XF*	NA	5	2	3	1	Int/Bush	MT	P	LTW	BR	BL
EW CP2846XF	NA	NA	NA	2	NA	Int/Bush	M	W	LTW	BR	BL
EW CP3146XF	NA	NA	NA	3	NA	Int/Bush	MT	W	LTW	TN	BL
CP3550XF	3	5/NA	2	2	NA	Int/Bush	M	P	LTW	BR	BL
CP3444XF*	1	NA	2	2	NA	Int/Bush	M	Р	LTW	BR	BL
CP3544XFS*	5	5	1	2	NA	Int/Bush	M	P	LTW	BR	BL
CP3845XFS	2	NA	NA	2	NA	Int/Bush	MT	Р	LTW	BN	BL
EW CP4246XFS	1	4	NA	2	NA	Int	MT	W	LTW	BR	BL
CP4545XFS	1	5	NA	1	NA	Int	M	W	LTW	BR	BL
CP4541XFS	NA	5	1	3	NA	Int/Bush	T	Р	LTW	BR	BL
CP4845XFS	3	3	NA	3	NA	Int/Bush	MT	Р	LTW	TN	BL

Nar = Narrow Int = Intermediate Bush = Bushy

5 Plant Height
T = Tall

T = Tall
M = Medium
S = Short

6 Flower Color

P = Purple W = White

Pubescence Type

GR = Gray
TW = Tawny
LTW = Light Tawny

Pod Color

TN = Tan BR = Brown 9 Hilum Color

YE = Yellow/Clear GR = Gray

BL = Black

IB = Imperfect Black

BR = Brown BF = Buff

SL = Slate TN = Tan

IY = Imperfect Yellow

These ratings reflect trends observed in research trials that change with variations in rainfall, temperature, crop production patterns and other factors. Ratings on new soybean varieties are based on limited data and may change as more data is collected.

ALFALFA. PERFORMANCE IS GREENER ON THIS SIDE OF THE FENCE.

VARIETY SELECTION

FALL DORMANCY (FD) AND WINTERHARDINESS (WH)

- Winterhardiness (WH) is an actual measurement of the alfalfa plant's ability to survive the winter without death or significant injury. The lower the WH number, the more cold tolerant and higher stand persistence potential.
- Fall dormancy (FD) is the alfalfa plant's response to day length. A higher FD
 number wakes up later in the spring and goes to bed sooner in the fall. Typically,
 lower FD varieties have higher forage quality than those with a higher FD cut at
 the same number of days following the last cut.

PEST RESISTANCE

ANTHRACNOSE DISEASE

- A severe stem and crown disease that causes defoliation. Multiple races, including a new race 5, can be present in late season.
- It occurs most often under warm, moist conditions.
- It causes yield loss of up to 25%.
- Susceptible plants have large, sunken oval- to diamond-shaped lesions.
- Lesions can enlarge to girdle or kill plant. Girdled stems can exhibit a shepherd's hook.

APHANOMYCES ROOT ROT DISEASE

- Infects roots causing seedling stunting, reduced nodulation and poor root development.
- Commonly found in soils that are saturated, poorly drained, compacted or have limited water dispersal.
- Visual symptoms can include gray, water- soaked roots, yellowed cotyledons, and stunted growth that can result in limited yield production or stand failure.

POTATO LEAFHOPPER (PLH)

- Small, light-green insect that feeds on alfalfa plants, causing leaf tips to display a V-shaped yellowing.
- Varieties with glandular hairs provide natural nonpreference feeding for PLH.
- Commonly found in the Plains, Midwest and East; most severe in new seedings and summer regrowth that causes yield reduction.

NEMATODES

- Microscopic roundworms (several identified species) that live in the soil, surface irrigation water, alfalfa roots and crown tissue.
- Can reduce yield and stand life and cause secondary infections from other diseases. Control them by planting a high-resistance alfalfa variety.
- Commonly found throughout most of the West and Plains.

HIGH-SALINITY SOILS

- Greenhouse tests provide baseline indicators of a varieties ability to germinate
 in high salinity conditions. Salt breeding nurseries provide greater insights to
 variety selection based on its ability to mitigate high-salinity stress conditions
 with more predictable performance for on-farm potential.
- Soils vary. Saline: high soluble salts. Sodic: high sodium ion content. Alkaline: soil pH that is higher than optimum (pH>8.0).
- Commonly found in the western half of the U.S.

APHIDS

- Can be a problem in dry periods; controlled by other predators in cool and/or wet periods.
- The blue aphid is the most damaging in the Southern Plains to the Southwest.

CROPLAN AA ALFALFA

Anthracnose and Aphanomyces root rot both represent a real threat to alfalfa growers. Our AA disease package helps grow a healthy crop even in field conditions susceptible to these pathogens.

Aphanomyces is an aggressive root disease that causes seedling stunting, reduced nodulation and poor root development. Multiple races can be present.

Anthracnose is a severe stem and crown disease that causes defoliation. Multiple races, including a new race 5, can be present in late season.

CROPLAN® varieties with the designation AA in the name include an enhanced multi-pathogen disease package that offers:

- Disease resistance to multiple races of both Aphanomyces root rot and Anthracnose.
- A combination of healthy roots and healthy stems, which can lead to higher alfalfa yield and forage quality potential.
- Extensive alfalfa roots, to help gather water and nutrients below ground.
- Improved crown and stem health, serving as a highway to transport plant energy to and from the roots and leaves to make valuable forage above ground.

IN-SEASON MANAGEMENT

NEW SEEDING AND STAND ESTABLISHMENT

- Plant into a firm seedbed to control seed depth; seed-to-soil contact is crucial.
- Planting rates do not need to be adjusted for coated seed since bulk density is higher.
- The planting rate for alfalfa varies from region to region, but generally 20 to 22 lbs. per acre is recommended with a goal of about 25 plants per square foot at the end of the seeding year.

ESTABLISHED STANDS: READING THE STAND

- Each spring, determine potential winter damage or winterkill.
- Follow the Reading the Stand program to evaluate the alfalfa stand density and crown health of each field to determine current and future yield potential.

WEED CONTROL

Control weeds early for a high-producing pure alfalfa stand. Roundup Ready®
alfalfa provides farmers with more flexible management strategies.

INSECT AND DISEASE CONTROL

- Control insects such as aphids (spotted, blue, pea, cowpea), alfalfa weevils and leafhoppers.
- Manage foliar leaf diseases and anthracnose.
- Choose alfalfa varieties with built-in resistance and use a spray application to control as necessary.

NUTRIENT MANAGEMENT

- Alfalfa requires a neutral soil pH (6.8 to 7.2) for high production. Take soil and plant tissue tests to monitor macronutrients and micronutrients.
- A healthy alfalfa plant should have a luxury supply of potassium, boron, sulfur and phosphorus.

HARVEST MANAGEMENT

- Manage leaf loss in-season with fungicide application and during harvest from over- handling during raking, merging, chopping or baling. New Leaf Percentage Test available to estimate leaf content in your alfalfa. See your CROPLAN® alfalfa dealer for more information.
- Wheel traffic can increase soil compaction and crown damage, leading to reduced crop regrowth and yield loss.

THE TRAITS YOU NEED

HARVXTRA® ALFALFA WITH ROUNDUP READY® TECHNOLOGY

This is the alfalfa trait packge you've been looking for with plenty of options, including:



- Flexibility: a cutting window you get to control. Harvest at 28 days, or delay if weather slows you down without compromising quality potential.
- Quality: higher RFQ¹ and NDFd¹ than conventional varieties cut on the same day.
- Yield Potential: lengthen your cutting window up to 10 days with up to 20% higher yield at harvest.²
- Plus the benefits of Roundup Ready® Alfalfa technology.

ROUNDUP READY® ALFALFA

 Offers application flexibility for better weed control during stand establishment.



- Can lead to higher yield potential over the life of the stand.
- Can achieve the high-quality hay and haylage potential you need.

CONVENTIONAL ALFALFA

- Conventional breeding techniques that provide strong advancements in yield production, stand persistence, plus insect and disease resistance.
- Three decades of breeding techniques by alfalfa breeders for improved fiber digestibility (e.g., LegenDairy and RR Presteez lines).
 - These varieties have shown an incremental improvement in fiber digestibility when compared to non-selected varieties.

ALFALFA FOR ORGANIC FORAGE PRODUCTION

 Products developed through conventional breeding, as opposed to the result of genetic engineering.*



- These conventional varieties include the Apex™ Green OMRI Listed® seed coating package.
 - Optimizes water absorption by using natural micronutrients and nitrogenfixing rhizobia in an organic hydration coating.

IMPROVE SEEDLING EFFICIENCY WITH COATED SEED

- Provides an ideal microenvironment with better imbibition (water uptake) and germination.
- Keeps treatments/inoculants close to or bound to the seed for more complete coverage.
- Increases vigor under disease pressure.

SEED COATING

Enable seedling health and germination with WinField® United's seed treatment and coating packages.

AA alfalfa products come coated with our new and advanced GroZone® Force (CF) package, which delivers:

- NEW INTEGO® Solo and Anchor™ 3L ST fungicides for multiple modes of action to help protect seedlings from seed rot and diseases such as PHYTOPTHORA, Pythium and Aphanomyces.
- Rhizobium bacteria to help fix nitrogen.
- Includes Ascend® ST3™ plant growth regulator, to help accelerate early season development, improve germination and enhance root growth.

Other CROPLAN alfalfa products come coated with our standard GroZone.

- 1. Data from FGI trials comparing HarvXtra® Alfalfa with Roundup Ready® Technology 2017 FD4 commercial varieties to FD4 commercial checks. Trials were seeded in 2013 and harvested 2014-2016 at five locations across the U.S. Yield increase is directly correlated to the ability to delay harvest.
- 2. Data from an FGI trial in West Salem, Wis., comparing three cuttings at 35-day intervals to four cuttings at 28-day intervals. Trials were seeded in 2013 and harvested in 2014-2016. Yield increase is directly correlated to the ability to delay harvest.
- *WinField® United does not guarantee forage harvested from stands established with this seed will be GMO-free. Check with your local organic certifying organization before planting.



Nematode Resistance

- H1 feed quality rating; highest forage quality potential in our lineup
- Ideal for Northern growing regions or high elevation; good disease and pest package for east to west adaptation
- Versatile harvest options: ideal for a 2- to 3-cut baled hay management system or a 1- to 2-cut hay harvest, followed by grazing
- On average, 24% higher NDFD than Roundup Ready® check varieties

CROPLAN HVX MegaTron X HARV TRA Yield Index Regions: Central|East|North|West Persistence Index Feed Quality Fall Dormancy: 4.3 Disease Resistance Winterhardiness: 1.9 Insect Resistance Nematode Resistance

- H2 feed quality rating; excellent soil disease resistance package
- Highest resistance (HR+) rating to Aphanomyces Root Rot Enhanced Multi-Race; resistant (R) to multi-race anthracnose (including race 5)
- Excellent quality and yield potential with a 3- to 5-cut flexible harvest system
- Very good yield or forage quality potential with the HarvXtra® Alfalfa trait



- H2 feed quality rating; exceptional root and plant health
- Highest resistance (HR+) rating to Aphanomyces Root Rot Enhanced Multi-Race; HR+ to multi-race anthracnose disease (including race 5)
- AA disease resistance package to support highest yield and quality potential
- Exceptional yield and quality potential; ideal with a 3- to 5-cut flexible harvest system



- H3 feed quality rating; HarvXtra® Alfalfa harvest flexibility
- Excels in the transition regions of the High Plains, South and Southwest; high resistance to pea and spotted alfalfa aphid
- Very early spring growth, fast regrowth and late fall growth; plan for 6-cut harvest system
- Available in a semidormant variety to maximize yield and quality potential







Regions: South|West

Fall Dormancy: 9

Winterhardiness:

Yield Index 2 Persistence Index Feed Ouality* Disease Resistance Insect Resistance Nematode Resistance

- H3 feed quality rating; HarvXtra® Alfalfa harvest flexibility
- Exceptional nondormant variety that provides harvest flexibility for yield or improved forage quality with the HarvXtra® Alfalfa trait
- Strong disease package provides protection against pea and spotted alfalfa aphids and stem nematodes
- Flexible harvest management for 8+ cuttings for increased yield potential or improved forage quality potential

RR Presteez 2.0



Regions: Central|East|North|West

Fall Dormancy: 3.3

Winterhardiness: 1

Yield Index 2 Characteristics Persistence Index Feed Ouality Disease Resistance Insect Resistance Nematode Resistance

- High forage quality potential ideal for baled hay or haylage harvest
- Excellent salt-tolerance ratings in germination tests and exceptional performance in stand persistence trials
- Ideal for Upper Midwest and West as a 3- to 4-cut baled hay and/or haylage harvest system

CROPLAN Graze N Hay 3.10RR



Regions: North|West

Fall Dormancy: 2.9

Winterhardiness: 1.8

Yield Index 3 Persistence Index Feed Ouality Disease Resistance Insect Resistance Nematode Resistance

- Best-suited for Northern regions; exceptional winterhardiness and stand
- Withstands hoof or wheel traffic; weed control with the Roundup Ready® trait improves stand establishment on dryland acres or in limited water
- Excellent variety where 1 or 2 cuttings of hay will be harvested mechanically, followed by grazing

CROPLAN RR Vamoose



Regions: Central|East|North

Fall Dormancy: 3.9

Winterhardiness: 1.8

Yield Index 3 Persistence Index Feed Ouality Disease Resistance Insect Resistance Nematode Resistance

- Performs well in the Upper Midwest and East where high resistance to potato leafhopper (PLH) may be necessary
- PLH resistance provides improved yield potential, high-quality feed and stand persistence
- Outstanding agronomics; PLH resistance offers reduced-spray or no-spray options; best-suited in a 3- to 4-cut system





Regions: Central|East|North|West

Fall Dormancy: 4 Winterhardiness: 2

Yield Index 3 Persistence Index Feed Quality Disease Resistance Insect Resistance Nematode Resistance

- Premium, multifoliate blend variety with wide geographic adaptation
- Good forage yield and quality potential
- Works well in 4-cut hay or haylage management system
- Excellent weed control with Roundup Ready® management system

CROPLAN RR AphaTron AA



Regions: Central|East|North|West

Fall Dormancy: 4.4

Winterhardiness: 1.4

Yield Index Characteristics Persistence Index Feed Ouality Disease Resistance Insect Resistance Nematode Resistance

- Latest variety with the AA disease resistance package
- Highest resistance (HR+) rating to Aphanomyces Root Rot Enhanced Multi-Race; HR+ to multi-race anthracnose disease (including race 5)
- Exceptional yield and forage quality potential under a 4- to 5-cut haylage or aggressive hay management system
- Exceptional root and plant health to support high yield potential

CROPLAN RR AphaTron 2XT



Regions: Central|East|North|West

Fall Dormancy: 4

Winterhardiness: 1.5

Yield Index Persistence Index Feed Quality Disease Resistance Insect Resistance Nematode Resistance

- Great soil disease resistance to help improve root and plant health
- High resistance (HR) to Aphanomyces root rot disease races 1 and 2; resistant (R) to Enhanced Multi-Race
- High yield potential and good forage quality potential under a 4-cut haylage or aggressive hay management system

CROPLAN RR Saltiva



Regions: Central|North|West

Fall Dormancy: 4.8

Winterhardiness: 2.5

Yield Index acteristics Persistence Index Feed Ouality Disease Resistance Insect Resistance Nematode Resistance

- Exceptional performance potential in tough soils with high saline conditions
- Excellent pest-resistance package; high resistance to stem nematode and multi-species aphid resistance
- Excels in a 5-cut intensive hay or haylage harvest systems

3 = Acceptable





Regions: Central|East|North|South|West

Fall Dormancy: 5

Winterhardiness: 2

Yield Index
Persistence Index
Feed Quality
Disease Resistance
Insect Resistance
Nematode Resistance
3

- Maximize yield potential all season long
- Well-rounded pest resistance package for wide-range adaptability from east to west
- Very early spring growth, fast regrowth and late fall growth; aggressive 5-cut schedule

RR Desert Rose 2.0



Regions: South|West Fall Dormancy: 8.3

Winterhardiness: -

- Exceptional nondormant variety with very high yield potential
- Strong aphid resistance; ideal for the southwest region
- Great when harvested as dry baled hay, haylage or greenchop; fast recovery after cutting
- Dark-green plant with excellent leaf retention; excellent stand persistence for numerous cuttings per year

CROPLAN RR 6 Shot Plus



Regions: South|West

Fall Dormancy: 6

Winterhardiness: -

Yield Index
Persistence Index
Feed Quality
Disease Resistance
Insect Resistance
Nematode Resistance

- Next generation of semidormant genetics that push yield potential to the next level
- High resistance to spotted alfalfa and pea aphid as well as to stem nematode
- Ideal in the High Plains, the South and the Southwest
- Very early spring growth, fast regrowth and late fall growth; plan for 6-cut harvest system

CROPLAN Maxi Graze®

Regions: North|West

Fall Dormancy: 2

Winterhardiness: 2

Yield Index
Persistence Index
Feed Quality
Disease Resistance
Insect Resistance
Nematode Resistance

5

- Recessed crown provides excellent durability for grazing or high-traffic fields
- Great yield and quality potential for northern regions or high elevations; ideal for 1- or 2-cut mechanical harvest followed by grazing
- Excellent option for mixed grass and alfalfa pastures
- Exceptional winterhardiness and stand persistence

3 = Acceptable

CROPLAN MP 1000 Brand

Regions: Central|East|North|West

Fall Dormancy: 3

Winterhardiness: 3

Yield Index 3 Persistence Index Feed Quality Disease Resistance Insect Resistance Nematode Resistance

- Premium multifoliate blend with wide geographic adaptation
- Good forage yield and quality potential
- Works well in a 3- to 4-cut hay or haylage management system

CROPLAN LegenDairy X

Regions: Central|East|North|West

Fall Dormancy: 3.4

Winterhardiness: 1.0

Yield Index Persistence Index Feed Ouality Disease Resistance Insect Resistance Nematode Resistance

- Good leaf retention and stem digestibility lead to strong yield potential and high digestibility
- Excellent winterhardiness and stand persistence for producers in Northern growing regions; moves well east to west
- Ideally suited for 3- to 4-cut baled hay or haylage harvest system; great choice for producers who prefer mixed alfalfa-grass stands

CROPLAN LegenDairy AA

Regions: Central|East|North|West

Fall Dormancy: 3.4

Winterhardiness: 1.1

Yield Index Persistence Index Feed Quality Disease Resistance Insect Resistance Nematode Resistance

- The latest generation of LegenDairy with the AA disease resistance package, delivering enhanced yield potential
- Highest resistance (HR+) rating to Aphanomyces Root Rot Enhanced Multi-Race; HR+ to multi-race anthracnose disease (including race 5)
- Excellent choice for producers in northern growing regions east to west; ideal for 3- to 4-cut baled hay or haylage harvest system
- Available with Apex[™] Green Seed Coating; OMRI Listed® for organic use

CROPLAN Rebound X

Regions: Central|East|North|West

Fall Dormancy: 4

Winterhardiness: 2.0

Yield Index Persistence Index Feed Ouality Disease Resistance Insect Resistance Nematode Resistance

- Good disease resistance for wet soils
- Great option for the Upper Midwest, East, and West, where pockets of Aphanomyces root rot disease is a problem
- Very early spring growth with rapid regrowth after each cutting; best suited for 4- to 5-cut haylage or aggressive hay management systems

CROPLAN TrailBlazer XHH

Regions: Central|East|North

Fall Dormancy: 4

Winterhardiness: 3

Yield Index 3 Persistence Index Feed Quality Disease Resistance Insect Resistance Nematode Resistance

- Excellent resistance to potato leafhopper (PLH); improved yield potential; high-quality feed and stand persistence
- PLH resistance offers reduced-spray or no-spray options
- Great option for the Upper Midwest and East; best suited in a 3- to 4-cut hay/ haylage harvest system
- Available with Apex[™] Green Seed Coating; OMRI Listed® for organic use

Gunner AA

Regions: Central|East|North|South|West

Fall Dormancy: 4.8

Winterhardiness: 1.2

Yield Index Persistence Index Feed Ouality Disease Resistance Insect Resistance Nematode Resistance

- AA disease package combined with high yield potential; also fits in areas of the U.S. where high salinity soils with can reduce alfalfa production
- Highest resistance (HR+) rating to Aphanomyces Root Rot Enhanced Multi-Race; HR+ to multi-race anthracnose disease (including race 5)
- Very early spring growth, fast regrowth and late fall growth; ideal for aggressive 5-cut hay or haylage harvest schedule
- Available with Apex[™] Green Seed Coating; OMRI Listed® for organic use

CROPLAN Rebound AA

Regions: Central|East|North|West

Fall Dormancy: 4.4

Winterhardiness: 1.7



- Packs a punch with the new AA disease resistance package, providing exceptional yield potential
- Highest resistance (HR+) rating to Aphanomyces Root Rot Enhanced Multi-Race; HR+ to multi-race anthracnose disease (including race 5)
- Best suited for 4- to 5-cut haylage or aggressive hay management systems (Upper Midwest and East); great for baled hay, where Aphanomyces root rot disease is a problem (in the West)
- Available with Apex[™] Green Seed Coating; OMRI Listed® for organic use

CROPLAN Nimbus 2.0

Regions: Central|North|West

Fall Dormancy: 5

Winterhardiness: 2



- Developed for the western areas of the U.S. where high salinity soils with can reduce alfalfa production
- Great performance in field trials heavily infested with nematodes; high resistance to both stem and northern root-knot nematodes
- Exceptional yield potential with optimum production under 5- to optional 6cut haylage or baled hay harvest systems
- Available with Apex[™] Green Seed Coating; OMRI Listed® for organic use

2 = Strong

CROPLAN Artesian Sun 6.3

Yield Index Regions: South|West Persistence Index Feed Quality Fall Dormancy: 6 Disease Resistance Winterhardiness: 3.1 Insect Resistance Nematode Resistance

- Excellent conventional, dark green variety; very high multifoliate expression and good leaf retention
- Outstanding pest-resistance package; versatile product can move from western to southern U.S. semidormant regions
- Strong stand persistence for intensive harvest management; fast recovery and regrowth after cutting provides excellent yield potential in a 6+ cut system
- Available with Apex[™] Green Seed Coating; OMRI Listed® for organic use



Regions: South|West

Fall Dormancy: 8.4

Winterhardiness: -

Yield Index Persistence Index Feed Quality Disease Resistance Insect Resistance Nematode Resistance

- Exceptional yield potential with strong stand persistence and very fast recovery after cutting
- Excellent pest resistance ratings with high resistance to pea, blue alfalfa and spotted alfalfa aphids
- Best suited for maximum yield production in the traditional western and southwestern nondormant zones

KEY


ALFALFA VARIETY PLACEMENT'

The map can be used to determine which alfalfa varieties are recommended for your area's climate challenges. Also, use the chart below to place the recommended variety to help manage common diseases and pests in your area, and to match quality to your desired cutting frequency.

PRODUCT DORMANCY MAP²



Fall dormancy and winterhardiness are important considerations in alfalfa seed selection. This map shows CROPLAN® seed varieties that match fall dormancy and winterhardiness zones in various regions of the United States.



- HARVXTRA® ALFALFA VARIETIES
- ROUNDUP READY® VARIETIES
- **CONVENTIONAL VARIETIES**
- AVARIETIES WITH ADDITIONAL INSECT AND DISEASE RESISTANCE

- This chart is provided as an illustration only. Planting decisions are complex and any implementation of the placement described above is your decision. Because of factors outside of our control, such as weather and product application, results to be obtained, including but not limited to yields, cannot be predicted or guaranteed by WinField United.
- 2. Fall dormancy (FD) and winterhardiness (WH): Higher FD number = higher yield potential; lower WH number = more cold tolerant and stand persistent.

f a ₀	Winte	, h	Persist	Too Inter	G _{ratino}	Palest Hay	Haylage	Phylophilora,	Porato	Roop	App. 400, 40	16
	Oornancy Winter	Pariiness Field	Index	TCO INDEX	nde ₄ O	Tolerance Salest Hay	Distonn, Haylage (A	ESTOWIN)	Root Roy Polato Le	Thopper No.	Aphanonyces Roof Rof.	Hanonsces Race 2 Ces
HarvXtra® Alfalfa												
HVX TUNDRA II	3.3	1.2	2	1	H1	3	1	3	HR	-	HR	R
HVX MEGATRON X	4.3	1.9	1	1	H2	4	2	1	HR	-	HR+	HR+
HVX MEGATRON AA	4.4	1.4	1	1	H2	4	2	1	HR	-	HR+	HR+
HVX 620RR BRAND	6.0	-	2	2	Н3	5	1	1	HR	-	R	-
HVX 940RR	9.0	-	2	1	Н3	5	1	1	HR	-	-	-
Roundup Ready® Alfalfa												
GRAZE N HAY 3.10RR	2.9	1.8	3	1	3	1	1	4	HR	-	HR	-
RR PRESTEEZ 2.0	3.3	1.0	2	1	1	3	1	2	HR	-	HR	R
RR VAMOOSE	3.9	1.8	3	1	3	2	1	4	HR	HR	HR	-
RR APHATRON AA	4.4	1.4	1	1	2	4	2	1	HR	-	HR+	HR+
RR APHATRON 2XT	4.0	1.5	2	1	2	4	2	1	HR	-	HR	HR
MP4000RR BRAND	4.0	2.0	3	3	3	3	2	3	HR	-	R	-
RR SALTIVA	4.8	2.5	1	2	3	4	1	1	HR	-	HR	-
RR TONNICA	5.0	2.0	2	2	3	4	1	1	HR	-	HR	-
RR 6 SHOT PLUS	6.0	-	1	2	3	4	1	1	HR	-	R	-
RR DESERT ROSE 2.0	8.3	-	1	2	3	5	1	1	HR	-	R	-

Scale

 $\mathbf{1} = \mathsf{Excellent}$

2 = Strong

3 = Accepta ble

4 = Manage

5 = Not Recommended

Feed Quality Index

Feed quality ratings for HarvXtra® Alfalfa are represented on a separate scale than Roundup Ready® and conventional alfalfa varieties and are signified with an "H." Because there is a significant improvement in forage quality, HarvXtra® Alfalfa products can only be compared to other HarvXtra® Alfalfa products.

Salt Tolerance

- **G** = Variety tolerance for germination under high saline conditions in a petri dish
- **F** = Variety tolerance for forage growth under high saline conditions as a potted plant in the greenhouse

Resistance Ratings

S = Susceptible (0-5%)

LR = Low Resistance (6-14%)

MR = Moderate Resistance (15-30%)

R = Resistance (31-51%)

HR = High Resistance (>50%)

HR+ = Highest Resistance available on the market (>50%)

Note: Field tests are currently being used to select and validate true salt-tolerant varieties. Many soils that are high in salinity also have other problematic conditions. Therefore, germination and forage salt-tolerant ratings may not predict field performance.



Scale

1 = Excellent

- 2 = Strong
- 3 = Acceptable
- 4 = Manage
- 5 = Not Recommended

Feed Quality Index

Feed quality ratings for HarvXtra® Alfalfa are represented on a separate scale than Roundup Ready® and conventional alfalfa varieties and are signified with an "H." Because there is a significant improvement in forage quality, HarvXtra® Alfalfa products can only be compared to other HarvXtra® Alfalfa products.

Salt Tolerance

- **G** = Variety tolerance for germination under high saline conditions in a petri dish
- **F** = Variety tolerance for forage growth under high saline conditions as a potted plant in the greenhouse

Resistance Ratings

- S = Susceptible (0-5%)
- LR = Low Resistance (6-14%)
- MR = Moderate Resistance (15-30%)
- R = Resistance (31-51%)
- HR = High Resistance (>50%)
- HR+ = Highest Resistance available
 on the market (>50%)

Note: Field tests are currently being used to select and validate true salt-tolerant varieties. Many soils that are high in salinity also have other problematic conditions. Therefore, germination and forage salt-tolerant ratings may not predict field performance.

	r _{all}	Winte,	7. 1%	Persistel	Foel Quality I	G _{rating} .	Tolerance Salest Hay	Distour, Haylage (A	Phytophillora,	Potato Le	Root R	10/An Roo, 40, 40	Man.
BRAND		normancy winter	hardiness Yiel	Alnder "Stell	Ce Index	Tiles O	Olerance	Tydown	Stowth)	toor Roy	Thopper .	ON ROOF ROOF ROOF ROOF	Race Tes
Conventional													
MAXI GRAZE®		2.0	2.0	3	1	3	1	1	4	HR	-	R	-
MP 1000 BRAND		3.0	3.0	3	3	3	3	2	3	HR	-	R	-
LEGENDAIRY X		3.4	1.0	2	2	1	3	1	2	HR	-	HR	-
LEGENDAIRY AA		3.4	1.1	1	1	1	3	1	1	HR	-	HR+	HR+
TRAILBLAZER XHH		4.0	3.0	3	3	3	4	1	3	HR	HR	HR	-
REBOUND X		4.0	2.0	2	2	2	2	2	1	HR	-	HR	R
REBOUND AA		4.4	1.7	1	1	2	4	2	1	HR	-	HR+	HR+
GUNNER AA		4.8	1.2	1	1	2	4	1	1	HR	-	HR+	HR+
NIMBUS 2.0		5.0	2.0	1	2	2	4	1	1	HR	-	HR	-
ARTESIAN SUN 6.3		6.0	3.1	1	2	3	4	1	1	HR	-	HR	-
SUN TITAN		8.4	-	1	1	2	5	1	1	HR	-	-	-

Scale

1 = Excellent

2 = Strong

3 = Accepta ble

4 = Manage

5 = Not Recommended

Feed Quality Index

Feed quality ratings for HarvXtra® Alfalfa are represented on a separate scale than Roundup Ready® and conventional alfalfa varieties and are signified with an "H." Because there is a significant improvement in forage quality, HarvXtra® Alfalfa products can only be compared to other HarvXtra® Alfalfa products.

Salt Tolerance

- **G** = Variety tolerance for germination under high saline conditions in a petri dish
- $\mathbf{F} = Variety$ tolerance for forage growth under high saline conditions as a potted plant in the greenhouse


Resistance Ratings

- S = Susceptible (0-5%)
- LR = Low Resistance (6-14%)
- MR = Moderate Resistance (15-30%)
- R = Resistance (31-51%)
- HR = High Resistance (>50%)

HR+ = Highest Resistance available on the market (>50%)

Note: Field tests are currently being used to select and validate true salt-tolerant varieties. Many soils that are high in salinity also have other problematic conditions. Therefore, germination and forage salt-tolerant ratings may not predict field performance.





Scale

1 = Excellent

2 = Strong

3 = Acceptable

4 = Manage

5 = Not Recommended

Feed Quality Index

Feed quality ratings for HarvXtra® Alfalfa are represented on a separate scale than Roundup Ready® and conventional alfalfa varieties and are signified with an "H." Because there is a significant improvement in forage quality, HarvXtra® Alfalfa products can only be compared to other HarvXtra® Alfalfa products.

2 Salt Tolerance

G = Variety tolerance for germination under high saline conditions in a petri dish

F = Variety tolerance for forage growth under high saline conditions as a potted plant in the greenhouse

Resistance Ratings

S = Susceptible (0-5%)

LR = Low Resistance (6-14%)

MR = Moderate Resistance (15-30%)

R = Resistance (31-51%)

HR = High Resistance (>50%)

HR+ = Highest Resistance available
 on the market (>50%)


Note: Field tests are currently being used to select and validate true salt-tolerant varieties. Many soils that are high in salinity also have other problematic conditions. Therefore, germination and forage salt-tolerant ratings may not predict field performance.

PROVIDING THE HIGHEST EXPECTATIONS FOR TONNAGE AND QUALITY CORN SILAGE.

SELECT HYBRIDS FOR QUALITY AND TONNAGE

When selecting a corn silage hybrid, two considerations should rise to the top: quality to achieve milk/ton and tonnage for yield. In replicated Answer Plot® trials, we test CROPLAN® corn silage hybrids for both nutrient requirements and agronomic factors.

Look for the CROPLAN hybrids with the Data Proven icon. It represents the designation of high quality and high tonnage, consistently performing to deliver high quality and high tonnage potential.



Your nutritionist can determine the parameters for nutrient needs, and your WinField United representative can use Answer Plot® data to help position each hybrid for optimal performance based on multiple variables.

WHEN PERFORMANCE IS ON THE LINE, THINK SILAGEFIRST® HYBRIDS

CROPLAN seed has three types of silage hybrids, specifically designed for highproducing dairy and beef cattle:

LEAFY HYBRIDS

 Leafy stalks are thicker and more digestible, with larger ears to produce more energy.


FLOURY-LEAFY HYBRIDS

- At feed out, these products effectively bridge the gap between the previous year's corn silage pile and the current year's feed.
- May not contain a high level of total starch but have a softer kernel texture that's
 easily broken during the chopping, storage and chewing process, allowing
 starch to be readily digested for more available energy.


HIGH-ENERGY/HIGH-TONNAGE HYBRIDS

- More flexibility in harvest and feed out as grain or high-energy/high-tonnage silage when used in combination with leafy and floury-leafy hybrids.
- Appropriate for feeding after the 120-day post-ensiling period when reaching optimum starch and fiber digestibility.







- Duracade[™] and Artesian® traits with CRW protection; handles variability and multiple soil types well
- Medium-tall plant with strong stalks; dual-purpose option
- Low response to population score; good potential at lower plant densities



- High yield potential across all soil types and environments
- Plant early, great emergence in cooler soils; excellent conservation-till hybrid
- High response to nitrogen and population optimizes yield potential
- Manage placement for Goss's wilt




- High-tonnage potential with strong ear flex and drought tolerance
- Excellent seedling vigor for early planting
- Strong ear flex with a moderate response to nitrogen; broad range of growing conditions
- Manage for late-season stalks and Goss's wilt




- High yield potential to complement CP2845
- Excellent early vigor for early planting
- Moderate response to population and high response to nitrogen boost yield potential on average-to-productive soils
- Acceptable Goss's wilt tolerance




- Floury, leafy silage-only hybrid; very high tonnage potential
- Tall plant with large flex ears, contributing to above-average starch
- Highly responsive to nitrogen and fungicide applications
- Best positioned at lower seeding rates to maximize tonnage and agronomics




- Consistent tonnage with stability across wide range of environments
- Strong roots can deliver exceptional drought tolerance and performance in poor soils
- Semi-flex ear and strong stalks
- Harvest timely because staygreen is below average




- Good combination of high tonnage potential and early maturity
- Above-average heat and moisture-stress tolerance
- Exceptional continuous corn-on-corn hybrid
- Some ear flex, although great stress tolerance allows for higher planting populations



- SmartStax® hybrid enhanced by big tonnage and great plant health
- Strong agronomic package to complement yield potential
- Moderate management allows versatility across many acres
- Fungicide application recommended in areas with GLS pressure




- Excellent tonnage potential
- Strong emergence and stalks
- Great flex ear and strong drought tolerance
- Don't overpopulate to aid in root development







- Medium-height dual-purpose hybrid with excellent NDFD
- Excellent test weight and emergence with solid defensive traits
- Moderate response to nitrogen; doesn't need aggressive nitrogen management to thrive
- Keep in RM zone



- Dual-purpose hybrid with excellent tonnage potential
- Great late season agronomics with strong standability
- Responds well both to aggressive nitrogen fertility and fungicide applications
- Works well in tough, variable or ideal yield environments




- Dual-purpose hybrid with excellent quality and strong tonnage potential
- Strong emergence, roots and stalk quality
- Semi-flex ear that allows for a range of populations
- Manage GLS and NCLB with a fungicide in heavy pressure scenarios




- Tall hybrid with strong grain yield potential to drive high-tonnage potential
- Excellent roots and good drought tolerance allow for high seeding rates and tonnage potential
- Moderate response to nitrogen provides consistent performance across variable soils
- Harvest timely to avoid excess drydown




- Excellent yield potential across all yield environments
- Late-flowering with excellent heat and moisture stress tolerance
- Works well in both hot or cool growing seasons
- Tall hybrid with consistently high tonnage potential and above-average digestibility



- Dual-purpose option for most soil types and yield environments
- Medium-tall hybrid with strong Goss's wilt rating and seedling vigor; excellent roots
- Position at medium populations and manage nitrogen for high yield potential




- Late-flowering hybrid with excellent roots and seedling vigor for early planting
- High response to intensive management; can also handle average acres
- Manage in areas with gray leaf spot and northern corn leaf blight
- Tall hybrid with consistently high tonnage potential and above-average digestibility



- Highly digestible leafy-type silage hybrid with high yield potential
- Tall white cob hybrid does best in medium-high populations
- Excellent performance for high tonnage and high-quality potential
- Average seedling vigor




- Strong SmartStax® PRO hybrid for heavy corn rootworm acres
- Solid agronomic and disease package
- Versatile hybrid that moves north well
- Acceptable Goss's wilt tolerance




- Healthy, versatile, high tonnage-potential dual-purpose hybrid
- Very attractive plant type with solid agronomic package
- Semi-flex ear allows lower densities, but will respond when population is pushed
- Handles tough, variable and ideal yield environments




- Floury, leafy silage-only hybrid with big plant stature
- Great combination of tonnage and quality potential
- Maximum planting population of 28,000-30,000 seeds per acre



- Consistent, versatile hybrid to cover broad acres
- Excellent emergence and seedling vigor; strong stalks and roots
- Manage population in high-yield environments



- Dual-purpose SmartStax® hybrid for the continuous corn silage acre
- Strong roots and stalks
- Hybrid moves north well along with strong emergence and vigor
- Acceptable drought tolerance




- Excellent tonnage potential when placed on average to above average acres
- Strong roots, test weight and Goss's wilt tolerance
- High response to intensive management; can also handle average acres
- Manage late season intactness with a fungicide application in high yield environments




- Excellent tonnage and quality potential with SmartStax® PRO trait for continuous corn acres
- Excellent top end yield potential
- Responds favorably to additional nitrogen applications
- Maximize late season staygreen with fungicide application




- Big-time tonnage and milk per acre potential
- SmartStax® hybrid with great agronomics
- Semi-fixed ear prefers moderate to moderately high populations
- Acceptable stalks and roots




- Great tonnage-potential hybrid, combined with high quality potential
- Strong roots and test weight with high yield potential
- Moderate response to nitrogen and fungicide scores offer flexibility
- Best suited for rotated acres



- Great tonnage potential combined with high quality potential
- Excellent roots and strong stalks
- Works well across variable acres and variable populations
- Average emergence; caution when planting into cold soils




- Great quality-potential silage; respectable tonnage potential
- Strong roots and stalks; strong drought tolerance
- Excellent high pH tolerance
- Average emergence; caution when planting into cold soils







- Tall SmartStax® PRO hybrid; outstanding tonnage potential
- Strong agronomic package; complements yield potential
- Best performance in zone and north
- Avoid fields with prolonged saturated soils




- Medium height dual-purpose hybrid with soft floury grain type
- Strong early plant vigor for reduced tillage and early planting
- Has nice flex for moderate densities; high response to nitrogen
- Use fungicide to enhance late-season health




- Medium-tall, dual-purpose hybrid with high tonnage potential at higher seeding rates
- Excellent emergence, seedling vigor and roots
- Semi-flex ear; plant at moderate populations
- Use caution on Goss's wilt acres; keep in RM zone




- Exceptional tonnage potential combined with SmartStax® PRO corn rootworm protection
- Broadly adapted from east to west; handles marginal and top-end acres
- Moderate planting populations will enhance root strength
- Average emergence; caution when planting into cold soils



- Tall hybrid with very high tonnage potential and above average starch content
- Excellent stalks and roots
- Optimize yield potential with nitrogen management and plant densities
- Best positioned on rotated acres; ear tip back influenced by genetics




- PowerCore® Enlist® hybrid; exceptional tonnage quality and digestibility
- Excellent stalks and strong roots; strong greensnap tolerance
- Big ear flex allows moderate planting populations
- Acceptable drought, Goss's wilt and southern rust tolerance




- Position in average to high-yield-potential acres; dual-purpose option
- Solid agronomic and disease package
- Semi-flex ear for moderate to moderately high planting densities
- Acceptable Goss's wilt tolerance



- Trecepta® hybrid with good tonnage and milk potential
- Strong stalks and emergence
- Semi-flex ear allows variable populations to match a variety of acres
- Acceptable roots and drought tolerance



- Medium-height hybrid with wide leaves and girthy stalk that contributes to solid tonnage potential
- Tough hybrid; good stress tolerance; has a semi-flex ear
- Full-season dual-purpose hybrid with great stalks and roots
- Excels with high nitrogen and fungicides, and medium-high populations




- Exceptionally high tonnage potential and digestibility
- Performs extremely well in the Midwest, Southeast, West and Pacific Northwest
- Takes heat and stress at a wide range of populations
- Needs high rates of nitrogen/manure for optimal yield potential; high response to fungicides



- Outstanding performance potential from east to west
- High tonnage potential combined with high quality
- Versatile placement across soil types at moderate populations
- Fungicide recommended to enhance protection against southern rust




- Fits well in the Southern U.S. and Delta region
- Full-season offering with excellent emergence and seedling vigor
- Strong stalks and roots with good late season health
- Strong southern rust tolerance





- Very good southern rust tolerance; good for corn-on-corn acres
- Decrease populations in heavy soils prone to flooding
- Tall silage hybrid with very high tonnage potential and above-average digestibility



- Robust plant type with great starch content
- Strong drought and heat tolerance
- Semi-flex ear to allow for variable planting populations.
- Good tolerance to southern rust

No.	Plant H		Ear H.	£ar.	Flower Date	Popula Res	Response to	Response to Park	Response to	Seem	Roos	State	Gran		6	Orought roles	Tonnage .	**				% Crum		
BRAND	ative Maturity	Shr	Ear Height	Ear Flex	Oafe Oafe	Kernel.	PONS ALDIO	S TWO	WIF TO	Seedling.	Root Street	Teth Qua	Gray lear	Spor 1	NCIB GOSS	Will Toles	Tonnage Pole	Mik.	Acre 81	MOFO S	MDx 8 St.	& Cristo Pro	Yein Yein	TON
RM 86-100																								
CP2692D	86	6	M-T	М	SF	M	16-18	M	М	М	2	1	1	NA	1	1	NA	1	2	3	2	3	2	3
CP2790VT2P*	87	7	M-T	M	SF	E	16-18	L	M	Н	1	2	3	3	2	4	1	2	3	3	3	1	3	3
CP2845SS*	89	9	M-T	M	SF	E	16-18	Н	Н	Н	1	1	2	NA	3	4	1	3	3	4	3	2	2	4
CP2965VT2P*	89	9	M	M	SF	M	14-16	M	Н	Н	1	2	1	3	3	3	2	2	2	3	3	3	3	2
CP3200SRR	93	3	T	M	FL	M	14-16	L	Н	Н	2	2	2	3	3	2	2	1	1	3	2	2	3	3
CP3399SS*	94	4	M	M	SF	M	16-18	M	Н	M	2	2	2	3	3	4	2	3	3	4	3	3	3	4
CP3490VT2P	94	4	M-T	M-H	SF	M-L	18-20	М	L	Н	1	3	3	3	3	3	2	1	1	2	3	2	3	2
CP3519SS*	95	5	M-T	M-H	SF	M	16-18	M	Н	Н	2	2	2	4	2	3	2	2	2	5	3	3	4	3
CP3790VT2P*	97	7	T	M-H	SF	M-L	16-18	L	М	Н	2	4	2	4	3	2	2	1	1	3	4	2	5	2
CP3715SSPR0*	97	7	M-T	M-H	SF	M-E	18-20	M	M	M	2	2	2	4	2	2	2	3	3	3	5	1	3	1
CP3735SS*	97	7	М	M	SF	M	16-18	M	Н	Н	1	2	2	3	3	3	3	2	1	1	3	3	2	1
CP3724VT2P*	97	7	M-T	M	SF	M	16-18	M	Н	Н	2	2	2	2	3	2	2	1	1	2	4	3	3	2
CP3852TRE*	98	8	M-T	M-H	FL	L	16-18	M	М	Н	2	2	2	3	3	2	2	2	1	3	4	1	5	3
CP3899VT2P*	98	8	M-T	M-H	SF	L	16-20	Н	Н	Н	1	2	2	4	4	3	2	1	1	3	3	2	3	3
CP3980VT2P	99	9	M-T	M-H	SF	M	14-16	M	М	Н	2	1	3	2	NA	3	3	3	3	3	2	1	3	3
CP4024SSPRO*	10	0	M	M	SF	M	16-18	Н	Н	Н	2	2	2	3	2	3	2	3	3	3	2	3	3	3
CP4079SS*	10	00	M-T	М	SF	М	14-16	M	М	Н	2	1	3	3	3	2	2	2	2	2	2	3	3	2
CP4099SS*	10	0	M-T	M	SF	L	16-20	Н	Н	Н	1	1	2	4	4	3	2	2	2	2	3	3	3	3

1 = Excellent

2 = Strong

3 = Acceptable

 $\mathbf{4} = \mathsf{Manage}$

5 = Not Recommended

Product descriptions and ratings are generated from Answer Plot® trials and/or from the genetics supplier and may change as

additional data is gathered.

1 Plant Height

XT = Extra Tall
T = Tall

M = Medium S = Short 2 Ear Height

H = High
M = Medium
L = Low

3 Ear Flex

FL = Flex
SF = Semi-flex
FX = Fixed

4 Flower Date

L = Late
M = Medium
E = Early

5 RTP/RTN/RTCC/RTF Ratings

$$\label{eq:Lagrangian} \begin{split} \textbf{L} &= \text{Low Response} \\ \textbf{M} &= \text{Moderate Response} \end{split}$$

H = High Response TBD = To be tested in 2024

These ratings reflect trends observed in research trials that change with variations in rainfall, temperature, crop production patterns and other factors. Ratings on new hybrids are based on limited data and may change as more data is collected.

*Follow IRM guidelines and refuge configurations to preserve the benefits and insect protection of these technology crops.

Real BRAND	Pan Heigh	Ear Height	tar flex	Flower Date	Popli Reinel	Response to Rows	Response la Tay	Response to Price in Price	Seeding.	Root Street	Stalk QIE	Gaylea Alin	Spor	NCIB GOSS	Oronghr Toler, S Wilt	Tonnage Pole	*Mik).	Acre 8	Noro &	ND; SE	& Cristle Pro	orein	TON
RM 101-111																							
CP4100SVT2P*	101	T	M	SF	М	16-18	Н	NA	M	3	2	2	3	3	2	2	1	1	2	3	4	3	2
CP4188VT2P*	101	M	M	SF	M	16-18	M	M	M	1	1	2	3	2	2	2	1	2	3	2	3	2	2
CP4200S/RR	102	T	M	FL	М	14-16	L	M	M	2	2	3	NA	3	2	2	1	3	2	5	4	1	4
CP4246SS*	102	M-T	M	SF	M	16-18	M	Н	Н	2	2	2	3	3	2	3	4	3	4	2	2	2	2
CP4444VT2P	104	T	M-H	SF	M-L	14-16	Н	L	L	1	2	2	3	3	3	3	3	3	2	1	1	4	3
CP4516TRE*	105	М	M	SF	M-E	16-18	M	M	Н	2	2	3	3	3	2	3	1	2	4	4	1	4	4
CP4652SSPR0*	106	M-T	Н	SF	М	14-16	L	Н	M	2	2	2	4	3	2	2	1	1	4	3	3	4	3
CP4757VT2P*	107	M	M-H	SD	М	18-20	M	M	M	3	2	3	3	2	NA	2	1	1	3	3	3	3	2
CP4770SS*	107	M-T	M	SD	L	16-18	M	Н	Н	3	3	3	3	2	1	2	1	1	3	2	3	2	2
CP4880SS*	108	M-S	M	SD	M	14-16	Н	M	Н	2	2	2	3	3	NA	3	3	2	3	5	2	3	1
CP4839PCE*	108	M-T	М	SF	L	16-20	Н	Н	Н	3	2	1	2	2	2	NA	2	2	1	4	3	3	4
CP4840TRE*	108	M-T	M	SF	М	18-20	M	L	Н	3	2	2	3	3	3	NA	4	4	1	2	1	5	3
CP4917SSPR0*	109	T	M-H	SF	M-E	14-16	L	М	Н	2	2	2	2	2	2	2	1	1	3	4	2	5	4
CP5073SS*	110	М	M-H	SF	М	16-18	M	Н	Н	1	2	3	3	2	3	2	1	2	2	2	2	1	2
CP5115SS*	111	M-T	M-H	SF	M-L	18-20	Н	Н	М	1	1	2	3	2	4	2	3	3	3	2	2	3	3

1 = Excellent

2 = Strong 3 = Acceptable

4 = Manage

5 = Not Recommended

Product descriptions and ratings are generated from Answer Plot® trials and/or from the genetics supplier and may change as additional data is gathered.

Plant Height

XT = Extra Tall T = Tall

M = MediumS = Short

Ear Height

 $\mathbf{H} = \mathsf{High}$ $\mathbf{M} = \mathsf{Medium}$ L = Low

3 Ear Flex

FL = Flex SF = Semi-flex FX = Fixed

4 Flower Date

L = Late $\mathbf{M} = \mathsf{Medium}$ E = Early

5 RTP/RTN/RTCC/RTF Ratings

 $\mathbf{L} = \text{Low Response}$ M = Moderate Response

H = High Response

TBD = To be tested in 2024

These ratings reflect trends observed in research trials that change with variations in rainfall, temperature, crop production patterns and other factors. Ratings on new hybrids are based on limited data and may change as more data is collected. *Follow IRM guidelines and refuge configurations to preserve the benefits and insect protection of these technology crops.

	\ \	,	\ \	,	Po.	D N.	2					,											
BRAND Relation	Plant Height	Ear Height	EarFlex	Flower Date	Kerne	Response to Ro. Ro.	Response to	Response to	Seculing	Root Street	Stalk QUE	Gray lear		Gos	Orought Toles	Tonnage Poli	*Min	٥		9.	& Cristle Pro		
BRAND	Tity on	O out	3	2	Kernel.	Pows	5	9	6	Vigor Cel	TETH WILL	Ality al	Spor	NCIA GOSS'S	Will	Ance To	Antia, Mile	Acre	NOFO 3	NO. S.	Arch He Pro	tein	TON
RM 113-119																							
CP5370SS*	113	T	M-H	SF	M	18-20	Н	Н	M	1	1	1	3	2	4	2	2	2	3	2	2	3	3
CP5320SSPRO*	113	T	Н	SF	M-L	16-18	M	Н	M	2	2	2	3	2	2	2	1	1	4	4	2	3	2
CP5329PCE*	113	M-T	M	SF	M-L	16-18	M	Н	Н	1	2	2	3	2	3	2	1	1	1	3	4	5	
CP5550VT2P*	115	M-T	M-H	SF	М	14-16	M	M	М	2	2	2	3	3	3	2	1	1	3	4	4	3	2
CP5678VT2P*	116	M	M	SF	M	14-16	M	Н	M	3	3	2	3	2	3	2	2	2	4	4	3	2	2
CP5682TRE*	116	M-T	M-H	SF	M-L	16-18	M	Н	Н	2	2	2	2	2	3	2	3	3	3	1	1	4	3
CP5700SVT2P*	117	M-T	M	SF	M	16-18	M	Н	M	2	2	NA	NA	NA	NA	3	1	1	2	4	4	2	,
CP5760TRE*	117	T	M-H	SF	NA	16-18	L	Н	М	2	3	3	3	3	NA	3	1	1	3	2	4	5	3
CP5893TRE*	118	M	M-L	SF	L	18-20	M	M	M	1	2	2	2	2	3	2	1	1	2	2	3	4	3
CP5900SVT2P*	119	T	M-H	SF	М	16-18	M	Н	NA	2	3	NA	NA	NA	NA	2	1	1	2	3	4	1	2
CP5911VT2P	119	T	M-H	SF	M	16-18	M	Н	Н	2	2	2	2	2	4	2	3	2	3	5	1	5	

1 = Excellent

2 = Strong

3 = Acceptable 4 = Manage

5 = Not Recommended

Product descriptions and ratings are generated from Answer Plot® trials and/or from the genetics supplier and may change as additional data is gathered.

Plant Height

XT = Extra Tall T = Tall

M = Medium

S = Short

Ear Height

 $\mathbf{H} = \mathsf{High}$ $\mathbf{M} = \mathsf{Medium}$ L = Low

3 Ear Flex

FL = Flex SF = Semi-flex FX = Fixed

4 Flower Date

L = Late $\mathbf{M} = \mathsf{Medium}$ E = Early

5 RTP/RTN/RTCC/RTF Ratings

 $\mathbf{L} = \text{Low Response}$ M = Moderate Response H = High Response TBD = To be tested in 2024

These ratings reflect trends observed in research trials that change with variations in rainfall, temperature, crop production patterns and other factors. Ratings on new hybrids are based on limited data and may change as more data is collected. *Follow IRM guidelines and refuge configurations to preserve the benefits and insect protection of these technology crops.

THERE'S NO SLOWING THIS SORGHUM DOWN. IT CAN PERFORM ALL SEASON LONG.

SELECT THE RIGHT FORAGE TYPE FOR YOUR OPERATION

► Forage Sorghum (single-cut silage)

Tall plant that has a sweet stalk and small grain head with limited regrowth potential.

Sorghum x Sudan (multi-cut or grazing)

Strong tillering and regrowth ability, ideal for multiple harvests with increased tonnage potential.

► Pearl Millet (multi-cut or grazing)

Brachytic plant stature with finer stalks, very leafy, stress tolerant, and prolific tillering.

SELECT THE HYBRID WITH THE TRAIT YOU NEED

BROWN MIDRIB-6 TRAIT

- Excellent forage quality and agronomics.
- BMR-6 varieties produce less lignin to improve digestibility and palatability.
- Trait available in the following forage types: forage sorghum, sorghum x sudan, pearl millet.

BRACHYTIC TRAIT

- Excellent standability and tillering.
- Shorter stature and high leaf-to-stem ratio due to reduced internode length.
- Trait available in the following forage types: forage sorghum, sorghum x sudan, pearl millet.

PHOTOPERIOD SENSITIVITY TRAIT

- Extended harvest window.
- Remains vegetative until day length falls below 12 hours and 20 minutes, then entering reproductive stage.
- Trait available in the following forage types: forage sorghum, sorghum x sudan.

MALE STERILE TRAIT

- Produces no anthers or pollen to self-fertilize and produce seed (an outside pollen source can still pollinate if close enough)
- Sugars and protein produced stay in the vegetative material vs being mobilized to produce grain
- Plant maintains quality and palatability
- Higher energy content than hybrids that produce grain

HERBICIDE TOLERANCE

 igrowth® and Double Team™ Trait herbicide tolerant hybrids are now available to help protect against hard to control grass and broadleaf weeds.

CROPLAN BMR 3211 Stress Tolerance Regions: Central|East|North|Double-crop Disease Tolerance Characteristics Forage Quality Maturity: Early Dry Hay Silage

Grazing

- Early-maturing hybrid; slightly better forage quality than 3212
- BMR-6 trait with excellent forage quality potential; great for lactating cows
- Strong disease resistance; moves well north and east; excellent doublecropping option in Central Plains
- Avoid overwatering and excessive populations; plants can reach 8 feet
- Recommended seeding rate: 60-70K seeds per acre; 1-1 1/2 in. deep, depending on soil moisture

3506 CROPLAN Stress Tolerance Regions: Central|South|West Disease Tolerance **Characteristics** Forage Quality Maturity: Mid Dry Hay Silage Grazina

- Position where a systemic insecticide is needed for early insect control
- Extremely flexible hybrid; excellent disease and drought tolerance allow for placement across most of the U.S.
- Excellent yield potential; similar to a late-season hybrid; better on irrigation than
- Excellent standability; plants can reach 7-8 feet; manage water and fertility for a mid-maturity hybrid
- Recommended seeding rate: 50-60K seeds per acre at 1-1 1/2 in. deep, depending on soil moisture

CROPLAN BMR 3212

Stress Tolerance Regions: Central|East|North|Double-crop Disease Tolerance Characteristics Forage Quality Maturity: Early Dry Hay Silage

Grazing

- Early-maturing hybrid; excellent yield potential; potentially better standability over 3211
- BMR-6 trait with excellent forage quality potential; great for lactating cows
- Strong disease resistance; moves well north and east; excellent doublecropping option in Central Plains
- Avoid overwatering and excessive populations; plants can reach 8 feet
- Recommended seeding rate: 60-70K seeds per acre; 1-1 1/2 in. deep, depending on soil moisture



- Excellent forage quality of the BMR-6 gene paired with the brachytic dwarf trait for high leaf-to-stem ratio
- Extremely flexible hybrid; excellent disease and drought tolerance allow for placement across most of the U.S.
- Sugarcane aphid tolerance offers in-plant crop protection for areas that experience this pest regularly
- Combines brachytic dwarf traits with excellent stalks; excellent standability with a 6-7 foot height
- Recommended seeding rate: 60-100K seeds per acre at 1 to 1 1/2 inches deep, depending on soil moisture

2 = Strong


Third Number: 0 = No special features; 1 = BMR; 2 = BMR and photoperiod; 3 = BMR and brachytic; 5 = Conventional dwarf, not a brachytic; 8 = Photoperiod



- DT™ trait for in-season control of grassy weeds in herbicide tolerant sorghum
- Very good yield potential; good quality from very leafy, dense canopy
- Highly versatile placement across growing regions with great stress tolerance
- Recommended seeding rate: 60-80K seeds per acre at 1-1 1/2 in. deep, depending on soil moisture

CROPLAN 3681 AT Stress Tolerance Regions: Central|South|West Disease Tolerance Characteristics Forage Quality Maturity: Mid/Late Dry Hay Silage Grazina

- Conventional hybrid with excellent tolerance to sugarcane aphid (SCA), which may be on plant in low numbers
- Extremely flexible hybrid; excellent disease and drought tolerance allow for placement across Central and Southern U.S.
- Very high leaf expression and great stalks; great yield potential- among highest in industry; handles stress well
- Excellent standability; plants can reach 8-9 feet; manage water and fertility for a mid-maturity hybrid
- Recommended seeding rate: 60-70K seeds per acre; 1-1 1/2 in. deep, depending on soil moisture



- IQ (improved quality) series has higher forage quality potential than conventional hybrids
- Extremely flexible hybrid; excellent disease and drought tolerance allow for placement across most of the U.S.
- Excellent yield potential; similar to a late-season hybrid; better on toughest dryland than 3506
- Excellent standability; plants can reach 7-8 feet; manage water and fertility for a mid-maturity hybrid
- Recommended seeding rate: 50-60K seeds per acre at 1-1 1/2 in. deep, depending on soil moisture




- Excellent forage quality of the BMR-6 gene paired with the brachytic dwarf trait for high leaf-to-stem ratio
- Extremely flexible hybrid; excellent disease and drought tolerance allow for placement across most of the U.S.
- Late maturity variety with excellent combination of yield potential and quality requiring a full growing season
- Combines the brachytic dwarf traits with excellent stalks; excellent standability with a 6-7 foot height
- Recommended seeding rate: 60-100K seeds per acre at 1-1 1/2 in. deep, depending on soil moisture




- igrowth® herbicide tolerant variety to use with IMIFLEX™ herbicide system for excellent pre-emerge or post application
- Extremely flexible hybrid; excellent disease and drought tolerance allow for placement across most of the U.S.
- Late maturity variety with excellent combination of yield potential and quality requiring a full growing season
- Combines the brachytic dwarf traits with excellent stalks; excellent standability with a 6-7 foot height
- Recommended seeding rate: 60-100K seeds per acre at 1-1 1/2 in. deep, depending on soil moisture

NEW **CROPLAN Greentreat® 1931** Stress Tolerance Regions: Central|East|North|South|West Disease Tolerance Forage Quality Maturity: photoperiod sensitive Dry Hay Silage Grazina

- Brachytic dwarf BMR-6 gene for excellent efficiency; sugarcane aphid tolerant, photoperiod sensitive, male sterile
- Photoperiod sensitive trait allows the plant to remain in the vegetative state with a minimum of 12 hours and 20 minutes of daily sunlight; then head formation starts
- Male sterile trait aids in capturing plant sugars as it will not produce viable seed as heads emerge at end of the season
- Harvest at 40 days or 40 inches, whichever comes first; for grazing, start when plants reach 18 to 24 inches, remove animals when two nodes are left aboveground
- Recommended seeding rate: 20 to 25 lbs. per acre at a depth of 1 inch (by drill is recommended)



- Excellent forage quality of the BMR-6 gene paired with the brachytic dwarf trait; lower cutting height and high leaf-to-stem ratio
- Excellent variety for drought tolerance and heat stress; strong disease package for humid areas and anthracnose risk
- Dry stalk (~5% less) paired with fine stems allows for easier transition into dry hay use
- Forage quality may be compromised without proper harvest management (40 days or 40 in.); harvest prior to 50 days before head is initiated
- Recommended seeding rate: 20-25 lbs. per acre at a depth of 1 inch (by drill)



- Standard height BMR-6 gene for excellent efficiency; sugarcane aphid tolerant, photoperiod sensitive, male sterile
- Photoperiod sensitive trait allows the plant to remain in the vegetative state with a minimum of 12 hours and 20 minutes of daily sunlight; then head formation starts
- Male sterile trait aids in capturing plant sugars as it will not produce viable seed as heads emerge at end of the season
- Harvest at 40 days or 40 inches, whichever comes first; for grazing, start when plants reach 18 to 24 inches, remove animals when two nodes are left aboveground
- Recommended seeding rate: 20 to 25 lbs. per acre at a depth of 1 inch (by drill is recommended)

CROPLAN PM 4507 PM

Regions: Central|East|North|South|West

Maturity: Heads at ~50 days

Stress Tolerance Disease Tolerance Forage Quality Dry Hay Silage Grazing

- Leafy, compact structure with extremely uniform maturing height
- Excellent yield potential and quick drydown; ideal for baled hay
- Resistant to sugarcane aphid; good disease tolerance; well-adapted for use in all growing areas
- Great for horses as dry hay or grazing; no prussic acid; harvest at 40 days or 40 inches; 6" cut height
- Recommended seeding rate: 10 to 15 lbs. per acre at a depth of 3/4 inch (by drill is recommended)

CROPLAN PM 4613 BMR

Regions: Central|East|North|South|West

Maturity: Heads at ~50 days



NEW

- Extremely uniform in maturing height; high yield potential and quick drydown; ideal for baled hay
- Resistant to sugarcane aphid; good disease tolerance; well-adapted for use in all growing areas
- Great for horses as dry hay or grazing; no prussic acid; harvest at 40 days or 40 in.; 6" cut height
- Recommended seeding rate: 10-15 lbs. per acre at a depth of 3/4 in. (by drill)
- Leafy, compact Brachytic structure; the BMR-6 gene provides exceptional forage digestibility

		Naturity Section	Rate Per Acie Security	Average See Tound (A DOU	Tennar plant		Tolerance	Drought St.	Stress Tolera	sease toleral	Sugar cane	Applie Se	On	Nay Bales		Gra	
	BRAND	With	ACT &	EDIA COL	Per "	ing .	BMA STARCE	Cide "	er, o	TCO AL	ice ance	Dhin of	Dry,	Kay C	Ro 11	Grat,	The last
	FORAGE SORGHUM HYBE	RID															
	BMR 3211	Early	60-70K seeds	1-1 1/2"	15.5	60	Υ	N	2	3	2	-	2	4	3	1	3
	BMR 3212	Early	60-70K seeds	1-1 1/2"	15.5	60	Υ	N	2	3	2	-	2	4	3	1	3
	IQ 3501	Mid	50-60K seeds	1-1 1/2"	15	60	N	N	1	2	1	-	2	5	3	1	5
	3506	Mid	50-60K seeds	1-1 1/2"	15	60	N	N	2	2	1	-	2	5	3	1	5
	3541 BMR LEAFY AT	Mid	60-100K seeds	1-1 1/2"	15	60	Υ	N	1	2	1	2	2	5	3	1	5
NEW	3661 DT	Mid	60-80K seeds	1-1 1/2"	15	60	N	Υ	2	2	2	-	2	4	3	1	4
	3681 AT	Mid/Late	60-70K seeds	1-1 1/2"	15	60	N	N	1	2	1	1	2	5	3	1	5
	3731 BMR LEAFY	Late	60-100K seeds	1-1 1/2"	15	60	Υ	N	1	2	1	-	2	5	3	1	5
	3851 IG	Late	60-100K seeds	1-1 1/2"	15	60	N	Υ	1	2	1	-	2	5	3	1	5
	SORGHUM X SUDANGRAS	SS HYBRID															
	Greentreat® 1531	Heads at ~50 days	20-25 lbs	1"	14	60	Υ	N	1	1	2	-	3	1	1	3	1
NEW	Greentreat® 1931	photoperiod sensitive	20-25 lbs	1"	15	60	Υ	N	2	2	2	1	3	1	1	2	1
NEW	Greentreat® 1961	photoperiod sensitive	20-25 lbs	1"	15	60	Υ	N	2	2	2	1	3	1	1	2	1
	PEARL MILLET																
NEW	PM 4613 BMR	Heads at ~50 days	10-15 lbs	3/4"	60	65	Υ	N	2	1	2	1	3	1	2	3	1
	PM 4507 PM	Heads at ~50 days	10-15 lbs	3/4"	60	65	N	N	2	2	2	1	3	1	1	3	1

1 = Excellent

2 = Strong

3 = Acceptable

4 = Manage

5 = Not Recommended

Product descriptions and ratings

are generated from Answer Plot®

trials and/or from the genetics

supplier and may change as

additional data is gathered.

Hybrid Number System

First Number: 1 = Sorghum x Sudan; 2 = Sudan; 3 = Forage Sorghum; 4 = Pearl Millet

Second Number: 1 = Very Early; 2 = Early; 3-4 = Mid-Early; 5 = Mid; 6-7 = Mid-Late; 8 = Late; 9 = PPS

Third Number: 0 = No Special Features; 1 = BMR; 2 = BMR and Photoperiod; 3 = BMR and Brachytic; 5 = Conventional Dwarf, not a Brachytic; 8 = Photoperiod

Fourth Number: Series number or new variety type

HIGH PERFORMANCE STARTS WITH A HIGH TOLERANCE FOR TOUGH CONDITIONS.

SELECT THE HYBRID WITH THE TRAIT YOU NEED

CROPLAN® grain sorghum products offer traits that have made great progress in protecting plants from insect damage and reducing competition from weeds.

SUGARCANE APHID TOLERANCE (SCA)

- Use a tolerant hybrid to slow down the rate of infestation. Plant as early as soil temperature allows. And while many commercially available products have high levels of sugarcane aphid tolerance, an earlier-maturity variety may help avoid late-season infestation in areas of high concern.
- Scout early and often. And use approved Sugarcane Aphid approved insecticide as soon as threshold is reached.
- Insecticides may cause SCA numbers to increase rapidly. Make sure to avoid using pyrethroids and other insecticides that are harmful to beneficials (SCA natural enemies include lady beetles, hover fly and green lacewing).

POST EMERGENT APPLICATION

Multiple product options are accessible for over-the-top application for weed control. For example, igrowth® and DT Trait™ herbicide tolerant hybrids are now available for use for over-the-top application of IMIFLEX® and FirstAct® Herbicide, respectively, for select grass and broadleaf weed control.

STRESS TOLERANCE

CROPLAN grain sorghum products are selected to endure tough growing conditions while maintaining the flexibility to support higher yield potentials in more favorable environments.

1. Product selection and placement

Assess your growing environment (low vs. high stress), yield goals and production risk level to choose and place appropriate grain sorghum hybrids.

2. Planting population

Mitigate risk on dryland acres by adjusting the planting population according to soil moisture and nutrient availability.

3. Optimizing yield

Know your yield ceiling in each environment and manage accordingly, with the support of adequate fertility, effective weed control and proactive pest management.




- DT[™] Trait for use of over-the-top herbicide grass weed control; uses Double Team™ Sorghum Cropping Solution
- Great use for double crop and early, short growing season environments
- Take advantage of the DT2 system allowing an earlier application (4") of First Act Herbicide for early week control post emerge
- Very good charcoal rot tolerance

CROPLAN, CP5730DT	DT _™ TRAIT	
Adaptation: SD, NE, KS, CO, OK, TX Maturity To Mid-Bloom: 57	Character Seedli Test V Stalk	To Maturity 1 Exertion 2 ling Vigor 1 Weight 2 Strength 3 Strength 1

- DT[™] Trait for use of over-the-top herbicide grass weed control; uses Double Team™ Sorghum Cropping Solution
- Great use for double crop and early, short growing season environments
- Great emergence
- Use caution with growth regulator herbicides

CROPLAN CP6145DT	DT _" TRAIT		
Adaptation: SD, NE, KS, CO, OK, TX Maturity To Mid-Bloom: 61	Characteristics	Yield To Maturity Head Exertion Seedling Vigor Test Weight Stalk Strength Root Strength	2


- Double Team[™] hybrids provide excellent control of crabgrass, volunteer corn, sandbur, barnyard grass and more
- Excellent yield potential at maturity
- Great emergence and standability
- Use caution with growth regulator herbicides



- DT[™] Trait for over-the-top application of grass weed control using the Double Team™ Sorghum Cropping Solution
- Tremendous emergence in cool soils
- Excellent standability and stalk quality from late season staygreen




- DT[™] Trait for over-the-top application of grass weed control using the Double Team™ Sorghum Cropping Solution
- Earlier weed control with the DT2 system allowing application sooner, 4 leaf or
- Very good sorghum aphid tolerance for plant yield protection
- Very good charcoal rot tolerance



- DT[™] Trait for over-the-top application of grass weed control using the Double Team™ Sorghum Cropping Solution
- Great standability due to short stature and late season stay green
- High levels of sorghum aphid tolerance
- Great cool soil tolerance to get a few more days to push to higher yields



- iGrowth® herbicide tolerant hybrid to aid in weed control
- Well adapted to the tough dryland acre and limited irrigation; highly suited for
- Great head exertion allows less material to be processed; beautiful appearance and uniformity in the field
- Moderate sugarcane aphid (SCA) tolerance; monitor and manage as needed in SCA-prone areas
- Increase management to find top-end yield potential



- iGrowth® herbicide tolerant hybrid for pre-emerge or post application of herbicide for grass control
- Tremendous looking variety that can perform well across multiple geographies
- Can move east across KS, OK, north TX and into eastern states
- Works best as an inclusion in a pre-herbicide program; option to use as postapplication if not utilized as a pre-emerge
- Place along I-35 corridor and east with better soils and moisture for top-end yield potential



Adaptation: ND, SD, NE, CO, KS, OK, TX, WY, MT

Maturity To Mid-Bloom: 53

Yield To Maturity **Head Exertion** Characteristics Seedling Vigor Test Weight Stalk Strength Root Strenath

NEW

- Early option for those focused on maximizing a short growing season or challenged by daylength or lack of late moisture
- Very tough hybrid and early stable grain producer
- Great use for double crop and early, short growing season environments
- Sugarcane aphid (SCA) tolerance is very good for those in areas with SCA pressures

CROPLAN CP5811A

Adaptation: SD. NE. KS. CO. OK. TX


Maturity To Mid-Bloom: 58

Yield To Maturity **Head Exertion** Characteristics Seedling Vigor Test Weight Stalk Strength Root Strength

- Good yield potential for stressed acres in the High Plains
- Handles pre-flowering stress well to maintain yield potential
- Stable performance potential in low yield environments with good potential on higher yielding soils with water and management
- Tough, grower friendly dryland product for the Western Plains (SD, central/western NE, central/western KS, eastern CO)
- Medium plant height to help standability; semi-open head to assist in grain dry down

CROPLAN CP6011 Yield To Maturity Adaptation: SD. NE. KS. CO. OK. TX Head Exertion Characteristics Seedling Vigor Maturity To Mid-Bloom: 60 Test Weight Stalk Strength Root Strength

- Excellent drought tolerance to handle pre-and post-flower stresses on tough dryland acres in the Western Pains
- Moderate plant height with great stalk and root strength
- Manage appropriately in areas with a history of heavy Anthracnose pressure
- Well suited for no-till and dryland acres where an early harvest is desired
- Early maturing variety with consistent yield potential product on tough acres with limited rainfall (western SD, NE, KS and eastern CO)



- Excellent root and stalk strength for strong standability
- Extremely strong performance on the early side and very versitile to manage
- Sorghum aphid tolerance in addition to very good disease tolerance to protect yield potential



- Excellent root and stalk strength for strong standability
- Very consistent and stable performance potential across geographies
- Adaptation north to south, from SD through TX all the way to Mexico
- Will move east well due to disease tolerance; not suited for short season stress areas of eastern CO, northwest KS and higher elevations
- Improvement to gradually take on the 6211A acres



- Great product for moving south and east into higher yield environments, better soil conditions and irrigated acres
- Great semi-open head hybrid with excellent test weight and beautiful red grain
- Very high yield potential product with consistent performance
- Strong sugarcane aphid (SCA) tolerance helps protect yield potential in SCA prone areas



- Medium-tall hybrid with very good uniformity in the field
- Above average drought tolerance
- Good on saline type soils
- Excellent full season dryland product for OK, TX, central/eastern KS and southcentral NE
- Manage appropriately in areas prone to anthracnose

ВІ	Mailirity to Min 816	Seeding o	Alerge Seels II	the arpaning	SCA TOLETAL	Adapta st.	Tole Herbich	Pant Hell	Kieloto Maturity	High End V.	Response Vield	iely ance	Mean Exertion	Seedling Vigor	Test Weight	Stalk Strength	Roor Strength	Threshability	Filsari Heau Smi	In Head Bligh	Anthrachos	Willow Se	
DT'	TM																						
NEW CP	5614DT2	56	1-1 1/2"	12	60	Υ	Y	Υ	short	1	2	1	1	2	1	1	2	1	2	NA	NA	NA	NA
CP	5730DT	57	1-1 1/2"	12	60	N	Υ	Υ	Med	1	2	2	1	2	1	2	3	1	3	NA	NA	NA	NA
CP	6145DT	61	1-1 1/2"	14	60	N	NA	Υ	Med	1	2	1	1	2	1	2	2	1	1	2	NA	3	S
CP	6409DT	64	1-1 1/2"	14	60	N	Υ	Υ	Med	2	2	2	2	1	1	2	2	2	3	NA	NA	NA	NA
NEW CP	6454DT2	64	1-1 1/2"	14	60	Υ	Υ	Υ	Med	3	2	3	2	2	1	2	1	1	2	NA	NA	NA	NA
NEW CP	6621DT	66	1-1 1/2"	14	60	Υ	NA	Υ	short	2	2	3	3	3	1	3	1	2	4	NA	NA	NA	NA
igr	owth®																						
CP	6367IG	63	1-1 1/2"	14	60	N	Υ	Υ	46-50"	1	1	2	2	1	1	1	2	2	1	NA	NA	NA	NA
NEW CP	6664IG	66	1-1 1/2"	14	60	N	Υ	Υ	36-43"	1	1	2	3	1	2	1	1	2	1	NA	NA	NA	NA
Co	nventional																						
NEW CP	5302 E	53	1-1 1/2"	12	60	Υ	Υ	N	Med	1	3	1	1	2	1	2	2	1	3	NA	NA	NA	NA
CP	5811A	58	1-1 1/2"	17	60	Υ	NA	N	47-50"	2	2	1	1	2	1	2	1	1	2	NA	3	NA	S
CP	5921A	59	1-1 1/2"	15	60	Υ	NA	N	31-35"	1	1	1	-	1	2	1	2	2	1	2	NA	2	S
CP	6011	60	1-1 1/2"	14	60	N	NA	N	38-42"	1	1	1	2	3	3	2	1	1	2	4	3	4	T
CP	6021A	60	1-1 1/2"	14	60	Υ	NA	N	31-35"	1	2	1	-	2	2	2	2	2	1	2	NA	2	S
NEW CP	6111A	61	1-1 1/2"	14	60	Υ	Υ	N	42-47"	3	3	1	1	3	2	3	1	2	3	2	4	NA	S
CP	6211A	62	1-1 1/2"	15	60	Υ	Υ	N	50-53"	2	2	2	-	3	1	1	2	1	2	2	2	NA	S
NEW CP	6311A	64	1-1 1/2"	15	60	Υ	Υ	N	47-52"	1	2	2	2	2	1	1	2	1	2	2	2	NA	S
CP	6811	68	1-1 1/2"	14	60	N	NA	N	50-55"	2	1	2	4	3	2	2	2	1	2	4	3	3	S
CP	7011A	70	1-1 1/2"	15	60	Υ	Υ	N	53-57"	1	1	2	-	1	1	2	2	2	1	2	2	NA	S
NEW CP	7021A	70	1-1 1/2"	15	60	Υ	Υ	N	53-57"	1	1	2	2	1	1	2	2	2	1	2	2	NA	S

Scale 1 = Excellent

2 = Strong

3 = Acceptable

4 = Manage

5 = Not Recommended

1 Downy Mildew:

Product descriptions and ratings

are generated from Answer Plot®

trials and/or from the genetics

supplier and may change as

additional data is gathered.

 $\mathbf{S} = \text{Susceptible}$

T = Tolerant

Hybrid Number System

First & Second Number = Maturity to Mid-Bloom

Third & Fourth Numbers = Sequential

Trait Lettering: A = Sugarcane Aphid tolerance; ig = igrowth herbicide tolerance

TRITICALE. GIVE YOUR SOIL THE WINTER WORKOUT IT NEEDS.

IDLE ACRES DON'T FEED THE FARM. OUR TRITICALE DOES.

CROPLAN® triticale helps fill the void left by idle winter acres, offering soil health benefits and the ability to supply forage year-round.

TRITICALE BENEFITS

- Solid performance on marginal soils (light sandy, acidic, saline and sodic)
- Excellent drought tolerance, outperforming barley, wheat and oat when soil moisture is low
- High-yielding and high-quality forage crop
- Ideal winter cover crop; reduces erosion risks and supports soil health in the offseason
- Deep, fibrous root system to scavenge nutrients, find water and store deeper carbon
- Strong agronomics: excellent tolerance to grazing, cold temperatures and diseases; competitive against weeds

FACULTATIVE VS WINTER TRITICALE

Agronomic and management differences between facultative and winter triticale can impact production success. Your CROPLAN retailer can help you choose the best variety for your needs.

	FACULTATIVE TRITICALE	WINTER TRITICALE
Planting Season	Spring or Fall	Fall
Cold Tolerance	Less Cold Tolerant	High Cold Tolerance
Vernalization Requirement	Lower Requirement	High Requirement
Sensitivity to Short Days	Less Sensitive	Highly Sensitive
CROPLAN Variety	CP Blade F02-A	CP Blade W01

HARVEST FLEXIBILITY

Triticale can be managed for higher tonnage or higher quality, based on harvest timing. For the highest quality forage, initiate harvest before the heads emerge from the boot. To maximize forage yield potential while maintaining quality, initiate harvest at the soft dough stage.

NEW

CROPLAN CP BLADE F02-A

Region: North/South Planting Season: Fall/Spring Head Type: Awnless


Straw Strength Winterhardiness Silage Quality Stripe Rust Leaf Rust

- Facultative Triticale will not overwinter well in far northern areas north of I-90; recommend planting a true winter triticale in northern areas
- Facultative Triticale can be planted in the fall south of I-90 with good results; can be spring planted with great results in northern areas and does not need to vernalize to produce tillers
- Awnless varieties will greatly reduce the risk of mouth and digestive issues if harvest is prolonged and heads begin to fill and mature



Region: North/South Planting Season: Fall Head Type: Awned

Straw Strength Winterhardiness Silage Quality Stripe Rust Leaf Rust



NEW

- Great overwintering ability in northern climates under harsher conditions
- High-yield potential with proper management
- Highest quality when harvested early; at boot, the quality will drop more quickly

Prand Prant	* Season	Region Planti	Se Asia	See aling	C Depth He	No. Marino	Min	Stan St	Minterhali enem	Siage (Strite Rist Resis	lear Alist Acsist	⁵ 41 _{Co}
NEW CP BLADE FO2-A	FALL/ SPRING	NORTH/ SOUTH	1.5 M/AC NORTH 1.3 M/AC SOUTH	15,000	1"	AWNLESS	MEDIUM	TALL	2	2	1	2	1
NEW CP BLADE W01	FALL	NORTH/ SOUTH	1.5 M/AC NORTH 1.3 M/AC SOUTH	15,000	1"	AWNED	MEDIUM	TALL	3	1	1	2	1

KEY Scale 1 = Excellent

2 = Strong

3 = Acceptable

4 = Manage

 $\mathbf{5} = \mathsf{Not} \; \mathsf{Recommended}$

Product descriptions and ratings are generated from Answer Plot® trials and/or from the genetics supplier and may change as additional data is gathered.

Product Naming System

F = Facultative

 $\mathbf{W} = \text{Winter}$

S = Spring

A = Awnless (no awns)

AL = Awnletted (very short awns)

 $\mathbf{D} = \mathsf{Dwarf}$

THIS BRAND OF SPRING CANOLA IS BUILT FOR YOU.

THE RIGHT GENETICS AND TRAITS FOR YOUR ACRES

► CROPLAN® seed brings genetic diversity to the farm with the latest weed-control options such as the LibertyLink® canola system and TruFlex® canola, which offers outstanding crop safety.





LUMIDERM® INSECTICIDE SEED TREATMENT

An industry leading technology responsible for:

- Improved control of flea beetle and cutworm.
- Providing crops with increased stand establishment, plant vigor and biomass.




SC designates these products have met the minimum requirements for standability and reduced shatter to be considered a straight-cut hybrid.



SC+ indicates a hybrid has met the highest level of requirements for optimum straight-cut performance.

CROPLAN SEED DELIVERS EXCELLENT SHATTER SCORE


► CROPLAN® TruFlex® canola hybrids demonstrated a lower shatter score than competitive checks in a recent study from the Answer Plot® Innovation Farm in Washburn, ND.




Variety Trial.

Answer Plot Innovation Farm Data. Trial was harvested October15th. The trial was extended six weeks post optimum harvest to exaggerate the effects of shatter on the trial.


Results not statistically significant and may vary. Because of factors outside of WinField United's control, such
as weather, product application and any other factors, results to be obtained, including but not limited to yields,
financial performance or profits, cannot be predicted or guaranteed by WinField United.




- Industry-leading oil content
- Excellent yield potential for early maturity; strong stress tolerance
- Good for straight-cutting; good shatter scores
- Strong vigor; for less-than-ideal seedbeds and no-till



- Excellent for early straight-cutting with some of the industry's leading shatter/pod drop tolerance
- Great standability with high yield potential
- Flexibility for multiple environments
- Strong vigor and early flower




- Very good shatter scores and standability
- Early maturity helps manage workload in timely straight-cut systems
- Strong disease package with resistance to both clubroot and blackleg




- Highest yield potential in cooler, higher yielding environments; responds well to higher populations
- Excellent vigor for heavy trash, cold soils or no-till
- LepR3, RlmS provide enhanced blackleg resistance
- Excellent for straight-cutting with some of the industry's leading shatter/pod drop tolerance





- High yield potential hybrid in cooler and moderate- to higher-yielding environments
- Great early season vigor
- Low RTN score increases stability across acres; helps in lower nitrogen soils or under lower nitrogen management systems
- Brings sclerotinia, clubroot and blackleg resistance




- Contains resistance to multiple clubroot pathotypes, strong blackleg resistance, and good tolerance to verticillium stripe
- Excellent for straight-cutting; good shatter scores



- High yield potential hybrid in cooler and moderate- to higher-yielding environments
- Excellent shatter/pod drop scores, even under stress
- Low RTN increases stability across acres; helps in lower nitrogen soils or under lower nitrogen management systems
- Brings sclerotinia, clubroot and blackleg resistance

5 = Not Recommended





BRAND	Ronicine folding	Minon Seel Size	Days to	Relative I	Malirity Black	Resistance Gro		Cillion Reg		Straight. C.	Drought tole	oil oil	Pontessonse Content	Nitrogen Arwi	6 0
ROUNDUP R	EADY® CANOLA														
CP930RR	ROUNDUP READY	90-120,000	1	45	90	R	С	S	S	1	3	1	1	M	L
TRUFLEX™ C	ANOLA														
NEW CP9551TF	TRUFLEX		1	43	90	R	А	SOURCE A	M-S	1	1	1	1	TBD	L
CP9221TF	TRUFLEX	90-120,000	1	43	88	R	MULTI	R - SOURCE A/B	M-S	1	2	1	2	L	Н
CP9978TF	TRUFLEX	100-115,000	1	46	92	R	A, G	S	M-S	1	1	2	2	Н	M
LIBERTY LIN	K® CANOLA														
NEW CP7500LL	LIBERTY LINK		1	48	92	R	MULTI	R - CR6	M-T	1	2	2	1	TBD	TBD
CP7130LL	LIBERTY LINK	90-120,000	1	48	91	R	MULTI	R - 2, 3, 5, 6, 8	M	2	3	2	3	M	L
NEW CP7250LL	LIBERTY LINK	90-120,000	1	50	94	R	MULTI	R - 2, 3, 5, 6, 8	M	2	2	3	8	M	L

KEY

Scale

1 = Excellent

 $\mathbf{2} = \mathsf{Strong}$

3 = Acceptable

4 = Manage

5 = Not Recommended

Product descriptions and ratings are generated from Answer Plot® trials and/or from the genetics supplier and may change as additional data is gathered. 1 Height

T = Tall
M = Medium
S = Short

2 Blackleg Field Resistance

 $\mathbf{R} = \text{Resistant}$

MR = Moderately Resistant
MS = Moderately Susceptible

S = Susceptible

Blackleg Resistance Group

B C D E1 E2 F G H

Multi

Clubro

R = Resistant; clubroot genes are effective against pathotypes 2, 2B, 3, 3A, 5, 5X, 6, 8 and Source A/B

5 RTP/RTF/RTN Ratings

L = Low Response
M = Moderate Response

M = Moderate ResponsH = High Response

YOU CAN'T SPELL WINTER CANOLA WITHOUT A WIN.

USE CUTTING-EDGE WEED CONTROL

CROPLAN® seed offers the latest herbicide management systems with excellent crop safety ratings to give your canola a clean chance at success.

ROUNDUP READY® WINTER CANOLA

- Strong on cheat, feral rye and other tough grasses.
- Optimal control with Class Act® NG® and InterLock® adjuvants.
- Excellent crop safety with Roundup® brand agricultural herbicide for in-crop applications.

ROUNDUP READY® WINTER CANOLA WITH SURT

- Review the crop protection history of previous wheat crops.
- Improved crop safety from previous wheat crops with a long-residual sulfonylurea herbicide.
- Susceptibility to many broadleaf herbicides with a long residual life.





CANOLA ROTATION RESTRICTIONS? WE HAVE YOU COVERED.

Group 2 Flexible (G2Flex®) residual tolerance technology allows canola to be planted right behind wheat in soils with Group 2 herbicide residuals, including imidazolinones, sulfonylureas, sulfonamides and triazolopyrimidines.

WinField United is the exclusive provider of the only canola variety with the G2Flex trait — CROPLAN® CP1022WC winter canola.




PLANTING FOR WINTERHARDINESS


- Canola should be planted six weeks before the first killing frost date for the area (less than 25° F).
- Seeding date is important to establishing a crop that has sufficient growth for good winterhardiness.
- Planting into a clean seedbed free of crop residue allows for better winterhardiness.
- Crop residue can elevate plant crowns and expose them to more temperature fluctuations and winterkill.




- Strong yield potential and excellent stress tolerance for multiple environments
- SURT (sulfonylurea residual tolerant)
- Dependable variety; approved for first-time High Plains canola growers
- Handles low-pH soil better than other products




- Excellent yield potential in highly productive environments
- Best winterhardiness in CROPLAN® Roundup Ready® lineup; excels in all regions
- Strong fall vigor
- Roundup Ready®-only tolerance






- soil with Group 2 herbicide residuals
- Great conventional with excellent yield potential for multiple environments
- Winter wheat rotation friendly variety with soil residual technology
- Medium-tall product with good standability

3 = Acceptable



- Best winterhardiness in the whole CROPLAN® line-up
- Very good lodging tolerance
- Consistent performer across environments and management styles
- Excellent yield potential; very good performance across national winter canola variety trials



- Excellent yield potential in more offensive environments
- Excellent pod shatter resistance for straight-cut opportunities
- Extremely high yielding conventional hybrid
- Taller product with good standability

KEY

BRAND	Northicine Tolerance Prair	Sonne Soo	n _{Seensie} Range	Mallirity Ho.	an oil	anten F.	Winterhal Wigor	Tiliness	Oronghy To	Verance
ROUNDUP REAL	DY® + SURT WINTER CANOLA									
CP115WRR	Roundup Ready + SURT®	Open Pollinated	100,000-130,000	Medium	M-S	2	2	2	2	1
NEW CP225WRR	Roundup Ready + SURT®	Open Pollinated	100,000-130,000	Medium	M	1	2	2	2	2
ROUNDUP REAL	DY® WINTER CANOLA									
CP320WRR	Roundup Ready	Open Pollinated	100,000-130,000	Medium	M	1	1	1	2	2
CONVENTIONAL	. + G2FLEX™ WINTER CANOLA									
CP1022WC	Conventional + G2Flex	Open Pollinated	100,000-130,000	Medium	T	1	1	1	2	1
CONVENTIONAL	. WINTER CANOLA									
CP1077WC	Conventional Winter Canola	Hybrid	90-120,000	Medium	T	1	1	2	2	2
CP1066WC	Conventional Winter Canola	Open Pollinated	100,000-130,000	Medium	М	1	1	1	1	2

KEY

Scale

1 = Excellent

2 = Strong

3 = Acceptable

4 = Manage

5 = Not Recommended

Product descriptions and ratings are generated from Answer Plot® trials and/or from the genetics supplier and may change as additional data is gathered.



T = Tall

 $\mathbf{M} = \mathsf{Medium}$

S = Short

PROVIDING A SUNNY OUTLOOK ON SUNFLOWER YIELD POTENTIAL.

FORTENZA® INSECTICIDE SEED TREATMENT

An industry leading technology, that's been added to our seed treatment offering is responsible for:

- Improved control of cutworm.
- Providing crops with increased stand establishment, plant vigor and biomass.

PROSUN® PRECISE SEED COATING

Prosun® precise seed coating is available on select CROPLAN® sunflower hybrids and offers:

- Consistent seed size, which helps optimize yield potential.
- Uniformity in stand establishment.
- Even growth for optimal weed, disease and insect management.

TRAIT OPTIONS FOR THE WEED CONTROL YOU NEED

We offer farmers the ExpressSun® and the Clearfield® Production System traits, both of which provide good weed-control options to farmers.

BEYOND® AND EXPRESS® HERBICIDES

- Require preemergence herbicide treatments (Spartan® Charge, BroadAxe® or Prowl® H20) or preplant-incorporated herbicides (Framework®, Prowl® H20 or Sonalan®) to combat kochia and Russian thistle.
- Group 2 herbicide mode of action: ExpressSun® trait is tolerant to Express® herbicide and Clearfield® Production System is tolerant to Beyond® herbicide.


BRING THE POWER OF PROOF TO YOUR FARM

At our Answer Plot Innovation Farm, we're able to test more products than ever. In fact, we're increasing our ability to test each hybrid's response to nitrogen, fungicide and population to better our understanding of management for every product in our brand. By taking it down to a more granular level with foliar micronutrients, in-furrow biologicals, insecticides and fungicides, it allows us to evaluate new novel seed treatments to help make the stand get up faster and stronger.


Check out the Answer Plot® results below. They're proof that bringing high-end genetics with the latest traits and an unbiased focus on product development can deliver big yield potential.

REGIONAL			C	ROPLAN	EXPRES	SSUN® I	RODUC	TS		
BREAKOUT	CP4157E	CP4255E	CP432E	CP4475E	CP4490E	CP450E	CP455E	CP4909E	MN	#LOC YRS
Low Yield Env (<2000#)	1,552	1,736	1,520	1,496	1,619	1,612	1,555	1,526	1,577	7
Mod Yield Env (2-2.5K#)	2,440	2,353	2,038	2,140	2,295	2,065	2,355	1,968	2,207	5
High Yield Env (>2500#)	3,016	3,219	3,012	2,947	3,025	3,057	3,327	3,028	3,079	8
Average	2,336	2,436	2,190	2,194	2,313	2,245	2,412	2,174	2,288	20
RRV	3,405	3,395	3,147	3,068	3,185	3,234	3,415	3,261	3,264	3
ND Sites	2,391	2,453	2,243	2,245	2,377	2,218	2,510	2,101	2,317	9
SD Sites	1,932	2,176	1,912	1,917	2,008	2,051	2,055	2,005	2,007	8


2022-2024 Answer Plot Combined Data from ND/MN/SD




- High yield potential for early maturity
- Shorter plant height; very uniform
- DMR PI 8; resistant to all common U.S. races of downy mildew
- Utilize higher populations if pushing yield goals higher; yield response to higher available nitrogen




- Excellent yield potential for maturity with very good Phomopsis tolerance
- Tall plant but strong roots and late-season stalks
- Very clean plant at harvest, nice head placement
- Strong agronomics for variable acres




- Top-end yield potential in high-yield environments; use caution on droughty soils
- Great stalk and root strength
- Short stature for excellent standability
- High yield response to increased populations and nitrogen




- High yielding HO for its early maturity; very good oil content
- Taller plant with good roots and stalks; excellent standability
- Excellent drought tolerance for tougher acres and lighter soils.
- Early flowering and maturity helps beat heat and drought




- High-oleic hybrid with excellent yield potential; a top performer in the CROPLAN® lineup
- Widely adapted across regions and field conditions
- Medium plant with excellent drydown
- Good drought response along with sclerotinia tolerance for higher-moisture years




- High yield potential, best performance is in higher moisture soils
- Good stalks for solid late-season stability under disease
- Lower populations to increase root size without giving up yield
- Data shows potential yield increase to higher available N in better soils




- Excellent yield potential; great defensive complement to CP455E
- Top performer in stressed environments
- Stronger standability than CP455E; good hybrid to plant early
- Good drought stress tolerance and low demand for additional nitrogen to maintain yield potential




- High yield potential with great offensive ability combined with excellent stress tolerance
- Good roots and stalks for good standability
- Low response to nitrogen enables consistent yield potential across environments
- Has shown to have good Phomopsis tolerance




- Very early, extremely short-statured hybrid
- Excellent stalks, roots and late season standability
- Ultra-early hybrid with DMR for the high oleic crush/birdseed market
- Excellent option for late-planting or double-crop acres with in-season ground applications possible




- Very high yield potential with excellent agronomics
- PI 6 and PI 17 DMR for one of the industry's leading downy mildew tolerance
- Excellent stalks and roots; medium plant height for excellent late-season standability
- Increased staygreen and slower drydown in cooler environments; good candidate for desiccation



- High oleic hybrid with excellent oil; very good yield potential for maturity
- Great standability in the field with consistent performance across environments
- Excellent roots and stalks; very good heat and drought tolerance
- Solid performance on lighter soils



- Excellent yield potential for maturity; very good Phomopsis tolerance
- Taller plant; strong roots and late-season stalks; very clean plant at harvest
- Strong agronomics for variable acres
- Data showed very good high-end yield potential in offensive environments



- Strong yield potential in higher-yielding environments
- Taller plant; strong roots and late-season stalks; very clean plant at harvest
- One of the top oil content products in the CROPLAN® lineup
- Plant at higher populations for best results

KEY

5 = Not Recommended

				Ref	Down						\	Oron.			Co	Panul Res	Vit. Res.	Cun Res	
BRAND	igh Oleic Musik	Denulling	Birdseed	ative h	Ooming Resiste	Miden Plo	nousis Scien	oinia	Roor Sil	Stalk QU	Ory Ory	Drought Toler	Oil Col	Oleic Col.	Ment S	Thom Panilation (A P.) See Size line	Vitogen (RTN)	to Pesponse (ATF)	5
EXRESSSUN® SUNFI	OWER																		
CP432E		•	•	•	87	PL 8	2	3	Short	3	2	1	2	4	NA	2, 3, 4	M	M	Н
CP4909E		•		•	91	-	3	3	Short	2	2	1	3	3	NA	2, P3, 3, 4	M	Н	NA
CP4475E	•		•	•	92	PL 6,8	1	2	Tall	3	2	1	2	2	1	2, 3, 4	L	M	M
CP4255E	•		TBD	•	93	PL 2,6,8	1	2	Med-Tall	2	2	2	2	2	1	2, 3, 4	L	M	L
CP455E	•		•	•	93	PL 6	3	2	Medium	3	2	1	2	3	2	2, 3, 4	L	M	L
CP450E	•		•	•	94	PL 8	2	2	Medium	1	1	2	1	4	2	2, 3, 4	М	L	L
CP4157E	•		•	•	95	PL 6	1	2	Tall	4	2	2	4	3	1	3, 4	L	M	L
NEW CP4490E	•		TBD	•	95	M9	NA	1	Medium	2	2	1	1	4	1	3, 4	L	L	M
CLEARFIELD® SUNF	LOWER																		
CP5220CLSS	•		TBD	•	79	PL 6	1	NA	Very Short	1	1	1	1	4	3	3, 4	Н	NA	NA
CP5249CL	•		TBD	•	86	PL 15	NA	3	Short	1	2	1	1	1	1	2, 3, 4	М	M	L
CP5045CL		•	TBD	•	95	PL 6,17	3	3	Medium	1	1	3	1	2	NA	2, 3, 4	M	Н	M
CP7919CL	•		•	•	97	PL 6	1	4	Medium	2	2	3	2	2	2	2, 3, 4	L	Н	M
CONVENTIONAL SUN	IFLOWER																		
CP3845	•		•	•	92	-	4	5	Med-Short	3	2	2	2	1	1	3, 4	NA	NA	NA

KEY Scale

1 = Excellent

2 = Strong

3 = Acceptable

4 = Manage

5 = Not Recommended

Product descriptions and ratings are generated from Answer Plot® trials and/or from the genetics supplier and may change as additional data is gathered.

Market Options

Grain not guaranteed to be sold in your area.

Due to factors outside our control, WinField United does not guarantee oleic levels.

TBD = still in testing.

2 Downy Mildew Resistance

PI 2 gene = This gene is resistant to some of the early races of downy mildew, but it is susceptible to most of the common races found today.

PI 6 gene = This gene is resistant to races prevalent before 2009; it is susceptible to races 314, 704, 714, 734 and 774.

PI 8 gene = This gene can get infected, but then stops downy mildew from advancing or having an economic impact on all common races.

PI 15 gene = This gene is exclusive to CROPLAN® hybrids and is resistant to all known races of downy mildew.

PI P gene = Proprietary gene developed to control all known races of downy mildew.

PI 17 gene = Advanced control, resistant to all known races of downy mildew.

M9 gene = Broad spectrum resistance to races: 100, 304, 307, 314, 334, 703, 704, 710 and 714.

3 RTN/RTF/RTF Ratings

L = Low Response M = Moderate Response

H = High Response

THIS RED SPRING WHEAT DOESN'T RAISE THE BAR. IT IS THE BAR.

Bin-Busting Yield Potential and More

We don't just claim high wheat yield potential; we aim to prove it. In 2024, CROPLAN® CP3099A won top honors as a "bin buster" spring wheat variety in the 2024 National Wheat Yield Contest. But top-end yield potential isn't our only focus. We're also investing in research to improve grain quality and protein characteristics, find the most profitable wheat management practices and identify some of the best products for your most challenging acres.

ANSWER PLOT® RESEARCH PROVIDES RESPONSE DATA FOR CROPLAN WHEAT VARIETIES.

That means you can fine tune management and increase yield potential in the most economically efficient manner.

- There's a 25.5 bu/A average yield response advantage¹ when varieties are managed according to their Response to Nitrogen (RTN).
- Then, there's a 10.9 bu/A average yield response advantage¹ when varieties are managed according to their Response to Population (RTP).
- New for 2026, we're adding Response to Sulfur ratings for CROPLAN spring wheat varieties. We'll continue to test for and adjust these ratings as we generate more data.

EACH VARIETY IS DIFFERENT, AND THEIR AGRONOMIC REQUIREMENTS ARE, TOO.


Putting every product into the same environment won't maximize your ROI. Instead, give each variety what it needs when it needs it. And just as importantly, eliminate actions that don't provide the yield and revenue impact you desire.

Our Answer Plot Innovation Farm allows us to test more products and management techniques than ever, including evaluating foliar micronutrients, in-furrow biologicals, insecticides, fungicides and new novel seed treatments to make your stand get up faster and stronger. And on top of all that, you can also get sawfly protection with our new semi-solid stemmed products that show excellent tolerance to sawfly pressure.

Only CROPLAN provides this level of intelligence. And you can only find CROPLAN seed at the best retailers in America.




- High-yield potential with strong agronomics and yield stability
- Very large plant type and full-season maturity allows for very high yield potential
- Moderate yield response to N; but being a full-season product means there is a great opportunity for split-applied N
- Semi-solid stem variety for excellent saw-fly tolerance and good stress tolerance for a great western fit



- Semi-solid stem for WSS tolerance; stress tolerance and lower response to inputs; great Western-style wheat
- High yield potential; lower-protein can be improved with N management
- Extended-season wheat with longer grain-fill gives higher yield potential
- Awnless product with incredible biomass and very good standability under moderate populations



- Extremely high-yield potential that works best in productive acres and cooler environments
- Large biomass and an awnless head provide excellent forage potential; good tonnage potential and very good quality
- Lower protein; additional nitrogen and sulfur may increase both yield and protein potential
- Research showed increases in yield with higher populations; good standability in most environments



- Moderate RTN and RTP with great moisture stress tolerance provides very consistent performance across acres
- Lower, acceptable protein; total protein/Ac being higher than average
- Above average FHB tolerance; fungicide recommended; manage for BLS
- Excellent performance under stressed conditions; top-end yield potential on the most productive acres



- Broadly adapted top-end yield potential product; excellent drought stress; average protein content and semi-solid stem for saw-fly tolerance
- Taller plant holds height; creates a thicker canopy for strong Western performance; good straw strength for the East
- Performs well in lower-yielding environments without sacrificing top-end yield potential
- Medium-late flowering/maturity; average BLS; use fungicide for FHB control



- Excellent yield and protein potential
- Very stable product across environments
- Good fusarium head blight with strong stem rust and BLS; good leaf rust tolerance
- Good standability with moderate populations; higher yield potential when populations are increased in environments with lower lodging risk



- Excellent yield and protein potential; great disease package with a broad east
- Average height with strong standability and great late season intactness
- Earlier flowering with average maturity, good test weight with average protein content
- Great disease package with very good BLS, stripe, and leaf rust; average FHB, a fungicide is recommended in heavy stem rust years



- High yield and protein potential that can increase with additional nitrogen
- Excellent agronomics, very good BLS tolerance and straw strength
- Excels under higher yield environments; stable in lower yielding environments
- High response to population, recommended 1.4-1.7M seeds/Ac

KEY

Pays to He BRAND	Days to Mar.	hoight Hoight	Stange	Pany late ability Ratio	Season Test We	night by	Baking Qu.	Placent Irigation	Sign Cho	Raf Rust Resista	Ten Rust Resista	Resistant	leaf Dise	Acterial lear St.	Wheat Stem Sa	Oppliation (ATP)	Nitrogen (ATN)	Restonse to Sil	in.
CONVENTIONA	L WHEAT																		
CP3530	58	86	T	4	3	2	1	3	4	2	3	3	3	3	2	4	М	M	M
CP3915	55	86	M	1	1	1	1	2	1	2	1	1	2	3	1	4	Н	М	L
CP3099A	59	90	T	2	3	4	5	2	2	4	5	5	2	3	4	4	M	M	L
CP3119A	62	95	T	2	1	4	3	NA	2	4	3	2	2	2	3	2	M	М	L
CP3188	57	86	T	3	4	3	3	NA	3	3	2	4	2	4	4	4	L	M	M
CP3055	60	92	T	3	2	4	4	2	3	3	3	3	2	3	3	1	L	L	L
EW CP3555	56	85	M	2	1	2	3	2	1	2	2	3	2	2	2	4	M	M	L
CP3322	59	88	T	2	2	3	3	NA	2	4	4	2	2	2	3	2	М	М	L

Scale

1 = Excellent

2 = Strong

3 = Acceptable

4 = Manage 5 = Not Recommended

Product descriptions and ratings are generated from Answer Plot® trials and/or from the genetics supplier and may change as additional data is gathered.

RTP/RTN Ratings

 $\mathbf{L} = \text{Low Response}$ M = Moderate Response **H** = High Response

4 Height S = Short T = Tall

 $\mathbf{M} = \mathsf{Medium}$

The comparison ratings are with ${\tt CROPLAN}^{\it \tiny{(8)}}$ wheats only. These ratings reflect trends observed in research trials, which will change based on various factors, including variations in rainfall, temperature and production patterns.

LESSER WHEAT MAY GIVE UP DURING HARSH WINTERS, BUT NOT CROPLAN® WHEAT.

Optimize Seed ROI

To achieve farm topping yield potential, you need to do many things right. And that starts with CROPLAN® varieties.

This is seed that puts you on the path to maximizing ROI potential on each acre, beginning with exceptionally high performing genetics, which bring agronomic characteristics important in maximizing yield potential. But even bigger advantages come with the data and intelligence we build on top of these revolutionary wheat varieties.

ANSWER PLOT® RESEARCH PROVIDES NITROGEN AND FUNGICIDE RESPONSE DATA FOR CROPLAN WHEAT VARIETIES.

That means you can fine tune management and increase yield potential in the most economically efficient manner.

- There's a 33.1 bu/A average yield response advantage¹ when varieties are managed according to their Response to Nitrogen (RTN).
- Then, there's a 20.8 bu/A average yield response advantage¹ when varieties are managed according to their Response to Fungicide (RTF).

EACH VARIETY IS DIFFERENT, AND THEIR AGRONOMIC REQUIREMENTS ARE, TOO.

Putting every product into the same environment won't maximize your ROI. Instead, give each variety what it needs when it needs it. And just as importantly, eliminate actions that don't provide the yield and revenue impact you desire.

Only CROPLAN provides this level of intelligence. And you can only find CROPLAN varieties at the best retailers in America.

1 2023 nationwide Answer Plot® data.

REVOLUTIONARY GRASSY WEED CONTROL

CROPLAN seed is pleased to offer the CoAXium Wheat Production System in part of our wheat lineup. Created in part by wheat farmers for wheat farmers, this system provides cost-effective, excellent control of annual and perennial grasses, higher quality grain, and increased yield potential.

Additionally, it combines elite wheat varieties, the AXigen® trait and Aggressor® herbicide with an industry-wide stewardship program. AXigen® is an ACCase herbicide-tolerant trait that protects wheat varieties from Aggressor® herbicide, which delivers effective, consistent, broad-spectrum control of problem grasses.

When used in conjunction with CoAXium® varieties, Aggressor® herbicide provides systemic and selective broad-spectrum control of these problem grasses:

- Barnyard grass
- Bromus species, including ALS-resistant biotypes
- Feral and cereal rye
- Jointed goat grass, including ALS-resistant biotypes
- Wild oats (non-resistant Group1)
- Volunteer cereals







BRING THE POWER OF PROOF TO YOUR FARM.

Check out the Answer Plot® results below. They're proof that bringing high-end genetics with the latest traits and an unbiased focus on product development can deliver big yield potential.


				CROPLAN Hard	Red Winter Whe	at Products-Yield	d		
REGIONAL BREAKOUT	CP7017AX	CP7050AX	CP7220	CP7266AX	CP7319AX	CP7462	CP7869	CP7909	Plot Mean
Great Falls, MT	48.4	44.4	45.0	39.3	43.6	52.8	45.9	50.2	45.8
Huntley, MT	87.6	93.5	80.9	109.7	86.7	107.3	89.2	108.7	101.0
Washburn, ND	92.1	89.4	-	103.2	106.5	116.5	102.7	101.3	100.2
Onida, SD	110.0	88.5	108.5	107.4	102.6	110.5	109.3	106.9	103.2
Vivian, SD	89.1	77.7	85.0	76.5	81.5	80.7	88.1	81.9	79.0
Mt. Vernon, SD	88.5	77.8	83.3	80.9	84.7	88.0	85.7	91.8	79.3
Thomas, OK	38.0	36.1	37.6	37.6	30.9	42.4	37.0	31.0	37.2
Hennessey, OK	69.5	51.6	52.4	59.3	66.0	67.9	68.1	52.1	57.8
Overall Avg	77.9	69.9	70.4	76.7	75.3	83.3	78.3	78.0	71.9
% Protein*	10.7	12.1	11.7	11.6	11.5	11.0	11.5	11.0	11.5
*All Answer Plot Incations tested except Wa	ohhurn								



- CoAXium® technology with excellent yield potential in an early-flowering, earlymaturing variety that also brings great grain quality potential
- Broadly fits from NE through the Dakotas into MT
- Excellent resistance to stripe rust along with strong resistance to SWMV and FHB; fungicide recommended in areas with stem rust
- A great fit for short/stressed growing seasons




- Excellent yield potential in an early maturity product
- Taller plant type; good fit for grazing operations
- Very tolerant to low pH soils
- High yield potential line for the Central Plains




- Medium maturity CoAXium® variety with excellent yield potential
- Strong tolerance to tough soils and lower pH
- Broadly adapted for high yield potential across multiple environments
- Strong resistance to stem rust and FHB; manage for leaf and stripe rust




- Excellent yield potential in a medium maturity product
- A great fit for more productive acres
- Not recommended on low pH acres
- Good disease package for FHB, leaf and stripe rust; a fungicide is recommended in areas with stem rust



- Excellent yield and high protein potential
- Very good winterhardiness
- Broad adaptation over a variety of conditions; outstanding yield potential in high-yield environments
- Excellent soilborne mosaic virus resistance, manage for stripe rust



- High yield potential across environments
- Works well from MT and SD, through Central and Eastern KS/OK
- Medium early maturity
- Has stripe rust resistance; use caution in heavy wheat streak mosaic virus areas



- Excellent yield potential with great stress tolerance; also brings very good protein and test weight potential
- Medium-flowering and mid-maturity variety with very good winterhardiness, early vigor and standability
- Fungicide recommended in areas with leaf and stripe rust
- Has a broad fit from Northern NE through the Dakotas into MT



- High yield potential matched with an outstanding disease package
- Uniquely adapted to both elite irrigated acres and stressful dryland acres; great fit for low pH acres
- Best fit is on well-managed dryland or irrigated acres
- Acceptable fusarium head blight tolerance; excellent stripe, stem and leaf rust tolerance

KEY

	Retini Brand	S or Asta Maining	Heigh	Test We.	Standah	Ting A.	Winterharding.	leaf.	Aust Resista	Powdery M. Aust Resista	Septoria lidem Resiste	Tlear Resista	lear Disc	ragonospora In Resistance	Fisarium h Selion of Selion of Selio	Hessial Bight (A	W. P. P. Resista	Placemon Sar Stem Sar Stem Sar	Rest to Nil	tonse to fundation	sicine (ATr.)	O
	COAXIUM® WHE	AT																				
	CP7266AX	8, 9, 10, 11, 12, 13	3	MT	2	3	Υ	2	2	1	2	NA	NA	1	NA	NA	2	NA	4	1	L	M
	CP7017AX	8, 9, 10, 11, 12, 13	3	М	3	2	Υ	1	3	3	2	NA	NA	2	NA	NA	1	NA	4	1	L	M
	CP7050AX	8, 9, 10, 11	1	M	1	2	Υ	2	1	2	1	NA	NA	3	NA	NA	2	NA	4	2	Н	Н
NEW	CP7319AX	10, 11, 12, 13	2	T	2	3	Υ	2	3	NA	2	NA	NA	NA	NA	NA	NA	NA	4	2	NA	NA
	CONVENTIONAL	WHEAT																				
NEW	CP7462	8, 9, 10, 11, 12, 13	2	M	3	1	Υ	2	3	3	2	2	NA	3	NA	NA	3	NA	4	1	NA	NA
	CP7220	8, 9, 10, 11, 12	3	M	1	2	Υ	2	1	4	3	4	NA	3	NA	NA	3	NA	4	1	L	M
	CP7909	8, 9, 10, 11, 13	1	MT	2	3	Υ	1	2	3	4	NA	NA	2	NA	NA	4	NA	4	1	Н	Н
	CP7869	8, 10, 11, 12, 13	5	M	2	2	Υ	2	2	1	1	NA	NA	1	NA	NA	3	NA	4	1	L	Н

EY Scale

1 = Excellent

2 = Strong

2 = Strong

3 = Acceptable

4 = Manage

5 = Not Recommended

Product descriptions and ratings are generated from Answer Plot® trials and/or from the genetics supplier and may change as

additional data is gathered.

1 = Early 5 = Late 2 Height
S = Short
M = Medium

T = Tall

3

t :.....

3 RTP/RTN/RTF Ratings
L = Low Response

L = Low Response
M = Moderate Response

H = High Response

The comparison ratings are with CROPLAN® wheats only. These ratings reflect trends observed in research trials, which will change based on various factors, including variations in rainfall, temperature and production patterns.

THERE'S NOTHING SOFT ABOUT HELPING YOUR WHEAT ACRE GIVE 110%.

Optimize Seed ROI

To achieve farm topping yield potential, you need to do many things right. And that starts with CROPLAN® varieties.

This is seed that puts you on the path to maximizing ROI potential on each acre, beginning with exceptionally high performing genetics, which bring agronomic characteristics important in maximizing yield potential. But even bigger advantages come with the data and intelligence we build on top of these revolutionary wheat varieties.

ANSWER PLOT® RESEARCH PROVIDES NITROGEN AND FUNGICIDE RESPONSE DATA FOR CROPLAN WHEAT VARIETIES.

That means you can fine tune management and increase yield potential in the most economically efficient manner.

 There's a 7.2 bu/A average yield response advantage¹ when varieties are managed according to their Response to Nitrogen (RTN).


Then, there's a 10.5 bu/A average yield response advantage¹ when varieties are managed according to their Response to Fungicide (RTF).

1. 2019 Answer Plot® data.

EACH VARIETY IS DIFFERENT, AND THEIR AGRONOMIC REQUIREMENTS ARE, TOO.


Putting every product into the same environment won't maximize your ROI. Instead, give each variety what it needs when it needs it. And just as importantly, eliminate actions that don't provide the yield and revenue impact you desire.

Only CROPLAN seed provides this level of intelligence. And you can only find CROPLAN seed varieties at the best retailers in America.





- Early-medium maturity with excellent winterhardiness; very good standability
- Native tolerance to fusarium head blight
- Excellent test weight; good broad-spectrum disease-resistance package
- Outstanding yield potential; broadly adapted over a variety of soils and management regimes







- Outstanding yield potential; broadly adapted over a variety of soils
- Strong disease-tolerance package




- High yield potential variety to replace CP9203
- Excellent test weight and winterhardiness
- Awnless variety with excellent standability
- Acceptable Septoria and powdery mildew tolerance



- High yield potential and excellent test weight
- Broad adaptation over a variety of soils and management regimes
- Native tolerance to fusarium head blight
- Smooth head and height make it a good straw choice



- Outstanding yield potential
- Very stiff and short straw that can handle high nitrogen rates
- Strong test weight
- Best performance in northern regions



- Outstanding yield potential; unique wheat
- Native tolerance to fusarium head blight; good broad-spectrum diseaseresistance package
- Excellent stripe rust resistance and standability
- Responds well to increased population

BRAND	Med Class	Raturio, Maturio	Height.	iest we	Standa	Seed Ah	Size Range	Response to popular for some state of the sound of the so	Regulation (R), Ss.	Storse to Filly	lear, lear,	Rust Resiste	Powdery M. Rust Resist.	Septorial ince Resiste	lear Resistance	lear Disc	Stagonospor toh Resistant	Sariun Head	He Bight (FHE)	Ssian Fly	Placenenson Irrication	ian
CP9606	Soft Red	3, 6	3	MS	3	1	Υ	11,000-14,000	2	Н	M	M	2	1	3	3	NA	3	2	2	Biotype B, D, L, O	NA
CP9203	Soft Red	1, 2	3	MS	1	2	N	10,000-13,000	2	L	M	Н	2	1	5	4	NA	2	2	2	Biotype L	NA
CP8081	Soft Red	1, 2, 3, 4	1	M	2	1	Υ	11,000-14,000	2	L	M	M	1	2	4	2	NA	2	1	2	Biotype B, D, L, O	NA
CP8022	Soft Red	1, 2, 3, 4	3	MS	2	2	Υ	11,000-14,000	1	M	M	Н	3	1	4	2	NA	2	1	1	Native tol.	NA
CP8007	Soft Red	1,2	4	S	3	1	N	11,000-14,000	2	M	Н	M	2	2	2	4	NA	2	NA	3	NA	NA
CP8045	Soft Red	1,2,3,4	3	M	3	2	Υ	11,000-14,000	1	М	M	М	2	2	2	2	NA	2	NA	2	NA	NA
CP8224	Soft Red	1,2,3,4	3	M	1	1	N	12,000-14,000	1	M	M	Н	1	1	2	3	NA	NA	NA	2	NA	NA

Scale

1 = Excellent

2 = Strong

3 = Acceptable

4 = Manage

 $\mathbf{5} = \mathsf{Not} \; \mathsf{Recommended}$

Product descriptions and ratings are generated from Answer Plot® trials and/or from the genetics supplier and may change as

additional data is gathered.

Maturity 1 = Early **5** = Late

4 Height ${\bf S} = {\sf Short}$

T = Tall

 $\mathbf{M} = \mathsf{Medium}$

3 RTP/RTN/RTF Ratings

 $\mathbf{L} = \text{Low Response}$ $\mathbf{M} = \mathsf{Moderate}\ \mathsf{Response}$

H = High Response

The comparison ratings are with CROPLAN® wheats only. These ratings reflect trends observed in research trials, which will change based on various factors, including variations in rainfall, temperature and production patterns.

A HEALTHY ALTERNATIVE FOR YOUR BOTTOM LINE.

Rigorous testing is how we got here. Matching the right genetics resulting in high yield potential? That's where we're going.

Field peas might be the newest CROPLAN® crop, but they're not new to us. We've spent several years amassing varietal data in order to bring the best results to operations across the U.S.

SELECT THE RIGHT PRODUCT

A key factor in selecting the right variety for your operation is to match the right variety to the right yield environment to optimize yield potential. Each CROPLAN product is evaluated for flowering data, maturity, disease tolerance, standability and harvestability so that you can be certain the variety you choose matches your operation's goals.

MANAGEMENT

While field peas thrive in a variety of dryer soil types, from sandy to heavy clay regions, they have a lower tolerance for water-logged conditions. So, poorly drained or saltine soils should be avoided.


EACH VARIETY IS DIFFERENT, AND THEIR AGRONOMIC REQUIREMENTS ARE, TOO.


Putting every product into the same environment won't maximize your ROI potential. Instead, give each variety what it needs when it needs it. And just as importantly, eliminate actions that don't provide the yield and revenue impact you desire.

Only CROPLAN seed provides this level of intelligence. And you can only find CROPLAN seed at the best retailers in America.


When it comes to field peas, let us be your trusted advisor. We'll bring our years of testing and expertise to help make this crop profitable for your farm.


KEY FIELD PEA GROWING REGIONS





- Early maturing product that helps beat heat and drought
- Consistently high yield potential across environments
- Best performance against commercial checks has come in tougher yielding environments
- Good standability; use caution in heavy disease areas





- High yielding across environments
- Data shows best yield potential in cooler, wetter environments
- Very good yield-to-protein ratio
- Good standability and crop height at harvest

PROPER MANAGEMENT PROTECTS TECHNOLOGY'S VALUE

Sound management practices and compliance with stewardship requirements will help protect the benefits and value of biotech trait seed technology for future generations.

INSECT RESISTANCE MANAGEMENT

Insect-protected crops are genetically improved to provide in-plant protection against selected insect pests. Beneficial insects are not affected. To preserve the benefits and insect protection of these technology crops, Bayer CropScience, Syngenta Crop Protection and Corteva Agriscience have developed IRM guidelines that must be incorporated by everyone purchasing and planting insect-protected crops.



Verification Required The last patent on the original Roundup Ready* soybean trait expired a few years ago and U.S. farmers may legally plant saved seed from some varieties of soybean containing the Roundup Ready* soybean trait. However, it is important that you check with your seed supplier to determine if a specific Roundup Ready* soybean variety is covered by other intellectual property rights, and if so, the policy for saving seed of that variety.

Higher Seeding Rate A higher seeding rate may be required for bin-run Roundup Ready® soybeans compared to new branded seed.

Yield Loss Roundup Ready 2 Yield® soybean, Roundup Ready 2 Xtend® soybean, and XtendFlex® soybean varieties typically have a higher yield opportunity than Roundup Ready® soybean varieties.

Cleanout Loss Loss of seed and/or shrink occurs during the seed cleaning and handling processes for bin-run seed.

Seed Treatment Costs Treating your seed will add costs—both the cost of the treatment and the application of that treatment.

Lost Income Every bushel of saved seed you plant is a bushel you're not selling as commodity grain.

Increased Seed Management If you plan to save and bin-run Roundup Ready® soybeans for planting, you will have to manage your harvest operations and grain storage so that the seed isn't co-mingled with other seed that's covered by intellectual property rights.

High Value of New Branded Seed

Latest Technology

// High-yielding soybean technologies // Better variety options

// Leading seed treatment options

Customer Service

// Dealer agronomic support before and after the sale

// Replant policy support

// Convenient packaging and delivery

Reliable Germination and Quality

// Rigorously tested and meets U.S. Federal Seed Act requirements

// Free of seed-borne diseases

// Properly stored and conditioned

For a list of Bayer's trait patents go to cs.bayerpatents.bayer.com

For questions regarding seed intellectual property, or to anonymously report a saved seed tip, you can contact Bayer in the following ways:

- 1. Call 1-866-99-BAYER
- Send a letter: Trait Stewardship, 622 Emerson Rd., Suite 150, Creve Coeur, MO 63141
- Submit a contact request at cropscience.bayer.us/contact or scan the OR code







Bayer is a member of the Seed Innovation and Protection Alliance. Visit www.seedipalliance.com to learn more. SIPI is a trademark of the Seed Innovation and Protection Alliance.

Buyer is a number of Excellence Through Sewardship of TSB, Slayer products are commensated in accordance with TSB Policies. Learn Slewardship Selective, and in congrisions will Repair Policy for Commissionation of Benefits recognition of Commissional Commissions of Selective Selection Commonly Opens, Commensated and Selective Selection Commonly Opens Commissional Selective Selection Commonly Opensated Institute Selection Commissional Selection Selecti

ALMANYS READ AND YOU. LOW PERSONE LABOR. DREED FORCE. In scholar of the based and drink har to use any proficion product of their hars in advanced were this labeling. DVFI. All, bramshare of scholars or glychostes and supposed for it rouge use with Pounts of Peday 2 Ment? explores. DVFI. All, bramshares of contrast, glychosate or guidonate are approaded for increap use with product and bramshare. The profit of their profit of the profit of their profit of the profit of their profit of their profit of the profit of their profit of

Remote National Probations continued to the control to control to the control to displace the Control National Probation of the Control National Na

Bayer, Bayer Cross, Roundup Ready 2 Xtend*, Roundup Ready 2 Yeld*, Roundup Ready* and Xtend*Rex* are registered trademarks of Bayer Group. LibertyLink* and the Water Droplet Design* is a trademark of BASE Corporation. 02022 Bayer Group. All rights reserved. Roundup Ready 2 Yield® soybeans and Roundup Ready 2 Xtend® soybeans are covered by different patents than original Roundup Ready® soybeans and cannot be saved and planted. For more information about seed innovation and intellectual property protection, please visit www.seedipalliance.com.

Content on this page provided by Bayer, please contact Bayer for more information. Due to factors such as weather, crop production patterns, product application and other factors, results to be obtained, including but not limited to yields or financial performance, cannot be predicted or guaranteed by Bayer or WinField United. Actual results may vary.

TECHNOLOGY

CORN INSECT RESISTANCE MANAGEMENT OVERVIEW¹ QUICK COMPLIANCE GUIDE FOR DEALERS AND FARMERS

1 REFUGE SIZE

Plant the correct size refuge for the area and corn product.

► The Corn-Growing Area

- 20% required for some B.t. products (20 acres of refuge for every 80 acres of B.t.)
- 5% only for SmartStax®, Trecepta®, VT4PRO™ with RNAi Technology and VT Double PRO® (5 acres of refuge for every 95 acres of B.t.)

► The Cotton-Growing Area

 20% only for SmartStax® and VT Double PRO® (20 acres of refuge for every 80 acres of B.t.)

2 REFUGE LOCATION

Plant the required refuge within each field that contains B.t. insect-protected corn. There are other options, but an in-field refuge is always accepted. The refuge should always be a minimum of four contiguous rows wide.



3 REFUGE PLANTING

In each field, plant your refuge first before planting any insect-protected corn. This will ensure that the minimum refuge size requirement is met should unforeseen circumstances (e.g., adverse weather) alter your planting schedule and strategy. Use a refuge product that contains no B.t. insect-protection traits (e.g., Roundup Ready® or conventional corn are acceptable). Growers must read the IRM/Grower Guide for complete refuge planting requirements.

4 TREATMENT

If you need to treat your refuge with a non-B.t. foliar insecticide, you may have to treat the B.t. technology in a similar manner. Growers must read the IRM/Grower Guide for complete treatment options.

COMMON REFUGE CONFIGURATIONS Traited corn hybrid² Refuge ▶ In-Field Configuration Examples ► Adjacent-Field Configuration Examples Block Perimeter Strips Minimum of four rows Separated by road, path, ditch, etc., but not by another field **SEPARATE REFUGE CONFIGURATIONS** Corn borer and corn Corn rootworm refuge Corn borer refuge rootworm stacked hybrid ▶ Block ▶ Perimeter ▶ Strips

1. Provided as a summary only. Farmers must read the IRM/Grower Guide prior to planting for important information on planting and insect resistance management.

2. Traited = B.t., RW or B.t./RW.

Content on this page provided by Bayer, please contact Bayer for more information. Due to factors such as weather, crop production patterns, product application and other factors, results to be obtained, including but not limited to yields or financial performance, cannot be predicted or guaranteed by Bayer or WinField United. Actual results may vary.

REFUGE REQUIREMENTS FOR BIOTECH CORN PRODUCTS^{1, 2}

	% NON-B.T. REFUGE	CONFIGURATIONS	REFUGE LOCATION
SMARTSTAX® RIB COMPLETE® CORN BLEND³	5% in the bag	_	No separate planted refuge is required; Not recommended for the Cotton-Growing Area. If planted, an additional 20% structured refuge is required.
SMARTSTAX® PRO RIB COMPLETE® CORN BLEND	5% in the bag	-	No separate planted refuge is required; Not recommended for the Cotton-Growing Area. If planted, an additional 20% structured refuge is required.
VT DOUBLE PRO® RIB COMPLETE® CORN BLEND³	5% in the bag	_	No separate planted refuge is required; Not recommended for the Cotton-Growing Area. If planted, an additional 20% structured refuge is required.
VT4PRO™ RIB COMPLETE® CORN BLEND	5% in the bag	-	No separate planted refuge is required; Not recommended for the Cotton-Growing Area. If planted, an additional 20% structured refuge is required.
DROUGHTGARD® HYBRIDS WITH VT DOUBLE PRO® RIB COMPLETE® CORN BLEND³	5% in the bag	_	No separate planted refuge is required; Not recommended for the Cotton-Growing Area. If planted, an additional 20% structured refuge is required.
TRECEPTA® RIB COMPLETE® CORN BLEND	5% in the bag	_	No separate planted refuge is required; Not recommended for the Cotton-Growing Area. If planted, an additional 20% structured refuge is required.
POWERCORE® ENLIST® REFUGE ADVANCED®	5% in the bag	_	No separate planted refuge is required; Not recommended for the Cotton-Growing Area. If planted, an additional 20% structured refuge is required.
SMARTSTAX® CORN	5% corn-growing areas; 20% cotton-growing areas	Block, Perimeter, Strips, Adjacent	Within or adjacent to SmartStax $^{\! 8}$ field; if adjacent, may be separated by a road, path, ditch, etc., but not another field
VT DOUBLE PRO® CORN	5% corn-growing areas; 20% cotton-growing areas	Block, Perimeter, Strips, Adjacent	Within, adjacent to or within 1/2 mile from VT Double PRO $^{\tiny\textcircled{\tiny{\$}}}$ field
VT4PRO™ WITH RNAI TECHNOLOGY	5% corn-growing areas; 20% cotton-growing areas	Block, Perimeter, Strips, Adjacent	Within, adjacent or within 1/2 mile from VT4PRO $^{\!\scriptscriptstyleTM}$ with RNAi Technology field
POWERCORE® ENLIST®	5% corn-growing areas; 20% cotton-growing areas	Block, Perimeter, Strips, Adjacent	Within, adjacent or within 1/2 mile from PowerCore® Enlist® field
AGRISURE® TOTAL	5% in the bag, 20% supplemental cotton-growing areas	Block, Perimeter, Strips, Adjacent	Within or adjacent to Agrisure® Total
DURACADE®	5% in the bag, 20% supplemental cotton-growing areas	Block, Perimeter, Strips, Adjacent	Within or adjacent to Duracade® field
HERCULEX® XTRA INSECT PROTECTION	20% corn-growing areas; 50% cotton-growing areas	Block, Perimeter, Strips, Adjacent	Within or adjacent to Herculex® XTRA field; if adjacent, may be separated by a road, path, ditch, etc., but not another field
HERCULEX® I <i>Insect protection</i>	20% corn-growing areas; 50% cotton-growing areas	Block, Perimeter, Strips, Adjacent	Within, adjacent to or within 1/2 mile from Herculex $^{\! \otimes \! }$ field

- 1. All refuge configurations require a minimum of four rows.
- 2. Provided as a summary only. Farmers must read the IRM/Grower Guide prior to planting.
- 3. SmartStax® RIB Complete®, Trecepta®RIB Complete, VT Double PRO® RIB Complete®, VT4PRO™ RIB Complete Technology and DroughtGard® Hybrids with VT Double PRO® RIB Complete® corn blends are each a blend of 95% traited seed and 5% refuge seed interspersed in the bag and do not require a separate structured refuge in corn-growing areas.

For more detailed refuge requirements please visit: https://traits.bayer.com/stewardship/Pages/Insect-Resistance-Management.aspx

Corn trait technology incorporated into these seeds is commercialized under license from Syngenta Seeds, LLC. Herculex® Technology incorporated into these seeds is commercialized under license from Corteva Agriscience LLC. HERCULEX® and the HERCULEX Shield are trademarks of Corteva Agriscience LLC.

Seed products with the LibertyLink* (LL) trait are resistant to the herbicide glufosinate ammonium, an alternative to glyphosate in corn, and combine high-yielding genetics with the powerful, non-selective, post-emergent weed control of Liberty* herbicide for optimum yield and excellent weed control. LibertyLink*, Liberty* and the Water Droplet logo are registered trademarks of BASF.

Important: Always read and follow label and bag tag instructions; only those labeled as tolerant to glufosinate may be sprayed with glufosinate ammonium-based herbicides. Agrisure[®] and Viptera[™] are trademarks of a Syngenta Group Company.

Content on this page provided by Bayer, Corteva Agriscience and Syngenta Group Company, please contact them for more information. Due to factors such as weather, crop production patterns, product application and other factors, results to be obtained, including but not limited to yields or financial performance, cannot be predicted or guaranteed by Bayer, Corteva Agriscience and Syngenta Group Company or WinField United. Actual results may vary.

EXCELLENCE THROUGH STEWARDSHIP

Bayer is a member of Excellence Through Stewardship® (ETS).

Bayer products are commercialized in accordance with ETS Product Launch Stewardship Guidance, and in compliance with Bayer's Policy for Commercialization of Biotechnology-Derived Plant Products in Commodity Crops. Commercialized products have been approved for import into key export markets with functioning regulatory systems. Any crop or material produced from this product can only be exported to, or used, processed or sold in countries where all necessary regulatory approvals have been granted. It is a violation of national and international law to move material containing biotech traits across boundaries into nations where import is not permitted. Growers should talk to their grain handler or product purchaser to confirm their buying position for this product. Excellence Through Stewardship® is a registered trademark of Global Stewardship Group.

Forage Genetics International, LLC ("FGI") is a member of Excellence Through Stewardship® (ETS). FGI products are commercialized in accordance with ETS Product Launch Stewardship Guidance, and in compliance with FGI's Policy for Commercialization of Biotechnology-Derived Plant Products in Commodity Crops. Any crop or material produced from this product can only be exported to, or used, processed or sold only in countries where all necessary regulatory approvals have been granted. It is a violation of national and international law to move material containing biotechnology traits across boundaries into nations where import is not permitted. Growers should talk to their grain handler or product purchaser to confirm their buying position for this product. Growers should refer to biotradestatus.com for any updated information on import country approvals. Through Stewardship® is a registered trademark of Global Stewardship Group.

Corteva Agriscience is a member of Excellence Through

Stewardship® (ETS). Corteva Agriscience products are commercialized in accordance with ETS Product Launch Stewardship Guidance and in compliance with the Corteva Agriscience policies regarding stewardship of those products. In line with these guidelines, Corteva Agriscience's product launch process for responsible launches of new products includes a long-standing process to evaluate export market information, value chain consultations, and regulatory functionality. Growers and end-users must take all steps within their control to follow appropriate stewardship requirements and confirm their buyer's acceptance of the grain or other material being purchased. For more detailed information on the status of a trait or stack, please visit www.biotradestatus.com.

Excellence Through Stewardship® is a registered trademark of Global Stewardship Group.



Before opening a bag of seed, be sure to read, understand and accept the stewardship requirements, **including applicable refuge requirements for insect resistance management**, for the biotechnology traits expressed in

the seed as set forth in the Technology/Stewardship Agreement that you sign. By opening and using a bag of seed, you are reaffirming your obligation and agreement to comply with the most recent stewardship requirements.

INSECT RESISTANCE MANAGEMENT

IMPORTANT IRM INFORMATION: Always read and follow IRM

requirements. Insect-protected crops are genetically improved to provide in-plant protection against selected insect pests. Beneficial insects are not affected. To preserve the benefits and insect protection of these technology crops, Bayer, Syngenta Crop Protection and Dow AgroSciences have developed insect resistance management (IRM) guidelines that must be incorporated by everyone purchasing and planting insect-protected crops.

ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS. It

is a violation of federal and state law to use any pesticide product other than in accordance with its labeling. NOT ALL formulations of dicamba or glyphosate are approved for in-crop use with Roundup Ready 2 Xtend® soybeans. NOT ALL formulations of dicamba, glyphosate or glufosinate are approved for in-crop use with products with XtendFlex® Technology. ONLY USE FORMULATIONS THAT ARE SPECIFICALLY LABELED FOR SUCH USES AND APPROVED FOR SUCH USE IN THE STATE OF APPLICATION. Contact the U.S. EPA and your state pesticide regulatory agency with any questions about the approval status of dicamba herbicide products for in-crop use with products with XtendFlex® Technology.

B.t. products may not yet be registered in all states. Check with your seed brand representative for the registration status in your state.

Refuge seed may not always contain the DroughtGard® trait. IMPORTANT IRM INFORMATION: Certain products are sold as RIB Complete® corn blend products, and do not require the planting of a structured refuge except in the Cotton-Growing Area where corn earworm is a significant pest. Products sold without refuge in the bag (non-RIB Complete) require the planting of a structured refuge. See the IRM/Grower Guide for additional information. Always read and follow IRM requirements.

Roundup Ready[®] Technology contains genes that confer tolerance to glyphosate. Roundup Ready[®] 2 Technology contains genes that confer tolerance to glyphosate. Roundup Ready 2 Xtend[®] soybeans contain genes that confer tolerance to glyphosate and dicamba. Products with XtendFlex[®] Technology contains genes that confer tolerance to glyphosate, glufosinate and dicamba. Plants that are not tolerant to glyphosate may be damaged or killed if exposed to those herbicides. Plants that are not tolerant to glyphosate, dicamba, and/ or glufosinate may be damaged or killed if exposed to those herbicides. Plants that are not tolerant to dicamba may be damaged or killed if exposed to those herbicides. Contact your seed brand dealer or refer to the Bayer Technology Use Guide for recommended weed control programs.

No dicamba may be used in-crop with seed with Roundup Ready® Xtend Technology, unless and until approved or specifically permitted, and no dicamba formulations are currently registered for such use in the 2025 season. Please follow www.roundupreadyxtend.com/pages/xtendimax-updates.aspx for status updates. Dicamba may harm crops that are not tolerant to dicamba.

Insect control technology provided by Vip3A is utilized under license from Syngenta Crop Protection AG. Herculex[®] is a registered trademark of Dow AgroSciences LLC. Agrisure Viptera[®] is a registered trademark of a Syngenta group company. LibertyLink logo[®] and LibertyLink[®] are trademarks of BASF Corporation. Respect the Refuge and Corn Design[®] and Respect the Refuge[®] are registered trademarks of National Corn Growers Association. Acceleron[®], DroughtGard[®], RIB Complete[®], Roundup Ready 2 Technology and Design[®], Roundup Ready 2 Xtend[®], Roundup Ready 2 Yield[®], Roundup Ready 3, SmartStax[®], Trecepta[®], TruFlex[®], VT Double PRO[®], VT4PRO[™], VT4PRO[™] and XtendFlex[®] are trademarks of Bayer Group.

Agrisure®, Agrisure® Total, Artesian®, Duracade®, Viptera®, and E-Z Refuge® are trademarks of a Syngenta Group Company. More information about Duracade® is available at http://www.biotradestatus.com/.

Important: Always read and follow label and bag tag instructions; only those labeled as tolerant to glufosinate may be sprayed with glufosinate ammonium based herbicides.

Agrisure® Corn Trait Technology incorporated into these seeds is commercialized under license from Syngenta Seeds, Inc. Herculex® Technology incorporated into these seeds is commercialized under license from Corteva Agriscience LLC. HERCULEX® and the HERCULEX shield are registered trademarks of Corteva Agriscience LLC.

Seed products with the LibertyLink® (LL) trait are resistant to the herbicide glufosinate ammonium, an alternative to glyphosate in corn, and combine high-yielding genetics with the powerful, non-selective, postemergent weed control of Liberty® herbicide for optimum yield and excellent weed control. LibertyLink®, Liberty® and the Water Droplet logo are registered trademarks of BASE.

ALWAYS READ AND FOLLOW HERBICIDE LABEL DIRECTIONS

PRIOR TO USE: Always read and follow herbicide label directions prior to use: Enlist® products contain the Enlist trait that provides crop safety for use of labeled over-the-top applications of glyphosate, glufosinate and 2,4-D herbicides featuring Colex-D® technology when applied according to label directions. Following burndown, the only 2,4-D containing herbicide products that may be used with Enlist™ crops are products that feature Colex-D technology and are expressly labeled for use on Enlist crops. 2,4-D products that do not contain Colex-D technology are not authorized for use in conjunction with Enlist products. Enlist corn contains genes that confer tolerance to 2,4-D and -fop herbicides. 2,4-D and -fop herbicides will damage or kill crops that are not tolerant to 2,4-D or -fops.

IRM - Properly managing trait technology is key to preserving it as a long-term crop protection tool. Growers who fail to comply with IRM requirements risk losing access to this product. To help preserve the effectiveness of B.t. corn technologies, growers planting B.t. corn technologies are required to follow an IRM Plan. Consult the Corn Product Use Guide for appropriate refuge configuration options. Before opening a bag of seed, be sure to read, understand and accept the stewardship requirements, including applicable refuge requirements for insect resistance management, for the biotechnology traits expressed in the seed as set forth in the Technology Use Agreement and Product Use Guide. By opening and using a bag of seed, you are reaffirming your obligation to comply with the most recent stewardship requirements. For complete details on IRM requirements for hybrids with Bt technology, including refuge examples and important information on the use of insecticides on refuge and Bt corn acres, please consult appropriate Product Use Guide. Go to www.corteva.us/ Resources/trait-stewardship.html to download the latest Corteva Agriscience Corn Product Use Guide.

Important: Always read and follow label instructions. Some products may not be registered for sale or use in all states or counties. Please check with your local extension service to ensure registration status. Cruiser®, Vayantis® and Vibrance® are trademarks of a Syngenta Group Company



Enlist E3® Soybeans and PowerCore® Enlist® Refuge Advanced® Corn

Seeds containing the PowerCore® Enlist®, PowerCore® Enlist® Refuge Advanced®, Enlist® Corn - REFUGE and Enlist E3® traits are protected under one or more U.S. patents which can be found at: www.traitstewardship. com. The purchase of this traited seed includes a limited license to produce a single crop in the United States. The use of seed from such a crop and/or the progeny thereof for propagation or seed multiplication or for production or development of a hybrid or different variety of seed is strictly prohibited. You acknowledge and agree to be bound by the terms and conditions of the following documents in effect at the time of planting of this seed: (i) the Corteva Agriscience Technology Use Agreement and (ii) the Product Use Guides for all technologies in this seed, including the Herbicide Resistance Management (HRM), and Use requirements.

To plant PowerCore Enlist, PowerCore Enlist Refuge Advanced, Enlist Corn - REFUGE and Enlist E3 seed, you must have a limited license from Corteva Agriscience (or other appropriate affiliates). In consideration of the foregoing, Corteva Agriscience grants to the Grower a limited license to use technology to produce only a single commercial crop in the United States under the terms and conditions set forth in the Technology Use Agreement in effect at the time of planting of this seed.

Enlist E3® soybean seeds containing the Enlist® trait can only be used to plant a single commercial crop. It is unlawful to save and replant Enlist E3® soybeans. Additional information and limitations on the use of these products are provided in the Corteva Agriscience Technology Use Agreement and Enlist® Soybean Product Use Guide. U.S. patents for Corteva Agriscience technologies can be found at the following webpage: www.corteva.us/ Resources/trait-stewardship.html.

Following burndown, Enlist Duo® and Enlist One® herbicides with Colex-D® technology are the only herbicides containing 2,4-D that are authorized for preemergence and postemergence use with Enlist® corn and soybeans. Consult Enlist® herbicide labels for weed species controlled. Enlist Duo and Enlist One herbicides are not registered for use or sale in all states and counties; are not registered in AK, CA, CT, HI, ID, MA, ME, MT, NH, NV, OR, RI, UT, VT, WA and WY; and have additional subcounty restrictions in AL, GA, TN and TX, while existing county restrictions still remain in FL. All users must check "Bulletins Live! Two" no earlier than six months before using Enlist One or Enlist Duo. To obtain "Bulletins," consult epa.gov/espp/, call 1-844-447-3813, or email ESPP@epa.gov. You must use the "Bulletin" valid for the month and state and county in which Enlist One or Enlist Duo are being applied. Contact your state pesticide regulatory agency if you have questions about the registration status of Enlist® herbicides in your area. ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS, IT IS A VIOLATION OF FEDERAL AND STATE LAW TO USE ANY PESTICIDE PRODUCT OTHER THAN IN ACCORDANCE WITH ITS LABELING. ONLY USE FORMULATIONS THAT ARE SPECIFICALLY LABELED FOR SUCH USE IN THE STATE OF APPLICATION, USE OF PESTICIDE PRODUCTS, INCLUDING, WITHOUT LIMITATION, 2,4-D-CONTAINING PRODUCTS NOT AUTHORIZED FOR USE WITH ENLIST CORN AND SOYBEANS, MAY RESULT IN OFF-TARGET DAMAGE TO SENSITIVE CROPS/AREAS AND/OR SUSCEPTIBLE PLANTS, IN ADDITION TO CIVIL AND/OR CRIMINAL PENALTIES. Additional product-specific stewardship requirements for Enlist crops, including the Enlist Product Use Guide, can be found at www.traitstewardship.com.

POWERCORE® is a registered trademark of Bayer Group. POWERCORE® multi-event technology developed by Corteva Agriscience and Bayer Group. LibertyLink® and the Water Droplet Design are registered trademarks of BASF.® Roundup and Roundup Ready are registered trademarks of Bayer Group. Always follow IRM, grain marketing and all other stewardship practices and pesticide label directions. B.t. products may not yet be registered in all states. Check with your seed representative for the registration status in your state. The transgenic soybean event in Enlist E3® soybeans is jointly developed and owned by Corteva Agriscience and M.S. Technologies, L.L.C.

Trademarks of Corteva Agriscience and its affiliated companies.

GENERAL DISCLAIMERS

Performance may vary from location to location and from year to year, as local growing, soil and weather conditions may vary. Growers should evaluate data from multiple locations and years whenever possible and should consider the impacts of these conditions on the growers' fields.

Important: Always read and follow label instructions. Some products may not be registered for sale or use in all states or counties. Please check with your local extension service to ensure registration status.

SOYBEAN AND CANOLA PIRACY

Seed containing a patented trait can only be used to plant a single commercial crop. It is unlawful to save and replant seed from that crop. Examples of seed containing a patented trait include but are not limited to Roundup Ready 2 Yield® soybeans, Roundup Ready 2 Xtend® soybeans, XtendFlex® soybeans, Roundup Ready® spring canola, Roundup Ready® winter canola, and TruFlex® canola with Roundup Ready® Technology. Additional information and limitations on the use of these products are provided in the Technology Stewardship Agreement and the Bayer Technology Use Guide: tug.bayer.com. U.S. patents for Bayer technologies can be found at the following webpage: cs.bayerpatents.bayer.com

ALFALFA

HarvXtra® Alfalfa with Roundup Ready® Technology: Purchase and use of HarvXtra® Alfalfa with Roundup Ready® Technology is subject to a Seed and Feed Use Agreement, requiring that products of this technology can only be used on farm or otherwise be used in the following states: Arizona, California, Colorado, Idaho, Montana, Nevada, New Mexico, Oregon, Utah, Washington and Wyoming. In addition, due to the unique cropping practices do not plant HarvXtra® Alfalfa with Roundup Ready® Technology in Imperial County, California, pending import approval and until Forage Genetics International, LLC (FGI) grants express permission for such planting. HarvXtra® Alfalfa with Roundup Ready® Technology has pending import approvals. GROWERS MUST DIRECT ANY PRODUCT PRODUCED FROM HARVXTRA® ALFALFA WITH ROUNDUP READY® TECHNOLOGY SEED OR CROPS (INCLUDING HAY AND HAY PRODUCTS) ONLY TO UNITED STATES DOMESTIC USE, Any crop or material produced from this product can only be exported to, or used, processed or sold in countries where all necessary regulatory approvals have been granted. It is a violation of national and international law to move material containing biotech traits across boundaries into nations where import is not permitted.

CoAXium® and Cleaner Fields. Higher Yields® are trademarks of Albaugh, LLC. AXigen® and Think Inside The Seed™ are trademarks of Colorado Wheat Research Foundation. Beyond®, Clearfield®, Liberty®, LibertyLink®, Prowl®, Pursuit®, Stamina® and the Water Droplet Design® are trademarks of BASF Corporation: Bayer[®], the Bayer Cross[®], Huskie[®], Poncho[®] and VOTiVO® are trademarks of **Bayer**; Enlist®, Enlist E3®, Enlist E3 Design®, Herculex® and Lumiderm®, Powercore® are trademarks of Corteva AgriScience LLC; DuPont™, Express®, ExpressSun® and TotalSol® are trademarks of E.I. du Pont de Nemours and Company; BroadAxe®, Ally®, Spartan® and Glean® are registered trademarks of FMC Corporation; Calibrate® and HarvXtra® are trademarks of Forage Genetics International, LLC: G2FLEX® is a trademark of the University of Idaho; HarvXtra® Alfalfa with Roundup Ready® Technology is enabled with Technology from The Samuel Roberts Nobel Foundation; Fresh CUT®, Kemin®, Kem LAC®, Myco CURB®, NutriSAVE®, NS-A™, NS-5™ and Silage SAVOR® are trademarks of **Kemin Industries**, **Inc.**; Lumiderm® is a trademark of Corteva AgriScience; Acceleron®, Acceleron and Design®, Asgrow[®], Asgrow and the A Design[®], Bollgard and Design[®], Bollgard II and Design[®], Bollgard II[®], Bollgard[®], DroughtGard[®], NemaStrike[®], Respect the Refuge and Cotton Design®, RIB Complete and Design®, RIB Complete®, Roundup PowerMAX®, Roundup Ready 2 Technology and Design®, Roundup Ready 2 Xtend®, Roundup Ready 2 Yield®, Roundup Ready® Roundup®, SmartStax®, Trecepta®, Truflex®, VT Double PRO®, VT4PRO™ XtendFlex® and YieldGard® are trademarks used under license from **Bayer** Group; Respect the Refuge and Corn Design® and Respect the Refuge® are trademarks of National Corn Growers Association; NuSun® and ProSize™ are trademarks of National Sunflower Association: OMRI Listed® is a trademark of Organic Materials Review Institute: Pioneer® is a trademark of **Pioneer Hi-Bred International, Inc.**; Apex[™] is a trademark of **Seed Enhancements, LLC**; Agrisure[®], Agrisure Artesian[®], Artesian[®], Agrisure Viptera[®], Apron XL[®], Cruiser[®], Fortenza[®], Duracade[®], E-Z Refuge®, NK® and Syngenta® are trademarks of a Syngenta Group Company; Advanced Coating®, Answer Plot®, Ascend®, Class Act®, CROPLAN®, Destiny®, Fortivent®, Framework®, Greentreat®, GroZone®, InterLock®, MasterLock®, Maxi Graze®, NG®, R7®, SilageFirst®, StrikeLock®, Sun Quest®, Superb®, Warden® and WinPak® are trademarks of **WinField United**. All other trademarks are the property of their respective

State registrations for IMIFLEX® are pending. Please check registration in your state. Always read and follow label directions. IMIFLEX® and UPL are trademarks of a UPL Corporation Limited Group Company. Vertix®, igrowth® and its corresponding logos are trademarks owned by Advanta US, LLC. a UPL group company.

© 2025 WinField United.





















ENOUGH ALREADY, I'M READY FOR RESULTS. WWW.CROPLAN.COM



2026 CROPLAN® SEED GUIDE

