

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012. Issue date: 4/11/2023 Revision date: 4/11/2023 Version: 1.0

SECTION 1: Identification

1.1. Identification

Product form

Mixture

Product name

: Urea (Granular, Pilled Micro-Prilled)

Other means of identification

: 46-0-0 (NPK); Urea (Carbamide)

1.2. Recommended use and restrictions on use

Use of the substance/mixture

Fertilizer

Fire retardant

Feed.

1.3. Supplier

Manufacturer

MacroSource, LLC 5 Skidaway Village Walk Savannah, GA, 31411 USA

T 1-912-598-8392

www.Macrosource.com

1.4. Emergency telephone number

Emergency number

: CHEMTREC 1 (800) 424-9300

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Not classified

2.2. GHS Label elements, including precautionary statements

GHS US labeling

No labeling applicable

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

3.2. Mixtures

Name	Product identifier	%
Urea	CAS-No.: 57-13-6	90 – 100
Urea, N,N-methylenebis-	CAS-No.: 13547-17-6	
Imidodicarbonic diamide		0 – 1.5

Comments

: This Safety Data Sheet is not a guarantee of product specification or NPK value(s). NPK content is on specified sales orders, customer invoices, or product specification sheets obtained from the supplier.

All concentrations are in percent weight.

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures after inhalation

If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for

breathing. Get medical advice/attention if you feel unwell.

First-aid measures after skin contact

If skin irritation occurs: Wash skin with plenty of water. Obtain medical attention if irritation

persists.

First-aid measures after eye contact

: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion

: Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious

person. Get medical advice/attention if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation

: May cause irritation to the respiratory tract.

Symptoms/effects after skin contact

: May cause skin irritation. Repeated exposure may cause skin dryness or cracking.

Symptoms/effects after eye contact

: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear

production, with possible redness and swelling.

Symptoms/effects after ingestion

: May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and

diarrhea.

4.3. Immediate medical attention and special treatment, if necessary

Symptoms may be delayed. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media

: Use extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing media

Do not use water jet.

5.2. Specific hazards arising from the chemical

Fire hazard

Products of combustion may include, and are not limited to: oxides of carbon. Oxides of nitrogen.

Biuret.

5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting

Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory

protection (SCBA).

4/11/2023 (Revision date) EN (English US) 2/8

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures

: Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

6.1.1. For non-emergency personnel

No additional information available

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

For containment

: Contain spill, then place in a suitable container. Minimize dust generation. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).

Methods for cleaning up

: Sweep or shovel spills into appropriate container for disposal. Provide ventilation.

6.4, Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke. Good housekeeping is important to prevent accumulation of dust.

Hygiene measures

Wash contaminated clothing before reuse. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Keep out of the reach of children. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store in dust-tight, dry, labelled containers. Avoid any dust buildup by frequent cleaning and suitable construction of the storage area.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Particulates not otherwise regulated (PNOR) and Particulates not otherwise classified (PNOC)

USA - ACGIH - Occupational Exposure Limits

ACGIH OEL TWA

10 mg/m³ (inhalable particles)

ACGIH OEL TWA

3 mg/m³ (respirable particles)

USA - OSHA - Occupational Exposure Limits

OSHA PEL TWA

15 mg/m³ (total dust)

OSHA PEL TWA

5 mg/m3 (respirable fraction)

4/11/2023 (Revision date)

EN (English US)

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Urea (Granular, Pilled Micro-Prilled)

No additional information available

Urea (57-13-6)

No additional information available

Urea, N,N-methylenebis- (13547-17-6)

No additional information available

Imidodicarbonic diamide (108-19-0)

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls

Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Wear suitable gloves. Consult glove manufacturer's product information on material suitability and material thickness.

Eye protection:

Safety glasses or goggles are recommended when using product.

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. SDSs cannot provide detailed and complete respiratory protection guidelines. Selection of respiratory protection must be done by a qualified person who has assessed the work environment.

Other information:

Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid

Appearance : Granules. Micro-prilled.

Color : White

Odor : Slight ammonia
Odor threshold : No data available

: 7.2 pН : 10 % pH solution Melting point : 270.9 °F 270.9 °F Freezing point Boiling point Decomposes No data available Flash point No data available Relative evaporation rate (butyl acetate=1) Flammability (solid, gas) No data available Vapor pressure No data available Relative vapor density at 20°C No data available

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

Relative density : No data available

Solubility : Moderately soluble in water.

Water: 1 - 10 %

: No data available

Partition coefficient n-octanol/water : No data available

Auto-ignition temperature : No data available

Decomposition temperature : 270.9 °F

Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosion limits : No data available
Explosive properties : No data available

9.2. Other information

Oxidizing properties

Bulk density : 44 – 52 lb/gal

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactions known under normal conditions of use.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Heat. Incompatible materials.

10.5. Incompatible materials

Strong oxidizing agent. Strong acids. Strong bases

10.6. Hazardous decomposition products

May include, and are not limited to: oxides of carbon. Oxides of nitrogen. Biuret.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Urea (57-13-6)

LD50 oral rat 8471 mg/kg

ATE US (oral) 8471 mg/kg body weight

Imidodicarbonic diamide (108-19-0)

LD50 oral rat 14300 - 15000 mg/kg

ATE US (oral) 14300 mg/kg body weight

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

Skin corrosion/irritation : Not classified pH: 7.2

Urea (57-13-6)

pH 7.2 (conc: 10 % (aqueous solution)

Serious eye damage/irritation : Not classified pH: 7.2

Urea (57-13-6)

pH 7.2 (conc: 10 % (aqueous solution)

Respiratory or skin sensitization : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Page due to the state of the state of

Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : Not classified Viscosity, kinematic : No data available

Symptoms/effects after inhalation : May cause irritation to the respiratory tract.

Symptoms/effects after skin contact : May cause skin irritation. Repeated exposure may cause skin dryness or cracking.

Symptoms/effects after eye contact : May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear

production, with possible redness and swelling.

Symptoms/effects after ingestion : May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and

diarrhea.

Other information : Likely routes of exposure: ingestion, inhalation, skin and eye.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : May cause long-term adverse effects in the aquatic environment.

Urea (57-13-6)

LC50 - Fish [1] 16200 - 18300 mg/l (Exposure time: 96 h - Species: Poecilia reticulata)

EC50 - Crustacea [1] 3910 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])

12.2. Persistence and degradability

Urea (Granular, Pilled Micro-Prilled)

Persistence and degradability

Not established.

12.3. Bioaccumulative potential

Urea (Granular, Pilled Micro-Prilled)	
Bioaccumulative potential	Not established.
Urea (57-13-6)	
BCF - Fish [1]	(10 dimensionless)
Partition coefficient n-octanol/water	< -1.73 (at 22 °C)

12.4. Mobility in soil

No additional information available

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

12.5. Other adverse effects

Other information

No other effects known.

SECTION 13: Disposal considerations

13.1. Disposal methods

Product/Packaging disposal recommendations

: Dispose in a safe manner in accordance with local/national regulations.

SECTION 14: Transport information

In accordance with DOT

14.1. UN number

Not regulated for transport

14.2. UN proper shipping name

Proper Shipping Name (DOT)

: Not applicable

14.3. Transport hazard class(es)

DOT

Transport hazard class(es) (DOT)

: Not applicable

14.4. Packing group

Packing group (DOT)

: Not applicable

14.5, Environmental hazards

Other information

: No supplementary information available.

14.6. Special precautions for user

Special transport precautions

: Do not handle until all safety precautions have been read and understood.

DOT

No data available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

Commercial status of components according to the United States Environmental Protection Agency's Toxic Substances Control Act (TSCA):

Name	CAS-No.	Listing	Commercial status	Flags
Urea	57-13-6	Present	Active	
Urea, N,N-methylenebis-	13547-17-6	Not present	de consequence de con	
Imidodicarbonic diamide	108-19-0	Present	Active	

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

15.2. International regulations

No additional information available

15.3. US State regulations

No additional information available

SECTION 16: Other information

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.


 Issue date
 . 04/11/2023

 Revision date
 . 04/11/2023

Other information : None.

Prepared by : Nexreg Compliance Inc.

www.Nexreg.com




beyond that of ordinary combustible materials.

NFPA fire hazard : 1 - Materials that must be preheated before ignition can occur.

NFPA reactivity : 1 - Materials that in themselves are normally stable but can become

unstable at elevated temperatures and pressures.



Hazard Rating

Health : 0 Minimal Hazard - No significant risk to health

Flammability : 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids,

solids and semi solids having a flash point above 200 F. (Class IIIB)

Physical : 1 Slight Hazard - Materials that are normally stable but can become unstable (self-react) at high

temperatures and pressures. Materials may react non-violently with water or undergo hazardous

NEXREG

polymerization in the absence of inhibitors.

Safety Data Sheet (SDS), USA

Used among We believe the statements, technical is considered and economical above, contained below the relation between the process of the adoption contained in this document applies to this possible material as applied. It may not be valid for this material it it is used in combination with any other materials. It is the used is expensively to satisfy exceeds as to the substitute and completeness of this information for the user's own particular use.