

**SAFETY DATA SHEET** 

## **Muriate of Potash**

# Section 1. Identification

Product identifier	: Muriate of Potash	
Chemical name	: Potassium chloride	
SDS #	: 100	
Other means of identification		
Synonyms	: Potassium chloride (KCI)	
	This safety data sheet applies to the following:	
	GRA - Muriate of Potash 0-0-60 Granular SOG - Muriate of Potash 0-0-62 White Granular STD - Muriate of Potash 0-0-60 Standard SUS - Muriate of Potash 0-0-60 Suspension SOGOS - Muriate of Potash 0-0-61 Granular Off Spec	
Product code(s)	: GRA, SOG, STD, SUS, SOGOS	
Product type	: Solid.	

### Relevant identified uses of the substance or mixture and uses advised against

### **Identified uses**

Fertilizer. Manufacture of specialty fertilizers.

Uses advised against	Reason
None.	Non-dangerous substance

Supplier's details	:	PCS Sales (USA), Inc. (A Subsidiary of Nutrien Ltd.) Suite 150 500 Lake Cook Road Deerfield, IL 60015 United States
		PCS Sales (Canada), Inc. (A Subsidiary of Nutrien Ltd.) Suite 500 122 1st Avenue South Saskatoon, Saskatchewan S7K 7G3 Canada
		Company phone number (North America): 1-800-524-0132 (Customer Service) sds@nutrien.com - www.nutrien.com
Emergency telephone number (with hours of operation)	:	Nutrien North American 24 HOUR EMERGENCY TELEPHONE NUMBERS: English: Transportation Emergencies: 1-800-792-8311 Medical Emergencies: 1-303-389-1653 French or Spanish: Tranportation or Medical Emergencies: 1-303-389-1654

# Section 2. Hazard identification

Classification of the substance or mixture	:	Not classified.
OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
GHS label elements		
Hazard pictograms	:	Not Applicable.
		No Aplicable.
		Non applicable.
Signal word	:	No signal word.
Hazard statements	:	No known significant effects or critical hazards.
Precautionary statements		
General	:	Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Other hazards which do not result in classification	:	Handling and/or processing of this material may generate a dust which can cause mechanical irritation of the eyes, skin, nose and throat.

# Section 3. Composition/information on ingredients

Substance/mixture	: Multi-constituent substance		
Ingredient name		% (w/w)	CAS number
Potassium chloride Sodium chloride		95 - 99 1 - 4	7447-40-7 7647-14-5

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

# Section 4. First-aid measures

#### Description of necessary first aid measures : May cause irritation due to mechanical action. Immediately flush eyes with plenty of Eye contact water, occasionally lifting the upper and lower eyelids. Get medical attention if irritation occurs. Inhalation : Remove person to fresh air. No known significant effects. Seek medical attention for any signs of wheezing and/or breathing difficulties. For additional advice call the medical emergency number on this SDS or your poison center or medical provider. : Flush contaminated skin with plenty of water. Remove contaminated clothing and Skin contact shoes. Get medical attention if symptoms occur. : Wash out mouth with water. If material has been swallowed and the exposed Ingestion person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

#### Most important symptoms/effects, acute and delayed

Date of issue/Date of revision : 7	10/28/2021 Date of prev	ious issue : 3/25/2021	Version : 3.3 2/13
------------------------------------	-------------------------	------------------------	--------------------

# Section 4. First-aid measures

Potential acute health effe	<u>ts</u>	
Eye contact	<ul> <li>No known significant effects or critical hazards. May cause irritation due to mechanical action.</li> </ul>	
Inhalation	: No known significant effects or critical hazards.	
Skin contact	: Inorganic salt. Prolonged or repeated exposure may dry the skin, causing irritation.	
Ingestion	: No known significant effects or critical hazards.	
Over-exposure signs/symp	<u>toms</u>	
Eye contact	: No specific data. Adverse symptoms may include the following: irritation watering redness	
Inhalation	: No specific data.	
Skin contact	<ul> <li>No specific data. Adverse symptoms may include the following: dryness cracking</li> </ul>	
Ingestion	: No specific data.	
Indication of immediate mediate	ical attention and special treatment needed, if necessary	
Notes to physician	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. For professional, multilingual, medical support, in case of medical emergencies involving Nutrien products, telephone the 24 hour Emergency Number: From Canada or the U.S., English: 1-303-389-1653; French or Spanish: 1-303-389-1654.	
Specific treatments	: No specific treatment.	
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. Mouth-to-mouth resuscitation of oral exposure patients is not recommended. First aiders with contaminated clothing should be properly decontaminated.	

# Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Non-flammable. Material will not burn. Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: No specific fire or explosion hazard.
Hazardous thermal decomposition products	: Not applicable.
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	<ul> <li>Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.</li> </ul>
Remark	: Contain and collect the water used to fight the fire for later treatment and disposal.

# Section 6. Accidental release measures

Personal precautions, protec	equipment and emergency procedures	
For non-emergency personnel	No action shall be taken involving any personal risk or without suitable training Keep unnecessary and unprotected personnel from entering. Do not touch or hrough spilled material. Put on appropriate personal protective equipment.	
For emergency responders	f specialized clothing is required to deal with the spillage, take note of any nformation in Section 8 on suitable and unsuitable materials. See also the nformation in "For non-emergency personnel".	
Environmental precautions	Avoid dispersal of spilled material and runoff and contact with soil, waterways, Irains and sewers. Inform the relevant authorities if the product has caused adverse impacts (sewers, waterways, soil or air).	
Methods and materials for co	nment and cleaning up	
Small spill	Nove containers from spill area. Vacuum or sweep up material and place in a lesignated, labeled waste container. Dispose of via a licensed waste disposa contractor.	
Large spill	Nove containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a lesignated, labeled waste container. Dispose of via a licensed waste disposa contractor. Note: see Section 1 for emergency contact information and Sectio or waste disposal.	

# Section 7. Handling and storage

### Precautions for safe handling

<ul> <li>Protective measures</li> <li>Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid prolonged contact with eyes, skin and clothing.</li> <li>Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.</li> <li>Conditions for safe storage, including any incompatibilities</li> <li>Store in accordance with local regulations. May form steep piles that can collapse without warning when transported or stored in bulk. This may damage equipment and endanger workers. The risk of cliffing and sudden collapse increases if product is loaded or stored when hot or in high humidity conditions. Avoid forming steep slopes when removing product. If product has caked, cliffed, or has adhered to the storage or transport container, stay out of the potential engliment zone in case the material collapses. Do not enter bins, railcars or trucks without conducting a risk assessment and following all confined space entry requirements. Ensure that consideration is given to fall protection and mobile equipment securement if applicable. Carefully loosen the set product from outside the container using mechanical vibration, sledge hammers, or other devices.</li> <li>Ensure that bulk bags or smaller packaged products stored in tiers are stacked, racked, blocked, interlocked, or otherwise secured to prevent sliding, rolling, or collapse. Use caution when opening truck or railcar doors as product may have shifted during transport.</li> <li>Must be stored in a dry location. Absorbs moisture on long-term storage under high humidity conditions. Store away from incompatible materials (see Section 10). When product is stored in sealable containers that have been opened must be carefully resealed and kept uprigh</li></ul>	Precautions for safe handling	L	
occupational hygienehandled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.Conditions for safe storage, including any incompatibilities: Store in accordance with local regulations. May form steep piles that can collapse without warning when transported or stored in bulk. This may damage equipment and endanger workers. The risk of cliffing and sudden collapse increases if product is loaded or stored when hot or in high humidity conditions. Avoid forming steep slopes when removing product. If product has caked, cliffed, or has adhered to the storage or transport container, stay out of the potential engulfment zone in case the material collapses. Do not enter bins, railcars or trucks without conducting a risk assessment and following all confined space entry requirements. Ensure that consideration is given to fall protection and mobile equipment securement if applicable. Carefully losen the set product from outside the container using mechanical vibration, sledge hammers, or other devices.Ensure that bulk bags or smaller packaged products stored in tiers are stacked, racked, blocked, interlocked, or otherwise secured to prevent sliding, rolling, or collapse. Use caution when opening truck or railcar doors as product may have shifted during transport.Must be stored in a dry location. Absorbs moisture on long-term storage under high humidity conditions. Store away from incompatible materials (see Section 10). When product is stored in sealable containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled	Protective measures	1	
<ul> <li>including any incompatibilities</li> <li>without warning when transported or stored in bulk. This may damage equipment and endanger workers. The risk of cliffing and sudden collapse increases if product is loaded or stored when hot or in high humidity conditions. Avoid forming steep slopes when removing product. If product has caked, cliffed, or has adhered to the storage or transport container, stay out of the potential engulfment zone in case the material collapses. Do not enter bins, railcars or trucks without conducting a risk assessment and following all confined space entry requirements. Ensure that consideration is given to fall protection and mobile equipment securement if applicable. Carefully loosen the set product from outside the container using mechanical vibration, sledge hammers, or other devices.</li> <li>Ensure that bulk bags or smaller packaged products stored in tiers are stacked, racked, blocked, interlocked, or otherwise secured to prevent sliding, rolling, or collapse. Use caution when opening truck or railcar doors as product may have shifted during transport.</li> <li>Must be stored in a dry location. Absorbs moisture on long-term storage under high humidity conditions. Store away from incompatible materials (see Section 10). When product is stored in sealable containers, keep container tightly closed and sealed until ready for use. Sealable containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled</li> </ul>		:	handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional
racked, blocked, interlocked, or otherwise secured to prevent sliding, rolling, or collapse. Use caution when opening truck or railcar doors as product may have shifted during transport. Must be stored in a dry location. Absorbs moisture on long-term storage under high humidity conditions. Store away from incompatible materials (see Section 10). When product is stored in sealable containers, keep container tightly closed and sealed until ready for use. Sealable containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled	including any	:	without warning when transported or stored in bulk. This may damage equipment and endanger workers. The risk of cliffing and sudden collapse increases if product is loaded or stored when hot or in high humidity conditions. Avoid forming steep slopes when removing product. If product has caked, cliffed, or has adhered to the storage or transport container, stay out of the potential engulfment zone in case the material collapses. Do not enter bins, railcars or trucks without conducting a risk assessment and following all confined space entry requirements. Ensure that consideration is given to fall protection and mobile equipment securement if applicable. Carefully loosen the set product from outside the container using
humidity conditions. Store away from incompatible materials (see Section 10). When product is stored in sealable containers, keep container tightly closed and sealed until ready for use. Sealable containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled			racked, blocked, interlocked, or otherwise secured to prevent sliding, rolling, or collapse. Use caution when opening truck or railcar doors as product may have
			humidity conditions. Store away from incompatible materials (see Section 10). When product is stored in sealable containers, keep container tightly closed and sealed until ready for use. Sealable containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled

# Section 8. Exposure controls/personal protection

### **Control parameters**

### **Occupational exposure limits**

Ingredient name			Exposure limits
Canadian Regulations Muriate of Potash			CA Alberta Provincial (Canada). Alberta TWA: 10 mg/m3 Inhalable, 3 mg/ m3 Respirable, for Particles Not Otherwise Regulated.: 10 mg/m <sup>3</sup> 8 hours. CA Quebec Provincial. Quebec TWAEV: for Particles Not Otherwise Regulated: 10 mg/m <sup>3</sup> 8 hours as Total Dust.
<b>U.S. Federal Regulations</b> Muriate of Potash			<b>OSHA PEL (United States).</b> TWA: 15 mg/m³, (Particulates not otherwise regulated (PNOR) Total particulates) 8 hours.
Appropriate engineering controls	:	Good general ventilation should be su contaminants.	ifficient to control worker exposure to airborne
Environmental exposure controls	:		
ndividual protection measu	<u>ires</u>		
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Wash contaminated clothing before reusing.	
Eye/face protection	:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: sealed eyewear	
Skin protection			
Hand protection		The personal protective equipment required varies, depending upon your risk assessment. Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. No special measures are typically indicated.	
Body protection	:		quired varies, depending upon your risk tic overalls or coveralls are normally suitable.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.	
Respiratory protection	:	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use. For U.S. work sites where respiratory protection is required, ensure that a respiratory protection program meeting 29 CFR 1910.134 requirements is in place.	

# Section 9. Physical and chemical properties

Appearance	
Physical state	: Solid. [Crystalline solid.]
Color	: Off-white or Pink or Red.
Odor	: Odorless.
Odor threshold	: Not available.
рН	: 7 to 9 [Conc. (% w/w): 10%]
Melting point	: 770°C (1418°F)
Boiling point	: 1420°C (2588°F)
Flash point	: [Product does not sustain combustion.]
Evaporation rate	: Not applicable.
Flammability (solid, gas)	: Non-combustible.
Lower and upper explosive (flammable) limits	: Not applicable.
Vapor pressure	: Not available.
Vapor density	: Not applicable
Relative density	: 62 - 75 lbs/ft <sup>3</sup> 993 - 1,201 kg/m <sup>3</sup>
Solubility	: Easily soluble in the following materials: cold water and hot water.
Solubility in water	: 347 - 355 g/l
Partition coefficient: n- octanol/water	: Not available.
Auto-ignition temperature	: Not applicable.
Decomposition temperature	: Not available.
Viscosity	: Not available.

# Section 10. Stability and reactivity

Reactivity	: Not considered to be reactive.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: Absorbs moisture on long-term storage under high humidity conditions. Store in a dry place and/or closed container. May form steep piles that can collapse without warning when stored in bulk. Avoid forming steep slopes when removing product.
Incompatible materials	: A mixture of salts. May be corrosive to metals. Contact your sales representative or a metallurgical specialist to ensure compatability with your equipment.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# Section 11. Toxicological information

## Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Potassium chloride Sodium chloride	LD50 Oral LD50 Oral LDLo Intra-arterial LDLo Intraperitoneal LDLo Oral	Rat Rat Guinea pig Rat Man - Male	2600 mg/kg 3000 mg/kg 300 mg/kg 3720 mg/kg 1 g/kg	- - - -

Conclusion/Summary : N

: Not considered to be acutely toxic.

### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Potassium chloride	Eyes	Rabbit	0	24 hours 500 milligrams	-
Sodium chloride	Eyes	Rabbit	0	-	-
	Skin	Rabbit	0	24 hours 500 milligrams	-

**Conclusion/Summary** 

:	No significant irritation	on expected other thar	possible mechanical irritation.
---	---------------------------	------------------------	---------------------------------

: No significant irritation expected other than possible mechanical irritation.

Eyes Respiratory

Skin

: No significant irritation expected other than possible mechanical irritation.

## **Sensitization**

Not available.

Conclusion/Summary
--------------------

: No known significant effects or critical hazards.

: No known significant effects or critical hazards.

## Skin Respiratory

Mutagenicity

Product/ingredient name	Test	Experiment	Result
Potash Potassium chloride	-	Subject: Bacteria Experiment: In vivo Subject: Mammalian-Animal Cell: Somatic	Negative Negative

**Conclusion/Summary** 

: Not mutagenic in Ames test.

## **Carcinogenicity**

Product/ingredient name	Result	Species	Dose	Exposure
Potassium chloride	Negative - Oral - TDLo	Rat - Male	1820 mg/kg	-
Sodium chloride	Negative - Oral - TDLo	Rat - Male	-	

Conclusion/Summary

: No evidence of risk to humans. No known significant effects or critical hazards.

### Reproductive toxicity

Not available.

## **Conclusion/Summary**

: No known significant effects or critical hazards.

#### **Teratogenicity**

Product/ingredient name	Result	Species	Dose	Exposure
Potassium chloride	Negative - Oral	Rat - Female	310 mg/m³	-

## Specific target organ toxicity (single exposure)

Not available.

## Specific target organ toxicity (repeated exposure)

# Section 11. Toxicological information

Not available.

## Aspiration hazard

Not available.

Information on the likely routes of exposure	: Inhalation Skin contact Oral
Potential acute health effects	<u>S</u>
Eye contact	: No known significant effects or critical hazards. May cause irritation due to mechanical action.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: Inorganic salt. Prolonged or repeated exposure may dry the skin, causing irritation.
Ingestion	: No known significant effects or critical hazards.
Symptoms related to the phy	vsical, chemical and toxicological characteristics
Eye contact	: No specific data. Adverse symptoms may include the following: irritation watering redness
Inhalation	: No specific data.
Skin contact	<ul> <li>No specific data. Adverse symptoms may include the following: dryness cracking</li> </ul>
Ingestion	: No specific data.
Delayed and immediate effect	cts and also chronic effects from short and long term exposure
<u>Short term exposure</u>	
Potential immediate effects	: See above.
Potential delayed effects	: See above.
<u>Long term exposure</u>	
Potential immediate effects	: See above.
Potential delayed effects	: See below.
Potential chronic health eff	<u>ects</u>
<b>Conclusion/Summary</b>	: Not considered to be toxic to humans.
General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
<b>Developmental effects</b>	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.
-	

# Section 12. Ecological information

### **Toxicity**

Product/ingredient name	Result	Species	Exposure
Potassium chloride	Acute EC50 1337000 µg/l Fresh water	Algae - Navicula seminulum	96 hours
	Acute EC50 9.24 g/L Fresh water	Algae - Desmodesmus subspicatus	72 hours
	Acute EC50 83000 µg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 9.68 mg/l Fresh water	Crustaceans - Pseudosida ramosa - Neonate	48 hours
	Acute LC50 435000 µg/l Fresh water	Fish - Gambusia affinis - Adult	96 hours
Sodium chloride	Acute EC50 2430000 µg/l Fresh water	Algae - Navicula seminulum	96 hours
	Acute EC50 28.85 mg/dm3 Fresh water	Algae - Pseudokirchneriella subcapitata	72 hours
	Acute EC50 519.6 mg/l Fresh water	Crustaceans - Cypris subglobosa	48 hours
	Acute IC50 6.87 g/L Fresh water	Aquatic plants - Lemna minor	96 hours
	Acute LC50 1661 mg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 1000000 µg/l Fresh water	Fish - Morone saxatilis - Larvae	96 hours
	Chronic LC10 781 mg/l Fresh water	Crustaceans - Hyalella azteca - Juvenile (Fledgling, Hatchling, Weanling)	3 weeks
	Chronic NOEC 6 g/L Fresh water	Aquatic plants - Lemna minor	96 hours
	Chronic NOEC 0.314 g/L Fresh water	Daphnia - Daphnia pulex	21 days
	Chronic NOEC 100 mg/l Fresh water	Fish - Gambusia holbrooki - Adult	8 weeks

released in large quantities.

### Persistence and degradability

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
Potassium chloride	-	-	Readily

## **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
Potassium chloride	<1	-	Low

#### Mobility in soil

Soil/water partition coefficient (Koc)	1	Not available.
Other adverse effects	:	No known significant effects or critical hazards.

# Section 13. Disposal considerations

**Disposal methods** 

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

# Section 14 Transport information

	TDG Classification	DOT Classification	Mexico Classification	IMDG	IATA
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-	-	-
Transport hazard class(es)	-	-	-	-	-
Packing group	-	-	-	-	-
Environmental hazards	No.	No.	No.	No.	No.
Additional information	Classification per the current revision, Transportation of Dangerous Goods Regulation, Part 2, Sec 2.1.	-	-	-	-

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not available. to IMO instruments

# Section 15. Regulatory information

### Canadian lists

**Canadian NPRI** 

: None of the components are listed.

**CEPA Toxic substances** 

- : None of the components are listed.
- **Canada inventory**
- : All components are listed or exempted.

#### International regulations

# Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

#### **Montreal Protocol**

Not listed.

### **Stockholm Convention on Persistent Organic Pollutants**

Not listed.

## **Rotterdam Convention on Prior Informed Consent (PIC)**

Not listed.

#### **UNECE Aarhus Protocol on POPs and Heavy Metals**

Not listed.

#### **Inventory list**

China

- **Australia** : All components are listed or exempted.
  - : All components are listed or exempted.

# Section 15. Regulatory information

e e e e e e e e e e e e e e e e e e e	
Europe	: This material is listed or exempted.
Japan	: Japan inventory (CSCL): All components are listed or exempted. Japan inventory (ISHL): Not determined.
Malaysia	: Not determined.
New Zealand	: All components are listed or exempted.
Philippines	: All components are listed or exempted.
Republic of Korea	: All components are listed or exempted.
Taiwan	: All components are listed or exempted.
Turkey	: Not determined.
U.S. Federal Regulations	: TSCA 8(a) CDR Exempt/Partial exemption: Not determined
	TSCA 8(b) Active inventory: TSCA 8(b) Active inventory: All components are listed or exempted.
Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)	2 : Not listed
Clean Air Act Section 602 Class I Substances	: Not listed
Clean Air Act Section 602 Class II Substances	: Not listed
DEA List I Chemicals (Precursor Chemicals)	: Not listed
DEA List II Chemicals (Essential Chemicals)	: Not listed
SARA 302/304 Composition	on/information on ingredients
SARA 304 RQ	: Not applicable.
SARA 311/312	
Classification	: Not applicable.
State regulations	
Massachusetts	: None of the components are listed.
New York	: None of the components are listed.
New Jersey	: None of the components are listed.
Pennsylvania	: None of the components are listed.
<u>California Prop. 65</u>	: This product, as manufactured, does NOT contain any substance in concentrations known to the state of California to cause cancer, birth defects or other reproductive harm. Nutrien cannot guarantee the downstream compliance of any product once out of Nutrien custody.

# Section 16. Other information

<u>History</u>		
Date of issue/Date of revision	: 10/28/2021	
Date of previous issue	: 3/25/2021	
Version	: 3.3	
Indicates information the Section 4 Identification	at has changed from previously issued version.	

Section 1. Identification

Г

# Section 16. Other information

Key to abbreviations	: ATE = Acute Toxicity Estimate
-	BCF = Bioconcentration Factor
	GHS = Globally Harmonized System of Classification and Labelling of Chemicals
	IATA = International Air Transport Association
	IBC = Intermediate Bulk Container
	IMDG = International Maritime Dangerous Goods
	LogPow = logarithm of the octanol/water partition coefficient
	MARPOL = International Convention for the Prevention of Pollution From Ships,
	1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
	UN = United Nations
	HPR = Hazardous Products Regulations

## Procedure used to derive the classification

# Section 16. Other information

Washington, D.C., 2003

#### Notice to reader

Supply chain partners must ensure they pass this SDS, and all other relevant safety information to their customers.

#### DISCLAIMER AND LIMITATION OF LIABILITY

The information and recommendations contained in this Safety Data Sheet ("SDS") relate only to the specific material referred to herein (the "Material") and do not relate to the use of such Material in combination with any other material or process. The information and recommendations contained herein are believed to be current and correct as of the date of this SDS. HOWEVER, THE INFORMATION AND RECOMMENDATIONS ARE PRESENTED WITHOUT WARRANTY, REPRESENTATION OR LICENSE OF ANY KIND, EXPRESS OR IMPLIED, WITH RESPECT TO THEIR ACCURACY, CORRECTNESS OR COMPLETENESS, AND THE SELLER, SUPPLIER AND MANUFACTURER OF THE MATERIAL AND THEIR RESPECTIVE AFFILIATES (COLLECTIVELY, THE "SUPPLIER") DISCLAIM ALL LIABILITY FOR RELIANCE ON SUCH INFORMATION AND RECOMMENDATIONS. This SDS is not a guarantee of safety. A buyer or user of the Material (a "Recipient") is responsible for ensuring that it has all current information necessary to safely use the Material for its specific purpose.

FURTHERMORE, THE RECIPIENT ASSUMES ALL RISK IN CONNECTION WITH THE USE OF THE MATERIAL. THE RECIPIENT ASSUMES ALL RESPONSIBILITY FOR ENSURING THE MATERIAL IS USED IN A SAFE MANNER IN COMPLIANCE WITH APPLICABLE ENVIRONMENTAL, HEALTH, SAFETY AND SECURITY LAWS, POLICIES AND GUIDELINES. THE SUPPLIER DOES NOT WARRANT THE MERCHANTABILITY OF THE MATERIAL OR THE FITNESS OF THE MATERIAL FOR ANY PARTICULAR USE AND ASSUMES NO RESPONSIBILITY FOR INJURY OR DAMAGE CAUSED DIRECTLY OR INDIRECTLY BY OR RELATED TO THE USE OF THE MATERIAL.