# 9751300 OMYA SULFOPRILL - WT



Version 1.0

Revision Date: 05/19/2023

SDS Number: PR97513-00

Date of last issue: -

Date of first issue: 05/19/2023

(GHS\_US)

#### **SECTION 1. IDENTIFICATION**

Product name : OMYA SULFOPRILL - WT

Product code 9751300

Manufacturer or supplier's details

Company name of supplier Omya Inc.

Address 4605 Duke Drive

Mason OH 45040

Telephone : (513) 387-4600

Telefax (513) 387-4695

Emergency telephone (800) 424-9300

Recommended use of the chemical and restrictions on use

Recommended use : Out-door use

Inorganic fertilizer

Restrictions on use Reserved for industrial and professional use.

#### **SECTION 2. HAZARDS IDENTIFICATION**

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Carcinogenicity (Inhalation) Category 1A

Specific target organ toxicity

- repeated exposure (Inhala-

tion)

Category 2 (Lungs)

**GHS** label elements

Hazard pictograms

Signal Word Danger

**Hazard Statements** H350 May cause cancer by inhalation.

H373 May cause damage to organs (Lungs) through prolonged

or repeated exposure if inhaled.

## 9751300 OMYA SULFOPRILL - WT



Version Revision Date: SDS Number: Date of last issue: -

1.0 05/19/2023 PR97513-00 Date of first issue: 05/19/2023

(GHS\_US)

Precautionary Statements : Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P260 Do not breathe dust.

P280 Wear protective gloves/ protective clothing/ eye protection/

face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste dis-

posal plant.

Other hazards

None known.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Substance

### Components

Chemical name	CAS-No.	Typical composition (% w/w)
calcium sulphate dihydrate	10101-41-4	>= 90 - <= 100
quartz (SiO2)	14808-60-7	5

Actual concentration is withheld as a trade secret

#### **SECTION 4. FIRST AID MEASURES**

If inhaled : Move to fresh air in case of accidental inhalation of dust or

fumes from overheating or combustion. If symptoms persist, call a physician.

In case of skin contact : Take off contaminated clothing and shoes immediately.

Wash off with soap and plenty of water.

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If swallowed : Clean mouth with water and drink afterwards plenty of water.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

Most important symptoms : None known.

### 9751300 OMYA SULFOPRILL - WT



Version 1.0

**Revision Date:** 05/19/2023

SDS Number: PR97513-00

Date of last issue: -

Date of first issue: 05/19/2023

(GHS\_US)

and effects, both acute and delayed

**SECTION 5. FIRE-FIGHTING MEASURES** 

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Hazardous combustion prod: :

ucts

No hazardous combustion products are known

Standard procedure for chemical fires. Further information

for fire-fighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

**SECTION 6. ACCIDENTAL RELEASE MEASURES** 

Personal precautions, protec- : Avoid dust formation.

tive equipment and emer-

gency procedures

Environmental precautions No special environmental precautions required.

Methods and materials for

containment and cleaning up

Sweep up and shovel.

Keep in suitable, closed containers for disposal.

**SECTION 7. HANDLING AND STORAGE** 

Advice on protection against

fire and explosion

Avoid dust formation.

Provide appropriate exhaust ventilation at places where dust

is formed.

For personal protection see section 8. Advice on safe handling

No special handling advice required.

Keep container tightly closed in a dry and well-ventilated Conditions for safe storage

place.

Materials to avoid No special restrictions on storage with other products.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type	Control	Basis
		(Form of	parameters /	
		exposure)	Permissible	

# 9751300 OMYA SULFOPRILL - WT



Version Revision Date: SDS Number: Date of last issue: -

1.0 05/19/2023 PR97513-00 Date of first issue: 05/19/2023

(GHS\_US)

			concentration	
calcium sulphate dihydrate	10101-41-4	TWA (Respirable)	5 mg/m3	NIOSH REL
		TWA (total)	10 mg/m3	NIOSH REL
		TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (Total dust)	15 mg/m3	OSHA P0
		TWA (respirable dust fraction)	5 mg/m3	OSHA P0
quartz (SiO2)	14808-60-7	TWA (respirable)	10 mg/m3 / %SiO2+2	OSHA Z-3
		TWA (respirable)	250 mppcf / %SiO2+5	OSHA Z-3
		TWA (respirable dust fraction)	0.1 mg/m3	OSHA P0
		TWA (Respirable particulate matter)	0.025 mg/m3 (Silica)	ACGIH
		TWA (Respirable dust)	0.05 mg/m3 (Silica)	NIOSH REL
		TWA (Respirable dust)	0.05 mg/m3	OSHA Z-1
		PEL (respirable)	0.05 mg/m3	OSHA CARC

## Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally

required.

Hand protection

Remarks : For prolonged or repeated contact use protective gloves.

Eye protection : Safety glasses

Skin and body protection : Protective suit

Hygiene measures : General industrial hygiene practice.

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : pellets

## 9751300 OMYA SULFOPRILL - WT



Version Revision Date: SDS Number: Date of last issue: -

1.0 05/19/2023 PR97513-00 Date of first issue: 05/19/2023

(GHS\_US)

Color : off-white, light brown

Odor : woody

pH : 8.5 - 9.5 (20 °C / 20 °C)

Concentration: 100 g/l Method: DIN-ISO 787/9

Melting point/range :  $> 800 \, ^{\circ}\text{C} \, / > 800 \, ^{\circ}\text{C}$ 

(1,013 hPa)

Decomposition: Decomposes below the melting point.

Boiling point/boiling range : Decomposition: Decomposes below the boiling point.

Flash point : does not flash

Flammability (solid, gas) : The product is not flammable.

Burning number : 1

Upper explosion limit / Upper

flammability limit

Upper flammability limit

Not applicable

Lower explosion limit / Lower

flammability limit

Lower flammability limit

Not applicable

Vapor pressure : Not applicable

Density : 2.6 - 2.8 g/cm3 (68.00 °F / 68.00 °F, 1,013 hPa)

Solubility(ies)

Water solubility : 0.014 g/l (20 °C / 20 °C, 1,013 hPa)

0.018 g/l (75 °C / 75 °C, 1,013 hPa)

Partition coefficient: n-

octanol/water

Not applicable

Autoignition temperature : Not applicable

Decomposition temperature :  $> 600 \, ^{\circ}\text{C} \, / > 600 \, ^{\circ}\text{C}$ 

Explosive properties : Not explosive

Not explosive

Minimum ignition energy : > 1,000 mJ ( $20 \,^{\circ}$ C /  $20 \,^{\circ}$ C,  $1,013 \,^{\circ}$ hPa)

#### **SECTION 10. STABILITY AND REACTIVITY**

## 9751300 OMYA SULFOPRILL - WT



Version Revision Date: SDS Number: Date of last issue: -

05/19/2023 PR97513-00 Date of first issue: 05/19/2023 1.0

(GHS\_US)

Reactivity Stable under recommended storage conditions.

Chemical stability No decomposition if stored and applied as directed.

tions

Possibility of hazardous reac- : No hazards to be specially mentioned.

Conditions to avoid No data available

Hazardous decomposition

products

Carbon dioxide (CO2)

### **SECTION 11. TOXICOLOGICAL INFORMATION**

### **Acute toxicity**

**Product:** 

: LD50 Oral (Rat): > 5,000 mg/kg Acute oral toxicity

## Respiratory or skin sensitization

#### **Product:**

No data available

## Carcinogenicity

## **Components:**

quartz (SiO2):

: Positive evidence from human epidemiological studies (inhala-Carcinogenicity -

Assessment tion)

**IARC** Group 1: Carcinogenic to humans

> quartz (SiO2) 14808-60-7

(Silica dust, crystalline)

**NTP** Known to be human carcinogen

> quartz (SiO2) 14808-60-7

(Silica, Crystalline (Respirable Size))

## STOT-repeated exposure

#### **Components:**

quartz (SiO2):

Routes of exposure : Inhalation Target Organs Lungs

May cause damage to organs through prolonged or repeated Assessment

exposure.

## 9751300 OMYA SULFOPRILL - WT



Version Revision Date:

05/19/2023

SDS Number: PR97513-00

Date of last issue: -

Date of first issue: 05/19/2023

(GHS\_US)

1.0

#### **Further information**

### **Product:**

No data available

#### **SECTION 12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

**Product:** 

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 10,000 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 1,000 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

NOEC (Desmodesmus subspicatus (green algae)): 75 mg/l

Exposure time: 72 h

EC50 (Desmodesmus subspicatus (green algae)): 289 mg/l

Exposure time: 72 h

**Components:** 

quartz (SiO2):

Toxicity to fish : Remarks: No toxicity at the limit of solubility.

Toxicity to daphnia and other :

aquatic invertebrates

Remarks: No toxicity at the limit of solubility.

Toxicity to algae/aquatic

plants

Remarks: No toxicity at the limit of solubility.

Toxicity to microorganisms : Remarks: No toxicity at the limit of solubility.

#### Persistence and degradability

**Product:** 

Biodegradability : Remarks: Not applicable

**Components:** 

quartz (SiO2):

Biodegradability : Result: Not biodegradable

Biochemical Oxygen De-

mand (BOD)

Remarks: Not applicable

Chemical Oxygen Demand

(COD)

Remarks: Not applicable

### 9751300 OMYA SULFOPRILL - WT



Version Revision Date: SDS Number: Date of last issue: -

1.0 05/19/2023 PR97513-00 Date of first issue: 05/19/2023

(GHS\_US)

**Bioaccumulative potential** 

**Components:** 

quartz (SiO2):

Bioaccumulation : Remarks: This substance is not considered to be persistent,

bioaccumulating and toxic (PBT).

Partition coefficient: n-

octanol/water

Remarks: Not applicable

Mobility in soil

No data available

Other adverse effects

**Product:** 

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82

Protection of Stratospheric Ozone - CAA Section 602 Class I

Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological infor-

mation

There is no data available for this product.

**SECTION 13. DISPOSAL CONSIDERATIONS** 

**Disposal methods** 

Waste from residues : Offer surplus and non-recyclable solutions to a licensed

disposal company.

Contaminated packaging : Empty remaining contents.

Empty containers should be taken to an approved waste

handling site for recycling or disposal.

**SECTION 14. TRANSPORT INFORMATION** 

**International Regulations** 

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

**Domestic regulation** 

Special precautions for user

Not applicable

## 9751300 OMYA SULFOPRILL - WT



Version 1.0

(GHS\_US)

Revision Date: 05/19/2023

SDS Number: PR97513-00

Date of last issue: -

Date of first issue: 05/19/2023

#### **SECTION 15. REGULATORY INFORMATION**

#### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

#### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Acute/Chronic Health Hazard

Specific target organ toxicity (single or repeated exposure)

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

#### **Clean Water Act**

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

## **US State Regulations**

### Massachusetts Right To Know

calcium sulphate dihydrate 10101-41-4 quartz (SiO2) 14808-60-7

#### Pennsylvania Right To Know

calcium sulphate dihydrate 10101-41-4 quartz (SiO2) 14808-60-7

## 9751300 OMYA SULFOPRILL - WT



Version Revision Date: SDS Number: Date of last issue: -


1.0 05/19/2023 PR97513-00 Date of first issue: 05/19/2023

(GHS\_US)

#### **SECTION 16. OTHER INFORMATION**

#### **Further information**

#### NFPA 704:



Special hazard

#### HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

#### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL : USA. NIOSH Recommended Exposure Limits

OSHA CARC : OSHA Specifically Regulated Chemicals/Carcinogens

OSHA PO : USA. Table Z-1-A Limits for Air Contaminants (1989 vacated

values)

OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-

its for Air Contaminants

OSHA Z-3 : USA. Occupational Exposure Limits (OSHA) - Table Z-3 Min-

eral Dusts

ACGIH / TWA : 8-hour, time-weighted average

NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour

workday during a 40-hour workweek

OSHA CARC / PEL : Permissible exposure limit (PEL)
OSHA P0 / TWA : 8-hour time weighted average
OSHA Z-1 / TWA : 8-hour time weighted average
OSHA Z-3 / TWA : 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC

## 9751300 OMYA SULFOPRILL - WT



Version **Revision Date:** SDS Number: Date of last issue: -

PR97513-00 Date of first issue: 05/19/2023 1.0 05/19/2023

(GHS\_US)

- International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

This material safety datasheet only contains information relating to safety and does not replace any product information or product specification.

Sources of key data used to compile the Material Safety

: Information taken from reference works and the literature.

**Revision Date** 05/19/2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8

**Data Sheet** 

Responsible/issuing person

: Omya Inc.

Regulatory Affairs Department 9987 Carver Road, Suite 300 Cincinnati, OH 45242