# KOCH.

# SAFETY DATA SHEET

## 1. Identification

Product identifier Urea Ammonium Nitrate Solution

Other means of identification

SDS Number KF\_UAN\_US\_EN

Synonyms UAN 28% Nitrogen, UAN 30% Nitrogen, UAN 32% Nitrogen, UN-28, UN-30, UN-32, URAN,

TRI-N-28, TRI-N-30, TRI-N-32, STCC 2871315.

Recommended use Fertilizer.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Company Name Koch Fertilizer, LLC

4111 E 37th Street North

PO Box 2219

Wichita, KS, 67201-2219 kochmsds@kochind.com

1-316-828-7672

**Emergency** For Chemical Emergency

Call CHEMTREC day or night

1.800.424.9300

Mexico - 1.800.681.9531 Outside USA/Canada 1.703.527.3887

(collect calls accepted)

# 2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Not classified.

OSHA defined hazards Not classified.

Label elements

Hazard symbol None.
Signal word None.

**Hazard statement** The mixture does not meet the criteria for classification.

**Precautionary statement** 

**Prevention** Observe good industrial hygiene practices.

Response Wash hands after handling.

**Storage** Store away from incompatible materials.

**Disposal** Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

# 3. Composition/information on ingredients

# Mixtures

Chemical name	CAS number	%
Ammonium nitrate	6484-52-2	35 - 55
Urea	57-13-6	25 - 40
Water	7732-18-5	15 - 32

Free Ammonia 7664-41-7 0.02 - 0.15

Composition comments

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

This Safety Data Sheet is not a guarantee of product specification or NPK value(s). NPK content is on specified sales orders, customer invoices, or product specification sheets obtained from supplier.

4. First-aid measures

Eve contact

Inhalation Move person to fresh air. If the affected person is not breathing, apply artificial respiration. Get

medical attention if discomfort develops or persists.

Skin contact Immediately flush skin with plenty of water. Get medical attention if irritation develops and persists.

Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open

eyelids wide apart. Get medical attention if irritation develops or persists.

Rinse mouth thoroughly. Drink 1 or 2 glasses of water. Do not induce vomiting without advice from Ingestion

poison control center. If vomiting occurs, keep head low so that stomach content doesn't get into

the lungs. Get medical attention.

Most important symptoms/effects, acute and delayed

Symptoms include itching, burning, redness, and tearing of eyes.

Indication of immediate medical attention and special treatment needed

Treat symptomatically.

**General information** 

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Use fire-extinguishing media appropriate for surrounding materials.

None known.

Specific hazards arising from

the chemical

Slight fire hazard. When water evaporates from this product residues may contain ammonium nitrate, and solid ammonium nitrate when sensitized during decomposition may become unstable and explosive.

Special protective equipment and precautions for firefighters

Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace. Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions Move containers from fire area if you can do it without risk.

#### 6. Accidental release measures

Personal precautions. protective equipment and emergency procedures

Avoid inhalation of vapors and spray mist and contact with skin and eyes. Wear suitable protective clothing. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. After removal flush contaminated area thoroughly with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

**Environmental precautions** drains, sewers or watercourses.

Never return spills to original containers for re-use. For waste disposal, see Section 13 of the SDS. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Do not allow to enter

7. Handling and storage

Precautions for safe handling Avoid inhalation of vapors/spray and contact with skin and eyes. Use only with adequate

ventilation. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Keep container tightly closed. Store in a cool, dry, well-ventilated place. Store away from incompatible materials.

#### 8. Exposure controls/personal protection

#### Occupational exposure limits

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	
Ammonia (CAS 7664-41-7)	PEL	35 mg/m3	
		50 ppm	
US. ACGIH Threshold Limit	. Values		
Components	Туре	Value	
Ammonia (CAS 7664-41-7)	STEL	35 ppm	
	TWA	25 ppm	
US. NIOSH: Pocket Guide t	o Chemical Hazards		
Components	Туре	Value	
Ammonia (CAS 7664-41-7)	STEL	27 mg/m3	
		35 ppm	
	TWA	18 mg/m3	
		25 ppm	
US. Workplace Environmen	ntal Exposure Level (WEEL) Guides		
Components	Туре	Value	Form
Urea (CAS 57-13-6)	TWA	10 mg/m3	Total particulate.
logical limit values	No biological exposure limits noted for the ingredient(s).		
osure guidelines	Follow standard monitoring procedure	es.	
propriate engineering trols	Observe Occupational Exposure Limits and minimize the risk of inhalation of vapors and spray mist. Provide adequate general and local exhaust ventilation. Provide eyewash station.		
vidual protection measures	, such as personal protective equipm	ent	
Eye/face protection	Wear approved safety glasses or gog	gles.	
Skin protection			
Hand protection	Chemical resistant gloves are recom-	mended. Be aware that the ligi	uid may penetrate the glove

#### Ind

Frequent change is advisable. Suitable gloves can be recommended by the glove supplier.

Wear appropriate clothing to prevent repeated or prolonged skin contact. Other

If engineering controls do not maintain airborne concentrations below recommended exposure Respiratory protection

limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Wear air supplied respiratory protection if exposure concentrations are unknown. In case of inadequate ventilation or risk of inhalation of

vapors, use suitable respiratory equipment.

In the United States of America, if respirators are used, a program should be instituted to assure

compliance with OSHA 29 CFR 1910.134 and ANSI Z88.2.

Wear appropriate thermal protective clothing, when necessary. Thermal hazards

General hygiene Always observe good personal hygiene measures, such as washing after handling the material

considerations and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants. Handle in accordance with good industrial hygiene and safety

practice.

225 °F (107.22 °C)

#### 9. Physical and chemical properties

**Appearance** 

Liquid. Physical state **Form** Liquid. Color Colorless. Odor Slight ammonia. Not available. **Odor threshold** 6.8 - 8.5Melting point/freezing point Not available.

range

Initial boiling point and boiling

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Vapor pressureNot available.Vapor densityNot available.

Relative density 1.05 - 1.35 @ 30 °C

Solubility(ies)

Solubility (water) 100%

Partition coefficient (n-octanol/water)

Not available.

Auto-ignition temperature

**Decomposition temperature** 

Not available.

Not available.

Not available.

Other information

**Viscosity** 

**Explosive properties** Not explosive. **Oxidizing properties** Not oxidizing.

# 10. Stability and reactivity

Reactivity Reacts violently with strong oxidants, nitrites, inorganic chlorides, chlorites and perchlorates

causing fire and explosion hazard.

Chemical stability Stable under normal temperature conditions and recommended use.

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Conditions to avoid Contact with incompatible materials. Heat, sparks, flames, elevated temperatures. UAN will form

urea nitrate when mixed with nitric acid at low pH. Urea nitrate may become unstable and/or

explosive under certain conditions.

**Incompatible materials** Reacts violently with strong oxidants, nitrites, inorganic chlorides, chlorites and perchlorates

causing fire and explosion hazard.

**Hazardous decomposition** 

products

Carbon oxides. Nitrogen oxides (NOx). Ammonia. Biuret. Cyanide compounds.

## 11. Toxicological information

Information on likely routes of exposure

Inhalation Vapors and spray mist may irritate throat and respiratory system and cause coughing.

**Skin contact** Prolonged or repeated skin contact may cause irritation.

**Eve contact** May cause eye irritation.

**Ingestion** May cause discomfort if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation. Symptoms can include irritation, redness,

scratching of the cornea, and tearing.

Information on toxicological effects

Acute toxicity May cause discomfort if swallowed.

Components Species Test Results

Ammonia (CAS 7664-41-7)

Acute
Inhalation
LC50 Rat 5.1 mg/l, 1 Hours

Oral

LD50 Rat 350 mg/kg as Ammonium hydroxide

Components Species Test Results

Ammonium nitrate (CAS 6484-52-2)

<u>Acute</u>

**Dermal** 

LD50 Rat > 5000 mg/kg

Inhalation

Dust

LC50 Rat > 88.8 mg/l, 4 Hours

Oral

LD50 Rat > 2000 mg/kg

Urea (CAS 57-13-6)

<u>Acute</u>

Oral

LD50 Rat 14300 mg/kg

**Skin corrosion/irritation** Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye

irritation

May cause eye irritation.

Respiratory or skin sensitization

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

**NTP Report on Carcinogens** 

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

**Reproductive toxicity**This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

**Aspiration hazard** Not an aspiration hazard.

**Chronic effects** Prolonged inhalation may be harmful.

12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components **Species Test Results** Ammonia (CAS 7664-41-7) Aquatic Fish LC50 Chinook salmon (Oncorhynchus 0.43 - 0.47 mg/l, 96 hours tshawytscha) Ammonium nitrate (CAS 6484-52-2) Aquatic Acute Crustacea EC50 Daphnia magna 555 mg/l, 24 Hours Fish LC50 Oncorhynchus mykiss > 100 mg/l, 96 Hours Urea (CAS 57-13-6) Aquatic Fish LC50 Leuciscus idus > 6810 mg/l, 96 hours

Persistence and degradability No data available.

Bioaccumulative potential No data available.

Partition coefficient proctanel / water (log Kow)

Partition coefficient n-octanol / water (log Kow)
Urea (CAS 57-13-6)

**Mobility in soil** This product is water soluble and may disperse in soil.

Other adverse effects No data available.

13. Disposal considerations

**Disposal instructions**Do not allow this material to drain into sewers/water supplies. Dispose in accordance with all

applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

-2.11

disposal company.

Waste from residues / unused

products

Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal.

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

# 14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to

Not established.

Annex II of MARPOL 73/78 and

the IBC Code

# 15. Regulatory information

US federal regulations This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

**Hazard categories** 

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Ammonia (CAS 7664-41-7) LISTED

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Immediate Hazard - No Delayed Hazard - No Fire Hazard - No Pressure Hazard - No

Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Chemical name CAS number Reportable Threshold Threshold Threshold

quantity planning quantity planning quantity, planning quantity, (pounds) lower value upper value (pounds) (pounds)

Ammonia 7664-41-7 100 500

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting)

 Chemical name
 CAS number
 % by wt.

 Ammonium nitrate
 6484-52-2
 35 - 55

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

## Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Ammonia (CAS 7664-41-7)

Safe Drinking Water Act

(SDWA)

Not regulated.

**US state regulations**This product does not contain a chemical known to the State of California to cause cancer, birth

defects or other reproductive harm.

## US. Massachusetts RTK - Substance List

Ammonia (CAS 7664-41-7) Ammonium nitrate (CAS 6484-52-2)

#### US. New Jersey Worker and Community Right-to-Know Act

Ammonia (CAS 7664-41-7)

Ammonium nitrate (CAS 6484-52-2)

#### US. Pennsylvania Worker and Community Right-to-Know Law

Ammonia (CAS 7664-41-7)

Ammonium nitrate (CAS 6484-52-2)

#### **US. Rhode Island RTK**

Ammonia (CAS 7664-41-7)

#### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes

<sup>\*</sup>A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

Toxic Substances Control Act (TSCA) Inventory

## 16. Other information, including date of preparation or last revision

Issue date 31-January-2017

Revision date - 01

United States & Puerto Rico

**Further information** HMIS® is a registered trade and service mark of the NPCA.

HMIS® ratings Health: 1

Flammability: 1 Physical hazard: 0

NFPA ratings



**List of abbreviations** EC50: Effective Concentration, 50%.

LC50: Lethal Concentration, 50%.

**References** EPA: Acquire database

HSDB® - Hazardous Substances Data Bank

Urea Ammonium Nitrate Solution SDS US

Yes

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

#### **Disclaimer**

NOTICE: The information presented herein is based on data considered to be accurate as of the date of preparation of this Safety Data Sheet (SDS) and was prepared pursuant to Government regulation(s) that identify specific types of information to be provided. This SDS may not be used as a commercial specification sheet of manufacturer or seller, and no warranty or representation, expressed or implied, is made as to the accuracy or comprehensiveness of the foregoing data and safety information, nor is any authorization given or implied to practice any patented invention without a license. Additional information may be needed to evaluate other uses of the product, including use of the product in combination with any materials or in any processes other than those specifically referenced. Information provided herein with respect to any hazards that may be associated with the product is not meant to suggest that use of the product in a given application will necessarily result in any exposure or risk to workers or the general public. No responsibility can be assumed by vendor for any damage or injury resulting from abnormal use, from any failure to adhere to recommended practices, or from any hazards inherent in the nature of the product. Purchasers and users assume all risk of use, storage and handling of the product in compliance with applicable federal, state and local laws and regulations. Purchasers and users of the product specifically should advise all of their employees, agents, contractors and customers who will use the product of this (M)SDS.