8
---

**ZEP** Manufacturing Company Acuity Specialty Products Group, Inc. P.O. Box 2015 Atlanta, GA 30301 1-877-I-BUY-ZEP (428-9937) www.zen.com

## **Material Safety Data Sheet**

and Safe Handling and Disposal Information

www.zep.com	Section 1. Chemical Product and Company Identification			
	Product	name	ZEP GLA	SS CLEANER
	Product	Use	Aerosol Glas	ss Cleaner
	Product	Code	0019	
	Date of	issue	05/14/07	Supersedes 07/21/05
	Emerge	ncy For M	ISDS Informati	on:
	Telepho	ne Acuity	Specialty Produ	cts Group, Inc.
	Numbers Compliance Services 1-877-I-BUY-ZEP (428-9937			s 1-877-I-BUY-ZEP (428-9937)
		For M	ledical Emergen	<b>ICV</b>
	INFOTRAC:			
	(877) 541-2016 Toll Free - All Calls Recorded			
		For a	Transportation	Emergency
	CHEMTREC:			
Printing date: 05/14/07	(800) 424-9300 - All Calls Recorded			
5	In the District of Columbia (202) 483-7616			
	Prepared by Compliance Services Group			
	Acuity Specialty Products Group			
	1420 Seaboard Industrial Blvd.			
	Atlanta, GA 30318			
Section 2. Composition, Information o	n Ingredients			
Name of Hazardous Ingredients		CAS #	% by Weight	Exposure Limits

Name of Hazardous Ingredients	CAS #	% by Weight	Exposure Limits
ETHANOL; ethyl alcohol; grain alcohol	64-17-5	1 - 10	ACGIH TLV / OSHA PEL (United States). TWA: 1000 ppm 8 hour(s).
ACETONE; dimethyl ketone	67-64-1	1 - 10	ACGIH TLV/ OSHA PEL (United States). TWA: 750 ppm 8 hour(s). ACGIH / OSHA (United States). STEL: 1000 ppm 15 minute(s).
HYDROCARBON PROPELLANT; blend of propane & isobutane	75-28-5; 74-98- 6	1 - 10	ACGIH TLV / OSHA PEL (United States). Notes: Propane TWA: 1000 ppm 8 hour(s).

## Section 3. Hazards Identification

Section 3. H	HMIS		
Acute Effec	ts Routes of Entry Eye contact. Inhalation.	Health	1
Skin	May cause slight transient irritation. Skin inflammation is characterized by itching, scaling, or reddening.	Fire Hazard Reactivity	1 0
Eyes	Liquid in eye may cause irritation with possible damage if not rinsed immediately. Inflammation of the eye is characterized by redness, watering, and itching.	Personal Protection	В
Inhalation	Over-exposure by inhalation may cause respiratory irritation. Can cause central nervous		

Inhalation Over-exposure by inhalation may cause respiratory irritation. Can cause central nervous system depression. Symptoms and signs include headaches, dizziness, fatigue, muscular weakness, drowsiness and, in extreme cases, loss of consciousness.

**Ingestion** May be harmful if swallowed. Can cause gastrointestinal disturbances. NOTE: MSDS data pertains to the product as delivered in the original shipping container(s). Risk of adverse health effects are lessened by following all prescribed safety precautions, including use of proper personal protective equipment.

Carcinogenic Effects	Ingredients: Not listed as carcinogen by OSHA, NTP or IARC. Repeated or prolonged exposure to the substance can produce damage to central nervous system, kidneys, liver. Prolonged or repeated contact may dry skin and cause irritation.		
Chronic Effects			
See Toxicological Information (section 11)			

## Section 4 First Aid Measures

Section 4. First Alu	n Measures
Eye Contact	Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Check for and remove any contact lenses. Get medical attention immediately.
	remove any contact lenses. Our medical attention minediately.
Skin Contact	In case of contact, immediately flush skin with plenty of water. Get medical attention if irritation develops.
Inhalation	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give
	oxygen. Get medical attention.
Ingestion	Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to
-	an unconscious person. Get medical attention immediately.

Section 5. Fire Figl		
	-	
Flash Point	Not determined.	Flammable Limits Not determined.
Flammability	Not considered to be flammat	
Fire Hazard		SURE. Container explosion may occur under fire conditions or
		ontainers exposed to fire with water.
Fire-Fighting Proc		Y chemicals, CO <sub>2</sub> , water spray or foam. Wear special protective
	clothing a	and positive pressure, self-contained breathing apparatus.
	tal Release Measures	
Spill Clean up	Large spills are unlikely due to	) packaging.
Section 7. Handling	g and Storage	
		longed or repeated contact with skin. Avoid breathing vapors or spray mists.
Use	with adequate ventilation. Wash	h contaminated clothing before reusing. Wash thoroughly after handling.
Storage CON	TENTS UNDER PRESSURE.	Do not puncture or incinerate. Keep away from heat and direct sunlight. Keep
conta	iner in a cool, well-ventilated a	area. Store below 120°F. Keep out of the reach of children.
Section 8. Exposu	re Controls, Personal Prote	ection
	Personal Protect	
Eyes Safety	glasses.	
•	•	use gloves. Recommended: Rubber
	. Nitrile gloves. Neoprene glove	
		general ventilation should be sufficient to control airborne levels.
	*	-
	I and Chemical Properties	Color Colorless.
•	Iazy liquid. Foam.	
	Not determined.	Odor Pleasant.
· · · · · · · · · · · · · · · · · · ·	6.1°C (205°F)	Vapor Pressure Not determined.
Specific Gravity 0	.98 (Water $= 1$ )	Vapor Density Not determined.
Solubility E	asily soluble in cold water.	Evaporation Rate 1 compared to Water
		<b>VOC (Consumer)</b> 116.5 (g/l). 0.97 lbs/gal 11.93
Section 10. Stabilit	y and Reactivity	
· · · · · · · · · · · · · · · · · · ·		
Incompatibility	Avoid contact with	h strong oxidizers, excessive heat, sparks or open flame.
Incompatibility	Avoid contact with	
Incompatibility Hazardous Polyme	Avoid contact with erization Will not occur.	
Incompatibility Hazardous Polyme Hazardous Decom	Avoid contact with erization Will not occur. position Products Carbon	h strong oxidizers, excessive heat, sparks or open flame.
Incompatibility Hazardous Polyme Hazardous Decom Section 11. Toxico	Avoid contact with erization Will not occur. position Products Carbon logical Information	h strong oxidizers, excessive heat, sparks or open flame.
Incompatibility Hazardous Polyme Hazardous Decom Section 11. Toxico	Avoid contact with erization Will not occur. position Products Carbon logical Information s Acetone:	h strong oxidizers, excessive heat, sparks or open flame. n Dioxide, Carbon Monoxide and other organic chemicals.
Incompatibility Hazardous Polyme Hazardous Decom Section 11. Toxico	Avoid contact with erization Will not occur. position Products Carbon logical Information	h strong oxidizers, excessive heat, sparks or open flame. n Dioxide, Carbon Monoxide and other organic chemicals. Acute: 9750 mg/kg [Mouse.].
Incompatibility Hazardous Polyme Hazardous Decom Section 11. Toxico	Avoid contact with erization Will not occur. position Products Carbon logical Information s Acetone: ORAL (LD50):	h strong oxidizers, excessive heat, sparks or open flame. n Dioxide, Carbon Monoxide and other organic chemicals. Acute: 9750 mg/kg [Mouse.].
Incompatibility Hazardous Polyme Hazardous Decom Section 11. Toxico	Avoid contact with erization Will not occur. aposition Products Carbon logical Information s Acetone: ORAL (LD50): DERMAL (LD50)	h strong oxidizers, excessive heat, sparks or open flame. n Dioxide, Carbon Monoxide and other organic chemicals. Acute: 9750 mg/kg [Mouse.]. ): Acute: 20000 mg/kg [Rabbit.].
Incompatibility Hazardous Polyme Hazardous Decom Section 11. Toxico	Avoid contact with Prization Will not occur. Products Carbon logical Information S Acetone: ORAL (LD50): DERMAL (LD50): VAPOR (LC50):	h strong oxidizers, excessive heat, sparks or open flame. n Dioxide, Carbon Monoxide and other organic chemicals. Acute: 9750 mg/kg [Mouse.]. ): Acute: 20000 mg/kg [Rabbit.].
Incompatibility Hazardous Polyme Hazardous Decom Section 11. Toxico Toxicity to Animal	Avoid contact with erization Will not occur. position Products Carbon logical Information s Acetone: ORAL (LD50): DERMAL (LD50): VAPOR (LC50): Ethanol: ORAL (LD50):	Acute: 9750 mg/kg [Mouse.]. Acute: 20000 mg/kg [Rabbit.]. Acute: 16000 ppm 4 hour(s) [Rat].
Incompatibility Hazardous Polyme Hazardous Decom Section 11. Toxico Toxicity to Animal Section 12. Ecolog	Avoid contact with erization Will not occur. position Products Carbon logical Information s Acetone: ORAL (LD50): DERMAL (LD50): VAPOR (LC50): Ethanol: ORAL (LD50):	Acute: 9750 mg/kg [Mouse.]. Acute: 20000 mg/kg [Rabbit.]. Acute: 16000 ppm 4 hour(s) [Rat].
Incompatibility Hazardous Polyme Hazardous Decom Section 11. Toxico Toxicity to Animal Section 12. Ecolog Ecotoxicity	Avoid contact with erization Will not occur. position Products Carbon logical Information s Acetone: ORAL (LD50): DERMAL (LD50): VAPOR (LC50): Ethanol: ORAL (LD50): ical Information Not available.	Acute: 9750 mg/kg [Mouse.]. Acute: 20000 mg/kg [Rabbit.]. Acute: 16000 ppm 4 hour(s) [Rat].
Incompatibility Hazardous Polyme Hazardous Decom Section 11. Toxico Toxicity to Animal Section 12. Ecolog Ecotoxicity Biodegradable/OE	Avoid contact with erization Will not occur. position Products Carbon logical Information s Acetone: ORAL (LD50): DERMAL (LD50): VAPOR (LC50): Ethanol: ORAL (LD50): ical Information Not available. CD Not available.	Acute: 9750 mg/kg [Mouse.]. Acute: 20000 mg/kg [Rabbit.]. Acute: 16000 ppm 4 hour(s) [Rat].
Incompatibility Hazardous Polyme Hazardous Decom Section 11. Toxico Toxicity to Animal Section 12. Ecolog Ecotoxicity Biodegradable/OE Section 13. Dispos	Avoid contact with erization Will not occur. position Products Carbon logical Information s Acetone: ORAL (LD50): DERMAL (LD50): VAPOR (LC50): Ethanol: ORAL (LD50): fical Information Not available. ScD Not available. Scal Considerations	h strong oxidizers, excessive heat, sparks or open flame. n Dioxide, Carbon Monoxide and other organic chemicals. Acute: 9750 mg/kg [Mouse.]. ): Acute: 20000 mg/kg [Rabbit.]. Acute: 16000 ppm 4 hour(s) [Rat]. Acute: 7060 mg/kg [Rat].
Incompatibility Hazardous Polyme Hazardous Decom Section 11. Toxico Toxicity to Animal Section 12. Ecolog Ecotoxicity Biodegradable/OE Section 13. Dispos Waste	Avoid contact with position Products Carbon logical Information S Acetone: ORAL (LD50): DERMAL (LD50): DERMAL (LD50): Ethanol: ORAL (LD50): fical Information Not available. ScD Not available. Scal Considerations Vaste must be disposed of in acc	h strong oxidizers, excessive heat, sparks or open flame. h Dioxide, Carbon Monoxide and other organic chemicals. Acute: 9750 mg/kg [Mouse.]. ): Acute: 20000 mg/kg [Rabbit.]. Acute: 16000 ppm 4 hour(s) [Rat]. Acute: 7060 mg/kg [Rat]. cordance with federal, <b>Waste Stream</b> Non-hazardous waste
Incompatibility Hazardous Polyme Hazardous Decom Section 11. Toxico Toxicity to Animal Section 12. Ecolog Ecotoxicity Biodegradable/OE Section 13. Dispos Waste W Information st	Avoid contact with erization Will not occur. position Products Carbon logical Information s Acetone: ORAL (LD50): DERMAL (LD50): VAPOR (LC50): Ethanol: ORAL (LD50): ical Information Not available. CD Not available. Sal Considerations Vaste must be disposed of in acc ate and local environmental cor	h strong oxidizers, excessive heat, sparks or open flame. h Dioxide, Carbon Monoxide and other organic chemicals. Acute: 9750 mg/kg [Mouse.]. ): Acute: 20000 mg/kg [Rabbit.]. Acute: 16000 ppm 4 hour(s) [Rat]. Acute: 7060 mg/kg [Rat]. cordance with federal, <b>Waste Stream</b> Non-hazardous waste
Incompatibility Hazardous Polyme Hazardous Decom Section 11. Toxico Toxicity to Animal Section 12. Ecolog Ecotoxicity Biodegradable/OE Section 13. Dispos Waste W Information st Consult your local on	Avoid contact with rization Will not occur. position Products Carbon logical Information s Acetone: ORAL (LD50): DERMAL (LD50): VAPOR (LC50): Ethanol: ORAL (LD50): ical Information Not available. Sal Considerations Vaste must be disposed of in acc ate and local environmental cord r regional authorities.	h strong oxidizers, excessive heat, sparks or open flame. h Dioxide, Carbon Monoxide and other organic chemicals. Acute: 9750 mg/kg [Mouse.]. ): Acute: 20000 mg/kg [Rabbit.]. Acute: 16000 ppm 4 hour(s) [Rat]. Acute: 7060 mg/kg [Rat]. cordance with federal, <b>Waste Stream</b> Non-hazardous waste
Section 11. Toxico. Toxicity to Animal Section 12. Ecolog Ecotoxicity Biodegradable/OE Section 13. Dispos Waste W Information st Consult your local of Section 14. Transp	Avoid contact with position Products Carbon logical Information S Acetone: ORAL (LD50): DERMAL (LD50): DERMAL (LD50): Ethanol: ORAL (LD50): Inical Information Not available. Sal Considerations Vaste must be disposed of in acc ate and local environmental corr r regional authorities. ort Information	h strong oxidizers, excessive heat, sparks or open flame. h Dioxide, Carbon Monoxide and other organic chemicals. Acute: 9750 mg/kg [Mouse.]. ): Acute: 20000 mg/kg [Rabbit.]. Acute: 16000 ppm 4 hour(s) [Rat]. Acute: 7060 mg/kg [Rat]. cordance with federal, Waste Stream Non-hazardous waste ntrol regulations.
Incompatibility Hazardous Polyme Hazardous Decom Section 11. Toxico Toxicity to Animal Section 12. Ecolog Ecotoxicity Biodegradable/OE Section 13. Dispos Waste W Information st Consult your local of Section 14. Transp Proper shipping na	Avoid contact with position Products Carbon logical Information S Acetone: ORAL (LD50): DERMAL (LD50): DERMAL (LD50): VAPOR (LC50): Ethanol: ORAL (LD50): fical Information Not available. Sal Considerations Vaste must be disposed of in acc ate and local environmental corr r regional authorities. ort Information ame Consumer Commodity	h strong oxidizers, excessive heat, sparks or open flame. h Dioxide, Carbon Monoxide and other organic chemicals. Acute: 9750 mg/kg [Mouse.]. ): Acute: 20000 mg/kg [Rabbit.]. Acute: 16000 ppm 4 hour(s) [Rat]. Acute: 7060 mg/kg [Rat]. cordance with federal, Waste Stream Non-hazardous waste ntrol regulations.
Incompatibility Hazardous Polyme Hazardous Decom Section 11. Toxico Toxicity to Animal Section 12. Ecolog Ecotoxicity Biodegradable/OE Section 13. Dispos Waste W Information st Consult your local on	Avoid contact with position Products Carbon logical Information S Acetone: ORAL (LD50): DERMAL (LD50): DERMAL (LD50): VAPOR (LC50): Ethanol: ORAL (LD50): fical Information Not available. Sal Considerations Vaste must be disposed of in acc ate and local environmental corr r regional authorities. ort Information ame Consumer Commodity	h strong oxidizers, excessive heat, sparks or open flame. h Dioxide, Carbon Monoxide and other organic chemicals. Acute: 9750 mg/kg [Mouse.]. ): Acute: 20000 mg/kg [Rabbit.]. Acute: 16000 ppm 4 hour(s) [Rat]. Acute: 7060 mg/kg [Rat]. cordance with federal, Waste Stream Non-hazardous waste ntrol regulations.

Section 15. Regulatory Info	rmation			
U.S. Federal Regulations	SARA 313 toxic chemical notification and release reporting: No products were found.			
	Clean Water Act (CWA) 311: No products were found.			
	Clean air act (CAA) 112 regulated toxic substances: No products were found.			
	All Components of this product are listed or exempt from listing on TSCA inventory.			
State Regulations	California prop. 65: No products were found.			

## Section 16. Other Information

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution.

Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.