

Material Safety Data Sheet

and Safe Handling and Disposal Information

Section 1. Chemical Product and Company Identification

Product name ZEP ELEC II PLUS

Product Use Aerosol Electrical Contact Cleaner

Product Code 0283

Date of issue 08/19/05 Supersedes

Emergency For MSDS Information:

Telephone Acuity Specialty Products Group, Inc.

Numbers Compliance Services 1-877-I-BUY-ZEP (428-9937)

For Medical Emergency

INFOTRAC:

(877) 541-2016 Toll Free - All Calls Recorded

For a Transportation Emergency

CHEMTREC:

(800) 424-9300 - All Calls Recorded

In the District of Columbia (202) 483-7616

HMIS

0

1

R

Health

Fire Hazard

Personal Protection

Reactivity

Prepared by Compliance Services Group

Acuity Specialty Products Group 1420 Seaboard Industrial Blvd.

Atlanta, GA 30318

Section 2. Composition, Information on Ingredients

Name of Hazardous Ingredients	CAS#	% by Weight	Exposure Limits
1,1,1,2 – TETRAFLUOROETHANE; hfc-134a	811-97-2	50 - 60	AIHA WEEL (United States).
1,2-DICHLOROETHYLENE (trans); trans-DCE	156-60-5	20 - 30	TWA: 1000 ppm 8 hour(s). ACGIH TLV (United States). TWA: 200 ppm 8 hour(s).
1,1,1,2,2,3,4,5,5,5 - DECAFLUOROPENTANE; hfc-43-10 mee 1,1,1,3,3 - PENTAFLUOROBUTANE; hfc-365mfc	138495-42-8 406-58-6	5 - 15 1 - 10	Not established Not established

Section 3. Hazards Identification

Printing date: 01/09/06

Acute Effects

Routes of Entry Absorbed through skin. Inhalation.

Skin Hazardous in case of skin contact (irritant). Causes skin irritation. Skin inflammation is characterized by itching, scaling, or reddening. Harmful if absorbed through the skin.

Eyes Hazardous in case of eye contact (irritant). Inflammation of the eye is characterized by

redness, watering, and itching, lacrimation, pain.

Inhalation Hazardous in case of inhalation. Can cause central nervous system depression. Symptoms and signs include headaches, dizziness, fatigue, muscular weakness, drowsiness and, in

extreme cases, loss of consciousness. May cause heart beat irregularity (arrythmia). In

confined spaces, the gas can cause asphyxiation.

Ingestion Harmful if swallowed. Ingestion may cause nausea, weakness and central nervous system

effects.

NOTE: MSDS data pertains to the product as delivered in the original shipping container(s). Risk of adverse health effects are lessened by following all prescribed safety precautions, including use of proper personal protective equipment.

Carcinogenic Effects
Chronic Effects

Ingredients: Not listed as carcinogen by OSHA, NTP or IARC.

Overexposure of this product by inhalation or absorption can produce central nervous system

depression resulting in headache, nausea and/or dizziness. Prolonged or repeated contact may dry skin and cause irritation. The substance may be toxic to liver, heart, upper respiratory tract, central nervous system (CNS). Repeated or prolonged exposure to the substance can produce target organs damage.

See Toxicological Information (section 11)

Section 4. First Aid Measures

Eye Contact Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15

minutes, keeping eyelids open. Get medical attention.

Skin Contact Wash affected area with soap or mild detergent and water. Remove contaminated clothing and shoes. Get

medical attention.

Inhalation If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give

oxygen. Get medical attention.

Ingestion Aspiration hazard if swallowed- can enter lungs and cause damage. Do NOT induce vomiting unless

directed to do so by medical personnel. If vomiting occurs, keep head lower than hips to help prevent aspiration. Never give anything by mouth to an unconscious person. Get medical attention immediately.

Page: 1/3

Product Code 0283 Material Safety Data Sheet Product Name ZEP ELEC II PLUS

Section 5. Fire Fighting Measures

Flash Point Not applicable. Flammable Limits Not applicable.

Flammability Non-flammable. (CSMA)

Fire Hazard May emit toxic fumes under fire conditions. Contents under pressure.

Fire-Fighting Procedures In case of fire, use water spray (fog), foam or dry chemicals. Wear special

protective clothing and positive pressure, self-contained breathing

apparatus.

Section 6. Accidental Release Measures

Spill Clean up Large spills are unlikely due to packaging.

Section 7. Handling and Storage

Handling Store and use away from heat, sparks, open flame, or any other ignition source. When heated it emits toxics fumes.

Avoid contact with eyes, skin and clothing. Avoid breathing vapors or spray mists. Use only with adequate

ventilation. Wash thoroughly after handling. Wash contaminated clothing before reusing.

Storage Keep container in a cool, well-ventilated area. Keep away from heat and direct sunlight. Do not store above 49°C

(120°F). Keep away from incompatibles. Do not puncture or incinerate. Keep out of the reach of children.

Section 8. Exposure Controls, Personal Protection

Personal Protection

Protective Clothing (Pictograms)

Eyes Safety glasses.

Body Nitrile gloves.

Respiratory Use with adequate ventilation. Provide exhaust ventilation or other engineering controls to keep the airborne

concentrations of vapors below their respective threshold limit value. Wear appropriate respirator when ventilation is

inadequate.

Section 9. Physical and Chemical Properties

Physical StateThin liquid (Aerosol.)Color Clear. Colorless.pHNot applicableOdor Ethereal.

Boiling Point 35°C (95°F) - Initial **Vapor Pressure** 220 mmHg @ 70F **Specific Gravity** 1.24 (Water = 1) **Vapor Density** Not available.

Solubility Very slightly soluble in cold water, hot water.

Evaporation Rate >1 compared to Butyl acetate.

VOC (Consumer) Federal: 22.8% 2.4lb/gal 282g/l.

Cal/OTC: 45.0% 4.65lb/gal 557g/l.

Section 10. Stability and Reactivity

Stability and Reactivity The product is stable.

Incompatibility Reactive with oxidizing agents, metals, acids, alkalis.

Hazardous Polymerization Will not occur.

Hazardous Decomposition Products Hydrogen Chloride (HCl), Hydrogen Fluoride (HF), carbon oxides (CO, CO₂), and

Phosgene Gas.

Section 11. Toxicological Information

Toxicity to Animals 1,2-DICHLOROETHYLENE (trans); trans-DCE:

ORAL (LD50): Acute: 1275 mg/kg [Rat].

DERMAL (LD50): Acute: >2000 mg/kg [Rat].

VAPOR (LC50): Acute: 24100 ppm 4 hour(s) [Rat].

1,1,1,2,2,3,4,5,5,5-Decafluoropentane:

DERMAL (LD50): Acute: >2000 mg/kg [Rat]. VAPOR (LC50): Acute: 11100 ppm 4 hour(s) [Rat].

1,1,1,3,3-pentafluorobutane:

DERMAL (LD50): Acute: >2000 mg/kg [Rat].

Section 12. Ecological Information

Ecotoxicity Not available. **Biodegradable/OECD** Not available.

Section 13. Disposal Considerations

Waste must be disposed of in accordance with federal, Waste Stream Code: - (Not applicable.)

Information state and local environmental control regulations. Classification: - (Non-hazardous waste)

Consult your local or regional authorities.

Page: 2/3

Product Code 0283 Material Safety Data Sheet Product Name ZEP ELEC II PLUS

Section 14. Transport Information

Proper shipping name Consumer Commodity

DOT Classification ORM-D **UN number** Not regulated.

NOTE: DOT classification applies to most package sizes. For specific container size classifications or for size exceptions, refer to the Bill of Lading with your shipment.

Section 15. Regulatory Information

U.S. Federal Regulations SARA 313 toxic chemical notification and release reporting:

No products were found.

Clean Water Act (CWA) 311: 1,2-Dichloroethylene (trans)

Clean air act (CAA) 112 regulated toxic substances: No products were found.

All Components of this product are listed or exempt from listing on TSCA inventory.

State Regulations

California prop. 65: No products were found.

Section 16. Other Information

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.